

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




AL
M

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/11, C07H 21/00, C12N 15/31, C07K 14/195, 16/12		A2	(11) International Publication Number: WO 00/18909 (43) International Publication Date: 6 April 2000 (06.04.00)
(21) International Application Number: PCT/US99/22752 (22) International Filing Date: 29 September 1999 (29.09.99) (30) Priority Data: 60/102,294 29 September 1998 (29.09.98) US (71) Applicant: DIVERSA CORPORATION [US/US]; 10665 Sorrento Valley Road, San Diego, CA 92121 (US). (72) Inventors: SWANSON, Ronald, V.; 8656-3 Villa La Jolla, La Jolla, CA 92037 (US). FELDMAN, Robert, A.; 13344 Lingre Avenue, Poway, CA 92064 (US). SCHLEPER, Christa; Weinberg Strasse 33, D-64285 Darmstadt (DE). (74) Agent: ALTMAN, Daniel, E.; Knobbe, Martens, Olson and Bear, LLP, 16th floor, 620 Newport Center Drive, Newport Beach, CA 92660 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (Utility model), DE, DE (Utility model), DK, DK (Utility model), DM, EE, EE (Utility model), ES, FI, FI (Utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (Utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i> IDN.: 47 94.6 Claim 15	

(54) Title: **NUCLEIC ACIDS AND PROTEINS FROM CENARCHAEUM SYMBIOSUM**



(57) Abstract

The present application relates to nucleic acids and polypeptides from *Cenarchaeum symbiosum*. Methods of making the polypeptides and antibodies against the polypeptides are also described.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

NUCLEIC ACIDS AND PROTEINS FROM *CENARCHAEUM SYMBIOSUM*Background of the Invention

5 The identification and characterization of organisms which inhabit a diverse range of ecosystems leads to a greater understanding of the operation of such ecosystems. In addition, because the physiology of such organisms is adapted to function in the particular habitat which the organism inhabits, the enzymes which carry out the organism's physiological processes may possess characteristics which provide advantages when they are utilized in therapeutic procedures, industrial applications, or research applications. Furthermore, by determining the sequences of these organisms' genes, insight into their biochemical pathways and processes may be gained without the necessity of culturing the organisms in the laboratory, thereby enabling the physiological characterization of organisms which are recalcitrant to growth in the laboratory.

10 Molecular phylogenetic surveys have recently revealed an ecologically widespread Crenarchaeal group that inhabits cold and temperate terrestrial and marine environments. To date these organisms have resisted isolation in pure culture, so their phenotypic and genotypic characteristics remain largely unknown. In order to characterize the physiology of these archaea, to develop methodological approaches for characterizing uncultivated microorganisms and identifying their presence in a sample, and to identify enzymes produced by these archae which may be useful in therapeutic, industrial, or laboratory applications, genomic analyses of the non-thermophilic crenarchaeote *Cenarchaeum symbiosum* was undertaken.

15 Non-thermophilic *Crenarchaeota* are one of the more abundant, widespread and frequently recovered prokaryotic groups revealed by molecular phylogenetic approaches. These microorganisms were originally detected in high abundance in temperate ocean waters and polar seas. (DeLong, E. F. 1992. Archaea in coastal marine environments. *Proc. Natl. Acad. Sci.* **89**, 5685-5689; DeLong, E. F. *et al.* 1994. High abundance of Archaea in Antarctic marine picoplankton. *Nature* **371**, 695-697; Fuhrman, J. A., *et al.* Davis. 1992. Novel major archaeobacterial group from marine plankton. *Nature* **356**, 148-149; Massana, R., *et al.* 1997. Vertical distribution and phylogenetic characterization of marine planktonic Archaea in the Santa Barbara Channel. *Appl. Env. Microb.* **63**, 50-56; McInerney, J.O. *et al.* 1995. Recovery and phylogenetic analysis of novel archaeal rRNA sequences from a deep-sea deposit feeder. *Appl. Env. Microb.* **61**, 1646-1648; Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* **93**, 6241-6246)

20 Representatives have now been reported in terrestrial environments and freshwater lake sediments, indicating a widespread distribution. (Bintrim, S.B. *et al.* 1997. Molecular phylogeny of Archaea from soil. *Proc. Natl. Acad. Sci. USA* **94**, 277-282; Jurgens, G. *et al.* 1997. Novel group within the kingdom Crenarchaeota from boreal forest soil. *Appl. Env. Microb.* **63**, 803-805; Kudo, Y. *et al.* 1997. Peculiar archaea found in Japanese paddy soils. *Biosci. Biotech. Biochem.* **61**, 917-920; Ueda, *et al.* 1995. Molecular phylogenetic analysis of a soil microbial community. *Eur. J. Soil Sci.* **46**, 415-421; Hershberger, K. L. *et al.* 1996. Wide diversity of Crenarchaeota. *Nature* **384**, 420;

25

30

35

MacGregor, B.J. 1997. Crenarchaeota in Lake Michigan sediment. *Appl. Env. Microb.* **63**, 1178-1181 *et al.*; Schleper, C.*et al.* 1997. Recovery of crenarchaeotal ribosomal DNA sequences from freshwater-lake sediments. *Appl. Env. Microb.* **63**, 321-323) The ecological distribution of these organisms was initially surprising, since their closest cultivated relatives are all thermophilic or hyperthermophilic. No representative of this new archaeal group has yet been obtained in pure culture, so the phenotypic and metabolic properties of these organisms, as well as their impact on the environment and global nutrient cycling, remain unknown. Since growth temperature and habitat characteristics vary so widely between non-thermophilic and the hyperthermophilic *Crenarchaeota*, these groups are likely to differ greatly with respect to their specific physiology and metabolism.

To gain a better perspective on the genetic and physiological characteristics of non-thermophilic crenarchaeotes, a genomic study of *Cenarchaeum symbiosum* was begun. This archaeon lives in specific association with the marine sponge *Axinella mexicana* off the coast of California, allowing access to relatively large amounts of biomass from this species. (Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* **93**, 6241-6246) The approach taken herein differs in several respects from now standard genomic characterization of cultivated organisms, and also from comparable studies of uncultivated obligate parasites or symbionts. *C. symbiosum* has not been completely physically separated from the tissues of its metazoan host. Therefore, its genetic material needs to be identified within the context of complex genomic libraries that contain significant amounts of eucaryotic DNA, as well as DNA derived from members of *Bacteria*.

Molecular phylogenetic surveys of mixed microbial populations have revealed the existence of many new lineages undetected by classical microbiological approaches. (DeLong, E. F. 1997. Marine microbial diversity: the tip of the iceberg. *Tibtech* **15**, 2-9.; Pace, N. R. 1997. A molecular view of microbial diversity and the biosphere. *Science* **276**, 734-740) Furthermore, quantitative rRNA hybridization experiments demonstrate that some of these novel prokaryotic groups represent major components of natural microbial communities. These molecular phylogenetic approaches have altered current views of microbial diversity and ecology, and have demonstrated that traditional cultivation techniques may recover only a small, skewed fraction of naturally occurring microbes. However, phylogenetic identification using single gene sequences provides a limited perspective on other biological properties, particularly for novel lineages only distantly related to cultivated and characterized organisms. Consequently, additional approaches are necessary to better characterize ecologically abundant and potentially biotechnologically useful microorganisms, many of which resist cultivation attempts.

Summary of the Invention

One embodiment of the present invention is an isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NO: 1 and SEQ ID NO: 2, the sequences complementary to SEQ ID NO: 1 and SEQ ID NO: 2, fragments comprising at least 10 consecutive nucleotides of SEQ ID NO: 1 and SEQ ID NO: 2, and fragments comprising at least 10 consecutive nucleotides of the sequences complementary to SEQ ID NO: 1 and SEQ ID NO: 2. One aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of

hybridizing to the nucleic acid of this embodiment under conditions of high stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of moderate stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of low stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters.

Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs: 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79 and the sequences complementary thereto. One aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of high stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of moderate stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of low stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters.

Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid comprising at least 10 consecutive bases of a sequence selected from the group consisting of SEQ ID NOs: 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79 and the sequences complementary thereto. One aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters.

Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs: 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73, 77 and the sequences complementary thereto. One aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of high stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of moderate stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of this embodiment under conditions of low stringency. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of this embodiment as determined by analysis

with BLASTN version 2.0 with the default parameters. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters.

5 Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid comprising at least 10 consecutive bases of a sequence selected from the group consisting of SEQ ID NOs: 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73, 77 and the sequences complementary thereto. One aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters. Another aspect of the present invention is an isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of
10 this embodiment as determined by analysis with BLASTN version 2.0 with the default parameters.

Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid encoding a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

15 Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid encoding a polypeptide comprising at least 10 consecutive amino acids of a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid encoding a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

20 Another embodiment of the present invention is an isolated, purified, or enriched nucleic acid encoding a polypeptide comprising at least 10 consecutive amino acids of a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

25 Another embodiment of the present invention is an isolated or purified polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80. Another aspect of the present invention is an isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of this embodiment. Another aspect of the present invention is an isolated or purified polypeptide having at least 70% homology to the polypeptide of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is an isolated or purified polypeptide having at least 99% homology to the polypeptide of this embodiment as determined by
30 analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is an isolated or purified polypeptide having at least 70% homology to an isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is an isolated or purified polypeptide having at least 99% homology to the polypeptide of to an isolated or purified polypeptide comprising at least 10

consecutive amino acids of the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters.

Another aspect of the present invention is an isolated or purified polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. One aspect of the present invention is an isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of this embodiment. Another aspect of the present invention is an isolated or purified polypeptide having at least 70% homology to the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is an isolated or purified polypeptide having at least 99% homology to the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is An isolated or purified polypeptide having at least 70% homology to an isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters. Another aspect of the present invention is an isolated or purified polypeptide having at least 99% homology to an isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of this embodiment as determined by analysis with FASTA version 3.0t78 with the default parameters.

Another embodiment of the present invention is an isolated or purified antibody capable of specifically binding to a polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

Another embodiment of the present invention is an isolated or purified antibody capable of specifically binding to a polypeptide comprising at least 10 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

Another embodiment of the present invention is an isolated or purified antibody capable of specifically binding to a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

Another embodiment of the present invention is an isolated or purified antibody capable of specifically binding to a polypeptide comprising at least 10 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

Another embodiment of the present invention is a method of making a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

Another embodiment of the present invention is a method of making a polypeptide comprising at least 10 amino acids of a sequence selected from the group consisting of the sequences of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

Another embodiment of the present invention is a method of making a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

5 Another embodiment of the present invention is a method of making a polypeptide comprising at least 10 amino acids of a sequence selected from the group consisting of the sequences of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

10 Another embodiment of the present i method of generating a variant comprising obtaining a nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, the sequences complementary to the sequences of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, fragments comprising at least 30 consecutive nucleotides of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 15 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, and fragments comprising at least 30 consecutive nucleotides of the sequences complementary to SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and changing one or more nucleotides in said sequence to another nucleotide, deleting one or more nucleotides in said sequence, or adding one or more nucleotides to said sequence. In one aspect of the present invention, the method further comprises the step of testing the enzymatic properties of a translation product of said variant.

20 Another embodiment of the present invention is a computer readable medium having stored thereon a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

25 Another embodiment of the present invention is a computer system comprising a processor and a data storage device wherein said data storage device has stored thereon a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. In one aspect of the present invention, the computer system further comprises a sequence comparer and a data storage device having reference sequences stored thereon. For example, the sequence comparer may comprise a computer program which indicates polymorphisms. In another aspect of the present invention is the computer system of this embodiment further comprises an identifier which identifies features in said sequence.

35

Another embodiment of the present invention is a method for comparing a first sequence to a reference sequence wherein said first sequence is selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising the steps of reading said first sequence and said reference sequence through use of a computer program which compares sequences; and determining differences between said first sequence and said reference sequence with said computer program. In one aspect of the present invention, the step of determining differences between the first sequence and the reference sequence comprises identifying polymorphisms.

Another embodiment of the present invention is a method for identifying a feature in a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising the steps of reading said sequence through the use of a computer program which identifies features in sequences and identifying features in said sequence with said computer program.

Brief Description of the Drawings

Figure 1 shows the locations of coding regions, the %G-C. and the %DNA identity between the approximately 28Kb of common sequence in fosmids 101G10 and 60A5.

Figure 2 shows the sequences surrounding the TATA boxes of several promoters from *Cenarchaeum symbiosum* and the distances from the TATA boxes to the initiation codons in these sequences.

Figure 3 is a block diagram of an exemplary computer system.

Figure 4 is a flow diagram illustrating one embodiment of a process 200 for comparing a new nucleotide or protein sequence with a database of sequences in order to determine the homology levels between the new sequence and the sequences in the database.

Figure 5 is a flow diagram illustrating one embodiment of a process 250 in a computer for determining whether two sequences are homologous.

Figure 6 is a flow diagram illustrating one embodiment of an identifier process for detecting the presence of a feature in a sequence.

Definitions

The term "gene" means the segment of DNA involved in producing a polypeptide chain; it includes regions preceding and following the coding region (leader and trailer) as well as, where applicable, intervening sequences (introns) between individual coding segments (exons).

As used herein, the term "isolated" means that the material is removed from its original environment (e.g.,

the natural environment if it is naturally occurring). For example, a naturally-occurring polynucleotide or polypeptide present in a living animal is not isolated, but the same polynucleotide or polypeptide, separated from some or all of the coexisting materials in the natural system, is isolated. Such polynucleotides could be part of a vector and/or such polynucleotides or polypeptides could be part of a composition, and still be isolated in that such vector or composition is not part of its natural environment.

As used herein, the term "purified" does not require absolute purity; rather, it is intended as a relative definition. Individual nucleic acids obtained from a library have been conventionally purified to electrophoretic homogeneity. The sequences obtained from these clones could not be obtained directly either from the library or from total human DNA. The purified nucleic acids of the present invention have been purified from the remainder of the genomic DNA in the organism by at least 10^4 - 10^6 fold. However, the term "purified" also includes nucleic acids which have been purified from the remainder of the genomic DNA or from other sequences in a library or other environment by at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude.

As used herein, the term "recombinant" means that the nucleic acid is adjacent to "backbone" nucleic acid to which it is not adjacent in its natural environment. Additionally, to be "enriched" the nucleic acids will represent 5% or more of the number of nucleic acid inserts in a population of nucleic acid backbone molecules. Backbone molecules according to the present invention include nucleic acids such as expression vectors, self-replicating nucleic acids, viruses, integrating nucleic acids, and other vectors or nucleic acids used to maintain or manipulate a nucleic acid insert of interest. Preferably, the enriched nucleic acids represent 15% or more of the number of nucleic acid inserts in the population of recombinant backbone molecules. More preferably, the enriched nucleic acids represent 50% or more of the number of nucleic acid inserts in the population of recombinant backbone molecules. In a highly preferred embodiment, the enriched nucleic acids represent 90% or more of the number of nucleic acid inserts in the population of recombinant backbone molecules.

A promoter sequence is "operably linked to" a coding sequence when RNA polymerase which initiates transcription at the promoter will transcribe the coding sequence into mRNA.

"Recombinant" polypeptides or proteins refer to polypeptides or proteins produced by recombinant DNA techniques; *i.e.*, produced from cells transformed by an exogenous DNA construct encoding the desired polypeptide or protein. "Synthetic" polypeptides or protein are those prepared by chemical synthesis.

A DNA "coding sequence" or a "nucleotide sequence encoding" a particular polypeptide or protein, is a DNA sequence which is transcribed and translated into a polypeptide or protein when placed under the control of appropriate regulatory sequences.

"Plasmids" are designated by a lower case p preceded and/or followed by capital letters and/or numbers. The starting plasmids herein are either commercially available, publicly available on an unrestricted basis, or can be constructed from available plasmids in accord with published procedures. In addition, equivalent plasmids to those described herein are known in the art and will be apparent to the ordinarily skilled artisan.

"Digestion" of DNA refers to catalytic cleavage of the DNA with a restriction enzyme that acts only at

certain sequences in the DNA. The various restriction enzymes used herein are commercially available and their reaction conditions, cofactors and other requirements were used as would be known to the ordinarily skilled artisan. For analytical purposes, typically 1 g of plasmid or DNA fragment is used with about 2 units of enzyme in about 20 l of buffer solution. For the purpose of isolating DNA fragments for plasmid construction, typically 5 to 50 g of DNA are digested with 20 to 250 units of enzyme in a larger volume. Appropriate buffers and substrate amounts for particular restriction enzymes are specified by the manufacturer. Incubation times of about 1 hour at 37 C are ordinarily used, but may vary in accordance with the supplier's instructions. After digestion the gel electrophoresis may be performed to isolate the desired fragment.

"Oligonucleotide" refers to either a single stranded polydeoxynucleotide or two complementary polydeoxynucleotide strands which may be chemically synthesized. Such synthetic oligonucleotides have no 5' phosphate and thus will not ligate to another oligonucleotide without adding a phosphate with an ATP in the presence of a kinase. A synthetic oligonucleotide will ligate to a fragment that has not been dephosphorylated.

Detailed Description of the Preferred Embodiment

In order to begin the characterization of *Cenarchaeum symbiosum*, a large region of the *C. symbiosum* genome was sequenced. In particular, two overlapping *C. symbiosum*-derived fosmid inserts of approximately 42kb and 33kb were sequenced. The sequences of the two fosmid inserts revealed that there are at least two major variants or strains of *C. symbiosum* that coexist inside the sponge tissues of a single sponge. This complexity of the *C. symbiosum* population was not detected in initial studies based solely on direct sequencing of PCR amplified SSU genes. (Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* 93, 6241-6246) This natural variation would also have been lost upon isolation of a pure culture.

The *Cenarchaeum symbiosum* sequences obtained from the two fosmids containing overlapping genomic inserts are provided in the accompanying sequence listing and are identified as SEQ ID NO: 1 and SEQ ID NO: 2. The two fosmid sequences were not entirely identical in their overlapping portions but instead contained differences. Upon further investigation, it was discovered that the two fosmid sequences were derived from two different, but closely related, strains of *Cenarchaeum symbiosum* (called variant A and variant B) which may simultaneously inhabit a single sponge.

Within the sequences of the fosmid inserts, numerous open reading frames encoding polypeptides having homology to known proteins, as well as open reading frames encoding proteins which do not exhibit homology to known proteins, were identified. Homology was determined using the program FASTA with the default parameters. The polypeptides encoded by these sequences are identified in the accompanying sequence listing as SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76 and 80 (polypeptides with homology to known proteins) and SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74 and 78 (polypeptides

without homology to known proteins). In addition, sequences encoding the 16S rRNA, the 23S rRNA and a tyrosine tRNAs were also identified.

One aspect of the present invention is an isolated, purified, or enriched nucleic acid comprising one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 the sequences complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases of one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or the sequences complementary thereto. The isolated, purified or enriched nucleic acids may comprise DNA, including cDNA, genomic DNA, and synthetic DNA. The DNA may be double-stranded or single-stranded, and if single stranded may be the coding strand or non-coding (anti-sense) strand. Alternatively, the isolated, purified or enriched nucleic acids may comprise RNA.

As discussed in more detail below, the isolated, purified, or enriched nucleic acids of one of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 may be used to prepare one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80.

Accordingly, another aspect of the present invention is an isolated, purified, or enriched nucleic acid which encodes one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80. The coding sequences of these nucleic acids may be identical to one of the coding sequences of one of the nucleic acids of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or a fragment thereof or may be different coding sequences which encode one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 as a result of the redundancy or degeneracy of the genetic code. The genetic code is well known to those of skill in the art and can be obtained, for example, on page 214 of B. Lewin, Genes VI, Oxford University Press, 1997.

The isolated, purified, or enriched nucleic acid which encodes one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68,

70, 72, 74 76, 78, and 80 may include, but is not limited to: only the coding sequence of one of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79; the coding sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 and additional coding sequences, such as leader sequences or proprotein sequences; or the coding sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 and non-coding sequences, such as introns or non-coding sequences 5' and/or 3' of the coding sequence. Thus, as used herein, the term "polynucleotide encoding a polypeptide" encompasses a polynucleotide which includes only coding sequence for the polypeptide as well as a polynucleotide which includes additional coding and/or non-coding sequence.

Alternatively, the nucleic acid sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 may be mutagenized using conventional techniques, such as site directed mutagenesis, or other techniques familiar to those skilled in the art, to introduce silent changes into the polynucleotides of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79. As used herein, "silent changes" include, for example, changes which do not alter the amino acid sequence encoded by the polynucleotide. Such changes may be desirable in order to increase the level of the polypeptide produced by host cells containing a vector encoding the polypeptide by introducing codons or codon pairs which occur frequently in the host organism.

The present invention also relates to polynucleotides which have nucleotide changes which result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80. Such nucleotide changes may be introduced using techniques such as site directed mutagenesis, random chemical mutagenesis, exonuclease III deletion, and other recombinant DNA techniques. Alternatively, such nucleotide changes may be naturally occurring allelic variants which are isolated by identifying nucleic acids which specifically hybridize to probes comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases of one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or the sequences complementary thereto to nucleic acids from *Cenarchaeum symbiosum* or related organisms under conditions of high, moderate, or low stringency as provided herein.

The isolated, purified, or enriched nucleic acids of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79, the sequences complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases of one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77

and 79 or the sequences complementary thereto may also be used as probes to identify the presence of *Cenarchaeum symbiosum* in a biological sample. In such procedures, a biological sample potentially harboring *Cenarchaeum symbiosum* is obtained and nucleic acids are obtained from the sample. The nucleic acids are contacted with the probe under conditions which permit the probe to specifically hybridize to any complementary sequences from *Cenarchaeum symbiosum* which are present therein.

Where necessary, conditions which permit the probe to specifically hybridize to complementary sequences from *Cenarchaeum symbiosum* may be determined by placing the probe in contact with complementary sequences from *Cenarchaeum symbiosum* as well as control sequences which are not from *Cenarchaeum symbiosum*. In some analyses, the control sequences may be from organisms related to *Cenarchaeum symbiosum*. Alternatively, the control sequences may be from organisms which are not related to *Cenarchaeum symbiosum*. Hybridization conditions, such as the salt concentration of the hybridization buffer, the formamide concentration of the hybridization buffer, or the hybridization temperature, may be varied to identify conditions which allow the probe to hybridize specifically to nucleic acids from *Cenarchaeum symbiosum*.

If the sample contains nucleic acids from *Cenarchaeum symbiosum*, specific hybridization of the probe to the nucleic acids from *Cenarchaeum symbiosum* is then detected. Hybridization may be detected by labeling the probe with a detectable agent such as a radioactive isotope, a fluorescent dye or an enzyme capable of catalyzing the formation of a detectable product.

Many methods for using the labeled probes to detect the presence of nucleic acids from *Cenarchaeum symbiosum* in a sample are familiar to those skilled in the art. These include Southern Blots, Northern Blots, colony hybridization procedures, and dot blots. Protocols for each of these procedures are provided in Ausubel et al. Current Protocols in Molecular Biology, John Wiley 503 Sons, Inc. 1997 and Sambrook et al., Molecular Cloning: A Laboratory Manual 2d Ed., Cold Spring Harbor Laboratory Press, 1989.

Alternatively, more than one probe (at least one of which is capable of specifically hybridizing to any complementary sequences from *Cenarchaeum symbiosum* which are present in the nucleic acid sample), may be used in an amplification reaction to determine whether the nucleic acid sample contains nucleic acids from *Cenarchaeum symbiosum*. Preferably, the probes comprise oligonucleotides. In one embodiment, the amplification reaction may comprise a PCR reaction. PCR protocols are described in Ausubel and Sambrook, *supra*. Alternatively, the amplification may comprise a ligase chain reaction, 3SR, or strand displacement reaction. (See Barany, F., "The Ligase Chain Reaction in a PCR World", *PCR Methods and Applications* 1:5-16 (1991); E. Fahy et al., "Self-sustained Sequence Replication (3SR): An Isothermal Transcription-based Amplification System Alternative to PCR", *PCR Methods and Applications* 1:25-33 (1991); and Walker G.T. et al., "Strand Displacement Amplification-an Isothermal *in vitro* DNA Amplification Technique, *Nucleic Acid Research* 20:1691-1696 (1992). In such procedures, the nucleic acids in the sample are contacted with the probes, the amplification reaction is performed, and any resulting amplification product is detected. The amplification product may be detected by performing gel electrophoresis on the reaction products and staining the gel with an intercalator such as ethidium bromide. Alternatively, one or more of the probes may be labeled with a radioactive

isotope and the presence of a radioactive amplification product may be detected by autoradiography after gel electrophoresis.

Probes derived from sequences near the ends of the sequences of SEQ ID Nos: 1 and 2 may also be used in chromosome walking procedures to identify clones containing genomic sequences located adjacent to the sequences of SEQ ID Nos: 1 and 2. Such methods allow the isolation of genes which encode additional proteins expressed in *Cenarchaeum symbiosum* and facilitate the further physiological characterization of the organism.

Another aspect of the present invention is a method for determining whether a sample contains variant A and/or variant B of *Cenarchaeum symbiosum*. In such procedures, a sample potentially harboring variant A and/or variant B *Cenarchaeum symbiosum* is obtained and nucleic acids are obtained from the sample. The nucleic acids are contacted with the probe under conditions which permit the probe to specifically hybridize to any complementary sequences from variant A or variant B of *Cenarchaeum symbiosum* which are present therein. Preferably, the probe comprises a sequence having one or more nucleotides which differ between variant A and variant B. Conditions in which the probe specifically hybridizes to nucleic acids from one of the variants but not to nucleic acids from the other variant may be determined by contacting the probe with its corresponding sequence from variant A and variant B and varying the hybridization conditions, such as the salt concentration of the hybridization buffer, the formamide concentration of the buffer, or the hybridization temperature, to identify conditions in which the probe hybridizes to the corresponding sequence from one variant but not to the corresponding sequence from the other variant. Hybridization of the probe to nucleic acids from the *Cenarchaeum symbiosum* variant is then detected using any of the procedures described above.

The isolated, purified, or enriched nucleic acids of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79, the sequences complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases of one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or the sequences complementary thereto may be used as probes to identify and isolate cDNAs encoding the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80. In such procedures, a cDNA library is constructed from a sample containing *Cenarchaeum symbiosum*. The cDNA library is then contacted with a probe comprising a coding sequence, or a fragment of a coding sequence, encoding one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or a fragment thereof under conditions which permit the probe to specifically hybridize to sequences complementary thereto. cDNAs which hybridize to the probe are then detected and isolated. Procedures for preparing and identifying cDNAs are disclosed in Ausubel et al. Current Protocols in Molecular Biology, John Wiley 503 Sons, Inc. 1997 and Sambrook et al., Molecular Cloning: A Laboratory Manual 2d Ed., Cold Spring Harbor Laboratory Press, 1989.

The isolated, purified, or enriched nucleic acids of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79, the sequences complementary thereto, or a fragment comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases of one of the sequences of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or the sequences complementary thereto may be used as probes to identify and isolate related nucleic acids. In some embodiments, the related nucleic acids may be cDNAs or genomic DNAs from organisms other than *Cenarchaeum symbiosum*. For example, the other organisms may be organisms which are related to *Cenarchaeum symbiosum*. In such procedures, a nucleic acid sample containing nucleic acids from the related organism, such as a cDNA or genomic DNA library from the related organism, is contacted with the probe under conditions which permit the probe to specifically hybridize to related sequences. Hybridization of the probe to nucleic acids from the related organism is then detected using any of the methods described above.

Hybridization may be carried out under conditions of low stringency, moderate stringency or high stringency. As an example of nucleic acid hybridization, a polymer membrane containing immobilized denatured nucleic acids is first prehybridized for 30 minutes at 45 C in a solution consisting of 0.9 M NaCl, 50 mM NaH₂PO₄, pH 7.0, 5.0 mM Na₂EDTA, 0.5% SDS, 10X Denhardt's, and 0.5 mg/ml polyriboadenylic acid. Approximately 2×10^7 cpm (specific activity $4-9 \times 10^8$ cpm/ug) of ³²P end-labeled oligonucleotide probe are then added to the solution. After 12-16 hours of incubation, the membrane is washed for 30 minutes at room temperature in 1X SET (150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na₂EDTA) containing 0.5% SDS, followed by a 30 minute wash in fresh 1X SET at T_m-10 C for the oligonucleotide probe. The membrane is then exposed to auto-radiographic film for detection of hybridization signals.

By varying the stringency of the hybridization conditions used to identify nucleic acids, such as cDNAs or genomic DNAs, which hybridize to the detectable probe, nucleic acids having different levels of homology to the probe can be identified and isolated. Stringency may be varied by conducting the hybridization at varying temperatures below the melting temperatures of the probes. The melting temperature of the probe may be calculated using the following formulas:

For probes between 14 and 70 nucleotides in length the melting temperature (T_m) is calculated using the formula: $T_m = 81.5 + 16.6(\log [Na^+]) + 0.41(\text{fraction } G+C) - (600/N)$ where N is the length of the probe.

If the hybridization is carried out in a solution containing formamide, the melting temperature may be calculated using the equation $T_m = 81.5 + 16.6(\log [Na^+]) + 0.41(\text{fraction } G+C) - (0.63\% \text{ formamide}) - (600/N)$ where N is the length of the probe.

Prehybridization may be carried out in 6X SSC, 5X Denhardt's reagent, 0.5% SDS, 100 g denatured fragmented salmon sperm DNA or 6X SSC, 5X Denhardt's reagent, 0.5% SDS, 100 g denatured fragmented salmon sperm DNA, 50% formamide. The formulas for SSC and Denhardt's solutions are listed in Sambrook et al., *supra*.

Hybridization is conducted by adding the detectable probe to the prehybridization solutions listed above. Where the probe comprises double stranded DNA, it is denatured before addition to the hybridization solution. The filter is

contacted with the hybridization solution for a sufficient period of time to allow the probe to hybridize to cDNAs or genomic DNAs containing sequences complementary thereto or homologous thereto. For probes over 200 nucleotides in length, the hybridization may be carried out at 15-25 C below the T_m . For shorter probes, such as oligonucleotide probes, the hybridization may be conducted at 5-10 C below the T_m . Preferably, for hybridizations in 6X SSC, the hybridization is conducted at approximately 68 C. Preferably, for hybridizations in 50% formamide containing solutions, the hybridization is conducted at approximately 42 C.

All of the foregoing hybridizations would be considered to be under conditions of high stringency.

Following hybridization, the filter is washed in 2X SSC, 0.1% SDS at room temperature for 15 minutes. The filter is then washed with 0.1X SSC, 0.5% SDS at room temperature for 30 minutes to 1 hour. Thereafter, the solution is washed at the hybridization temperature in 0.1X SSC, 0.5% SDS. A final wash is conducted in 0.1X SSC at room temperature.

Nucleic acids which have hybridized to the probe are identified by autoradiography or other conventional techniques.

The above procedure may be modified to identify nucleic acids having decreasing levels of homology to the probe sequence. For example, to obtain nucleic acids of decreasing homology to the detectable probe, less stringent conditions may be used. For example, the hybridization temperature may be decreased in increments of 5 C from 68 C to 42 C in a hybridization buffer having a Na^+ concentration of approximately 1M. Following hybridization, the filter may be washed with 2X SSC, 0.5% SDS at the temperature of hybridization. These conditions are considered to be "moderate" conditions above 50 C and "low" conditions below 50 C. A specific example of "moderate" hybridization conditions is when the above hybridization is conducted at 55 C. A specific example of "low stringency" hybridization conditions is when the above hybridization is conducted at 45 C.

Alternatively, the hybridization may be carried out in buffers, such as 6X SSC, containing formamide at a temperature of 42 C. In this case, the concentration of formamide in the hybridization buffer may be reduced in 5% increments from 50% to 0% to identify clones having decreasing levels of homology to the probe. Following hybridization, the filter may be washed with 6X SSC, 0.5% SDS at 50 C. These conditions are considered to be "moderate" conditions above 25% formamide and "low" conditions below 25% formamide. A specific example of "moderate" hybridization conditions is when the above hybridization is conducted at 30% formamide. A specific example of "low stringency" hybridization conditions is when the above hybridization is conducted at 10% formamide.

Nucleic acids which have hybridized to the probe are identified by autoradiography.

For example, the preceding methods may be used to isolate nucleic acids having a sequence with at least 97%, at least 95%, at least 90%, at least 85%, at least 80%, or at least 70% homology to a nucleic acid sequence selected from the group consisting of one of the sequences of SEQ ID NOS. 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79, fragments comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive bases thereof, and the sequences complementary thereto. Homology may be measured using BLASTN version 2.0

with the default parameters. For example, the homologous polynucleotides may have a coding sequence which is a naturally occurring allelic variant of one of the coding sequences described herein. Such allelic variants may have a substitution, deletion or addition of one or more nucleotides when compared to the nucleic acids of SEQ ID NOs: 1, 2, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 and 79 or the sequences complementary thereto.

Additionally, the above procedures may be used to isolate nucleic acids which encode polypeptides having at least 99%, 95%, at least 90%, at least 85%, at least 80%, or at least 70% homology to a polypeptide having the sequence of one of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof as determined using the FASTA version 3.0t78 algorithm with the default parameters.

Another aspect of the present invention is an isolated or purified polypeptide comprising the sequence of one of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. As discussed above, such polypeptides may be obtained by inserting a nucleic acid encoding the polypeptide into a vector such that the coding sequence is operably linked to a sequence capable of driving the expression of the encoded polypeptide in a suitable host cell. For example, the expression vector may comprise a promoter, a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

Promoters suitable for expressing the polypeptide or fragment thereof in bacteria include the *E. coli* *lac* or *trp* promoters, the *lacI* promoter, the *lacZ* promoter, the T3 promoter, the T7 promoter, the *gpt* promoter, the λ *P_R* promoter, the λ *P_L* promoter, the *trp* promoter, promoters from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), and the acid phosphatase promoter. Fungal promoters include the α factor promoter. Eukaryotic promoters include the CMV immediate early promoter, the HSV thymidine kinase promoter, heat shock promoters, the early and late SV40 promoter, LTRs from retroviruses, and the mouse metallothionein-I promoter. Other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses may also be used.

Mammalian expression vectors may also comprise an origin of replication, any necessary ribosome binding sites, a polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. In some embodiments, DNA sequences derived from the SV40 splice and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

Vectors for expressing the polypeptide or fragment thereof in eukaryotic cells may also contain enhancers to increase expression levels. Enhancers are cis-acting elements of DNA, usually from about 10 to about 300 bp in length that act on a promoter to increase its transcription. Examples include the SV40 enhancer on the late side of the

replication origin bp 100 to 270, the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and the adenovirus enhancers.

In addition, the expression vectors preferably contain one or more selectable marker genes to permit selection of host cells containing the vector. Such selectable markers include genes encoding dihydrofolate reductase or genes conferring neomycin resistance for eukaryotic cell culture, genes conferring tetracycline or ampicillin resistance in *E. coli*, and the *S. cerevisiae* TRP1 gene.

In some embodiments, the nucleic acid encoding one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof is assembled in appropriate phase with a leader sequence capable of directing secretion of the translated polypeptide or fragment thereof. Optionally, the nucleic acid can encode a fusion polypeptide in which one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof is fused to heterologous peptides or polypeptides, such as N-terminal identification peptides which impart desired characteristics, such as increased stability or simplified purification.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is ligated to the desired position in the vector following digestion of the insert and the vector with appropriate restriction endonucleases. Alternatively, blunt ends in both the insert and the vector may be ligated. A variety of cloning techniques are disclosed in Ausubel et al. Current Protocols in Molecular Biology, John Wiley 503 Sons, Inc. 1997 and Sambrook et al., Molecular Cloning: A Laboratory Manual 2d Ed., Cold Spring Harbor Laboratory Press, 1989. Such procedures and others are deemed to be within the scope of those skilled in the art.

The vector may be, for example, in the form of a plasmid, a viral particle, or a phage. Other vectors include chromosomal, nonchromosomal and synthetic DNA sequences, derivatives of SV40; bacterial plasmids, phage DNA, baculovirus, yeast plasmids, vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. A variety of cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor, N.Y., (1989).

Particular bacterial vectors which may be used include the commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017), pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden), GEM1 (Promega Biotec, Madison, WI, USA) pQE70, pQE60, pQE-9 (Qiagen), pD10, psiX174 pBluescript II KS, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene), ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia), pKK232-8 and pCM7. Particular eukaryotic vectors include pSV2CAT, pOG44, pXT1, pSG (Stratagene) pSVK3, pBPV, pMSG, and pSVL (Pharmacia). However, any other vector may be used as long as it is replicable and viable in the host cell.

The host cell may be any of the host cells familiar to those skilled in the art, including prokaryotic cells, eukaryotic cells, mammalian cells, insect cells, or plant cells. As representative examples of appropriate hosts, there may be mentioned: bacterial cells, such as E. coli, Streptomyces, Bacillus subtilis, Salmonella typhimurium and various species within the genera Pseudomonas, Streptomyces, and Staphylococcus, fungal cells, such as yeast, insect cells such as Drosophila S2 and Spodoptera Sf9, animal cells such as CHO, COS or Bowes melanoma, and adenoviruses. The selection of an appropriate host is within the abilities of those skilled in the art.

The vector may be introduced into the host cells using any of a variety of techniques, including transformation, transfection, transduction, viral infection, gene guns, or Ti-mediated gene transfer. Particular methods include calcium phosphate transfection, DEAE-Dextran mediated transfection, lipofection, or electroporation (Davis, L., Dibner, M., Battey, I., Basic Methods in Molecular Biology, (1986)).

Where appropriate, the engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the genes of the present invention. Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter may be induced by appropriate means (e.g., temperature shift or chemical induction) and the cells may be cultured for an additional period to allow them to produce the desired polypeptide or fragment thereof.

Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract is retained for further purification. Microbial cells employed for expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents. Such methods are well known to those skilled in the art. The expressed polypeptide or fragment thereof can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the polypeptide. If desired, high performance liquid chromatography (HPLC) can be employed for final purification steps.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts (described by Gluzman, Cell, 23:175 (1981), and other cell lines capable of expressing proteins from a compatible vector, such as the C127, 3T3, CHO, HeLa and BHK cell lines.

The constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Depending upon the host employed in a recombinant production procedure, the polypeptides produced by host cells containing the vector may be glycosylated or may be non-glycosylated. Polypeptides of the invention may or may not also include an initial methionine amino acid residue.

Alternatively, the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof can be synthetically produced

by conventional peptide synthesizers. In other embodiments, fragments or portions of the polypeptides may be employed for producing the corresponding full-length polypeptide by peptide synthesis; therefore, the fragments may be employed as intermediates for producing the full-length polypeptides.

5 Cell-free translation systems can also be employed to produce one of the polypeptides of SEQ ID Nos: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof using mRNAs transcribed from a DNA construct comprising a promoter operably linked to a nucleic acid encoding the polypeptide or fragment thereof. In some embodiments, the DNA construct may be linearized prior to conducting an *in vitro* transcription reaction. The transcribed mRNA is then incubated with an
10 appropriate cell-free translation extract, such as a rabbit reticulocyte extract, to produce the desired polypeptide or fragment thereof.

The present invention also relates to variants of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids
15 thereof. The term "variant" includes derivatives or analogs of these polypeptides. In particular, the variants may differ in amino acid sequence from the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 by one or more substitutions, additions, deletions, fusions and truncations, which may be present in any combination.

The variants may be naturally occurring or created *in vitro*. In particular, such variants may be created using
20 genetic engineering techniques such as site directed mutagenesis, random chemical mutagenesis, Exonuclease III deletion procedures, and standard cloning techniques. Alternatively, such variants, fragments, analogs, or derivatives may be created using chemical synthesis or modification procedures.

Other methods of making variants are also familiar to those skilled in the art. These include procedures in which nucleic acid sequences obtained from natural isolates are modified to generate nucleic acids which encode
25 polypeptides having characteristics which enhance their value in industrial or laboratory applications. In such procedures, a large number of variant sequences having one or more nucleotide differences with respect to the sequence obtained from the natural isolate are generated and characterized. Preferably, these nucleotide differences result in amino acid changes with respect to the polypeptides encoded by the nucleic acids from the natural isolates.

For example, variants may be created using error prone PCR. In error prone PCR, PCR is performed under
30 conditions where the copying fidelity of the DNA polymerase is low, such that a high rate of point mutations is obtained along the entire length of the PCR product. Error prone PCR is described in Leung, D.W., *et al.*, Technique, 1:11-15 (1989) and Caldwell, R. C. & Joyce G.F., PCR Methods Applic., 2:28-33 (1992). Briefly, in such procedures, nucleic acids to be mutagenized are mixed with PCR primers, reaction buffer, MgCl₂, MnCl₂, Taq polymerase and an appropriate concentration of dNTPs for achieving a high rate of point mutation along the entire length of the PCR
35 product. For example, the reaction may be performed using 20 fmoles of nucleic acid to be mutagenized, 30 pmole of

each PCR primer, a reaction buffer comprising 50mM KCl, 10mM Tris HCl (pH 8.3) and 0.01% gelatin, 7mM MgCl₂, 0.5mM MnCl₂, 5 units of Taq polymerase, 0.2mM dGTP, 0.2mM dATP, 1mM dCTP, and 1mM dTTP. PCR may be performed for 30 cycles of 94° C for 1 min, 45° C for 1 min, and 72° C for 1 min. However, it will be appreciated that these parameters may be varied as appropriate. The mutagenized nucleic acids are cloned into an appropriate vector and the activities of the polypeptides encoded by the mutagenized nucleic acids is evaluated.

Variants may also be created using oligonucleotide directed mutagenesis to generate site-specific mutations in any cloned DNA segment of interest. Oligonucleotide mutagenesis is described in Reidhaar-Olson, J.F. & Sauer, R.T., *et al.*, Science, 241:53-57 (1988). Briefly, in such procedures a plurality of double stranded oligonucleotides bearing one or more mutations to be introduced into the cloned DNA are synthesized and inserted into the cloned DNA to be mutagenized. Clones containing the mutagenized DNA are recovered and the activities of the polypeptides they encode are assessed.

Another method for generating variants is assembly PCR. Assembly PCR involves the assembly of a PCR product from a mixture of small DNA fragments. A large number of different PCR reactions occur in parallel in the same vial, with the products of one reaction priming the products of another reaction. Assembly PCR is described in U.S. Patent Application Serial No. 08/677,112, filed July 9, 1997 and U.S. Patent Application Serial No. 08/942,504, filed October 31, 1997.

Still another method of generating variants is sexual PCR mutagenesis. In sexual PCR mutagenesis, forced homologous recombination occurs between DNA molecules of different but highly related DNA sequence in vitro, as a result of random fragmentation of the DNA molecule based on sequence homology, followed by fixation of the crossover by primer extension in a PCR reaction. Sexual PCR mutagenesis is described in Stemmer, W.P., PNAS, USA, 91:10747-10751 (1994). Briefly, in such procedures a plurality of nucleic acids to be recombined are digested with DNase to generate fragments having an average size of 50-200 nucleotides. Fragments of the desired average size are purified and resuspended in a PCR mixture. PCR is conducted under conditions which facilitate recombination between the nucleic acid fragments. For example, PCR may be performed by resuspending the purified fragments at a concentration of 10-30ng/μl in a solution of 0.2mM of each dNTP, 2.2mM MgCl₂, 50mM KCl, 10mM Tris HCl, pH 9.0, and 0.1% Triton X-100. 2.5 units of Taq polymerase per 100μl of reaction mixture is added and PCR is performed using the following regime: 94° C for 60 seconds, 94° C for 30 seconds, 50-55° C for 30 seconds, 72° C for 30 seconds (30-45 times) and 72° C for 5 minutes. However, it will be appreciated that these parameters may be varied as appropriate. In some embodiments, oligonucleotides may be included in the PCR reactions. In other embodiments, the Klenow fragment of DNA polymerase I may be used in a first set of PCR reactions and Taq polymerase may be used in a subsequent set of PCR reactions. Recombinant sequences are isolated and the activities of the polypeptides they encode are assessed.

Variants may also be created by in vivo mutagenesis. In some embodiments, random mutations in a sequence of interest are generated by propagating the sequence of interest in a bacterial strain, such as an E. coli strain, which carries mutations in one or more of the DNA repair pathways. Such "mutator" strains have a higher

random mutation rate than that of a wild-type parent. Propagating the DNA in one of these strains will eventually generate random mutations within the DNA. Mutator strains suitable for use for in vivo mutagenesis are described in PCT Published Application WO 91/16427.

5 Variants may also be generated using cassette mutagenesis. In cassette mutagenesis a small region of a double stranded DNA molecule is replaced with a synthetic oligonucleotide "cassette" that differs from the native sequence. The oligonucleotide often contains completely and/or partially randomized native sequence.

Recursive ensemble mutagenesis may also be used to generate variants. Recursive ensemble mutagenesis is an algorithm for protein engineering (protein mutagenesis) developed to produce diverse populations of phenotypically related mutants whose members differ in amino acid sequence. This method uses a feedback mechanism to control successive rounds of combinatorial cassette mutagenesis. Recursive ensemble mutagenesis is described in Arkin, A.P.
10 and Youvan, D.C., PNAS, USA, 89:7811-7815 (1992).

In some embodiments, variants are created using exponential ensemble mutagenesis. Exponential ensemble mutagenesis is a process for generating combinatorial libraries with a high percentage of unique and functional mutants, wherein small groups of residues are randomized in parallel to identify, at each altered position, amino acids
15 which lead to functional proteins. Exponential ensemble mutagenesis is described in Delegrave, S. and Youvan, D.C., Biotechnology Research, 11:1548-1552 (1993). Random and site-directed mutagenesis are described in Arnold, F.H., Current Opinion in Biotechnology, 4:450-455 (1993).

In some embodiments, the variants are created using shuffling procedures wherein portions of a plurality of nucleic acids which encode distinct polypeptides are fused together to create chimeric nucleic acid sequences which
20 encode chimeric polypeptides. Shuffling procedures are described in U.S. Patent Application Serial No. 08/677,112, filed July 9, 1996, U.S. Patent Application Serial No. 08/942,504, filed October 31, 1997, U.S. Patent No. 5,939,250, issued August 17, 1999, and U.S. Patent Application Serial No. 09/375,605, filed August 17, 1999.

The variants of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 may be (i) variants in
25 which one or more of the amino acid residues of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code.

Conservative substitutions are those that substitute a given amino acid in a polypeptide by another amino
30 acid of like characteristics. Typically seen as conservative substitutions are the following replacements: replacements of an aliphatic amino acid such as Ala, Val, Leu and Ile with another aliphatic amino acid; replacement of a Ser with a Thr or vice versa; replacement of an acidic residue such as Asp and Glu with another acidic residue; replacement of a residue bearing an amide group, such as Asn and Gln, with another residue bearing an amide group; exchange of a basic residue such as Lys and Arg with another basic residue; and replacement of an aromatic residue such as Phe,
35 Tyr with another aromatic residue.

Other variants are those in which one or more of the amino acid residues of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80 includes a substituent group.

5 Still other variants are those in which the polypeptide is associated with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol).

Additional variants are those in which additional amino acids are fused to the polypeptide, such as a leader sequence, a secretory sequence, a proprotein sequence or a sequence which facilitates purification, enrichment, or stabilization of the polypeptide.

10 In some embodiments, the fragments, derivatives and analogs retain the same biological function or activity as the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80. In other embodiments, the fragment, derivative, or analog includes a proprotein, such that the fragment, derivative, or analog can be activated by cleavage of the proprotein portion to produce an active polypeptide.

15 Another aspect of the present invention are polypeptides or fragments thereof which have at least 70%, at least 80%, at least 85%, at least 90%, at least 95%, or more than 95% homology to one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80 or a fragment comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. Homology may be determined using a program, such as FASTA version 3.0t78 with the default parameters, which aligns the polypeptides or fragments being compared and determines the
20 extent of amino acid identity or similarity between them. It will be appreciated that amino acid "homology" includes conservative amino acid substitutions such as those described above.

The polypeptides or fragments having homology to one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80 or a fragment comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive
25 amino acids thereof may be obtained by isolating the nucleic acids encoding them using the techniques described above.

Alternatively, the homologous polypeptides or fragments may be obtained through biochemical enrichment or purification procedures. The sequence of potentially homologous polypeptides or fragments may be determined by proteolytic digestion, gel electrophoresis and/or microsequencing. The sequence of the prospective homologous
30 polypeptide or fragment can be compared to one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80 or a fragment comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof using a program such as FASTA version 3.0t78 with the default parameters.

35 The polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74 76, 78, and 80 or fragments comprising at least 5,

10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof invention may be used in a variety of applications. For example, the polypeptides or fragments thereof may be used to catalyze biochemical reactions. In particular, the polypeptides of SEQ ID NOs: 14 and 46, which have homology to glutamate semialdehyde amino transferase, or fragments thereof, may be used to catalyze the synthesis of 5-aminolevulinate from S-4-amino-5-oxopentanoate. The polypeptides of SEQ ID NOs: 26 and 58, which have homology to triose phosphate isomerase, or fragments thereof, may be used to catalyze the synthesis of glycerone phosphate from D-glyceraldehyde 3-phosphate. The polypeptides of SEQ ID NOs: 32 and 64, which have homology to dCMP deaminase, or fragments thereof, may be used to catalyze the reaction of deoxycytidine and water to produce deoxyuridine and ammonia. The polypeptides of SEQ ID NOs: 38 and 72, which have homology to the MenA protein, or fragments thereof, may be used to catalyze the synthesis of menaquinone. The polypeptide of SEQ ID NO: 80, which has homology to glucose-1-dehydrogenase, may be used to catalyze the synthesis of D-glucono-1,5-lactone from D-glucose.

The polypeptide of SEQ ID NO: 10, which has homology to lysyl tRNA synthetase, or fragments thereof, may be used to identify compounds capable of specifically inhibiting the growth of *Cenarchaeum symbiosum*, since tRNA synthetases are attractive targets for agents which inhibit growth.

Agents which specifically inhibit the activity of the lysyl tRNA synthetase from *Cenarchaeum symbiosum* may be identified using a variety of methods known to those skilled in the art. For example, a plurality of agents may be generated using combinatorial chemistry or recombinant DNA libraries encoding a large number of short peptides. The lysyl tRNA synthetases from *Cenarchaeum symbiosum* and control organisms are contacted with the agents and those agents which bind to the lysyl tRNA synthetase from *Cenarchaeum symbiosum* but not to the enzyme from the control organisms are identified. *Cenarchaeum symbiosum* is then contacted with the identified agents to determine which agents inhibit the organism's growth.

The polypeptides of SEQ ID NOs: 28 and 60, which have homology to the TATA box binding protein, or fragments thereof, may be used to identify promoters in nucleic acids from *Cenarchaeum symbiosum*. In such procedures, the polypeptide or fragment thereof is allowed to contact the nucleic acid and binding of the polypeptide or fragment thereof to the nucleic acid is detected. Binding may be detected by performing a gel shift analysis, a nuclease protection analysis, or by detecting the retention of the nucleic acid on a column matrix having the TATA box binding protein, or a fragment thereof, affixed thereto.

Compounds which specifically inhibit the binding of the TATA box binding protein of *Cenarchaeum symbiosum* to promoters may also be used to inhibit growth of the organism. Such compounds may be identified as described above.

Similarly, agents which specifically inhibit the activity of the polypeptides of SEQ ID NOs: 34 and 68, which have homology to RNA helicase, may be used to inhibit the growth of *Cenarchaeum symbiosum*. Such agents may be identified as described above.

The polypeptides of SEQ ID NOs: 30 and 62, which have homology to DNA polymerase I, or fragments thereof, may be used to insert a detectable label into a nucleic acid or to generate blunt ends on nucleic acids which have been digested with a restriction endonuclease.

5 The polypeptides of SEQ ID NOs: 42 and 76, which have homology to site specific DNA methyltransferases, or fragments thereof, may be used in procedures in which it is desirable to protect nucleic acid sequences from digestion with restriction endonucleases. For example, a nucleic acid sequence having one or more restriction sites therein may be treated with the polypeptides of SEQ ID NOs: 42 or 76 prior to the addition of linkers to the nucleic acid. Thereafter, the linkers may be digested with the restriction enzyme, while the sites in the remainder of the nucleic acid are protected from digestion.

10 The polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80, or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof, may also be used to generate antibodies which bind specifically to the polypeptides or fragments. The resulting antibodies may be used to determine whether a biological sample contains *Cenarchaeum symbiosum*. In such procedures, a biological sample is
15 contacted with an antibody capable of specifically binding to one of the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. The ability of the biological sample to bind to the antibody is then determined. For example, binding may be determined by labeling the antibody with a detectable label such as a fluorescent agent, an enzymatic
20 label, or a radioisotope. Alternatively, binding of the antibody to the sample may be detected using a secondary antibody having such a detectable label thereon. A variety of assay protocols which may be used to detect the presence of *Cenarchaeum symbiosum* in a sample are familiar to those skilled in the art. Particular assays include ELISA assays, sandwich assays, radioimmunoassays, and Western Blots.

Polyclonal antibodies generated against the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22,
25 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof can be obtained by direct injection of the polypeptides into an animal or by administering the polypeptides to an animal, preferably a nonhuman. The antibody so obtained will then bind the polypeptide itself. In this manner, even a sequence encoding only a fragment of the polypeptide can be used to generate antibodies which may bind to the
30 whole native polypeptide. Such antibodies can then be used to isolate the polypeptide from cells expressing that polypeptide.

For preparation of monoclonal antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler and Milstein, 1975, Nature, 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor et al., 1983, Immunology Today
35 4:72), and the EBV-hybridoma technique (Cole, et al., 1985, in Monoclonal Antibodies and Cancer Therapy, Alan R.

Liss, Inc., pp. 77-96).

Techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778) can be adapted to produce single chain antibodies to the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof. Alternatively, transgenic mice may be used to express humanized antibodies to these polypeptides or fragments thereof.

Antibodies generated against the polypeptides of SEQ ID NOs: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, and 80 or fragments comprising at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids thereof may be used in screening for similar polypeptides from other organisms and samples. In such techniques, polypeptides from the organism are contacted with the antibody and those polypeptides which specifically bind the antibody are detected. Any of the procedures described above may be used to detect antibody binding. One such screening assay is described in "Methods for Measuring Cellulase Activities", *Methods in Enzymology*, Vol 160, pp. 87-116.

As used herein the term "nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77" encompasses the nucleotide sequences of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, fragments of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, nucleotide sequences homologous to SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or homologous to fragments of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, and sequences complementary to all of the preceding sequences. The fragments include portions of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 comprising at least 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, 150, 200, 300, 400, or 500 consecutive nucleotides of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77. Preferably, the fragments are novel fragments. Homologous sequences and fragments of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 refer to a sequence having at least 99%, 98%, 97%, 96%, 95%, 90%, 85%, 80%, 75% or 70% homology to these sequences. Homology may be determined using any of the computer programs and parameters described herein, including BLASTN version 2.0 with the default parameters. Homologous sequences also include RNA sequences in which uridines replace the thymines in the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77. The homologous

sequences may be obtained using any of the procedures described herein or may result from the correction of a sequencing error. It will be appreciated that the nucleic acid codes of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 can be represented in the traditional single character format (See the inside back cover of Stryer, Lubert. *Biochemistry*, 3rd edition. W. H Freeman & Co., New York.) or in any other format which records the identity of the nucleotides in a sequence.

As used herein the term "polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78" encompasses the polypeptide sequence of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 which are encoded by the extended cDNAs of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, polypeptide sequences homologous to the polypeptides of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78, or fragments of any of the preceding sequences. Homologous polypeptide sequences refer to a polypeptide sequence having at least 99%, 98%, 97%, 96%, 95%, 90%, 85%, 80%, 75% or 70% homology to one of the polypeptide sequences of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. Homology may be determined using any of the computer programs and parameters described herein, including FASTA version 3.0t78 with the default parameters or with any modified parameters. The homologous sequences may be obtained using any of the procedures described herein or may result from the correction of a sequencing error. The polypeptide fragments comprise at least 5, 10, 15, 20, 25, 30, 35, 40, 50, 75, 100, or 150 consecutive amino acids of the polypeptides of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. Preferably, the fragments are novel fragments. It will be appreciated that the polypeptide codes of the SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 can be represented in the traditional single character format or three letter format (See the inside back cover of Stryer, Lubert. *Biochemistry*, 3rd edition. W. H Freeman & Co., New York.) or in any other format which relates the identity of the polypeptides in a sequence.

It will be appreciated by those skilled in the art that the nucleic acid codes of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 can be stored, recorded, and manipulated on any medium which can be read and accessed by a computer. As used herein, the words "recorded" and "stored" refer to a process for storing information on a computer medium. A skilled artisan can readily adopt any of the presently known methods for recording information on a computer readable medium to generate manufactures comprising one or more of the nucleic acid codes of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37,

41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, one or more of the polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, 15, or 20 nucleic acid codes of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77.

Another aspect of the invention is a computer readable medium having recorded thereon one or more of the nucleic acid codes of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, and 79. Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, or 15 of SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, and 79.

Another aspect of the present invention is a computer readable medium having recorded thereon one or more of the nucleic acid codes of SEQ ID NOS. 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77. Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, or 15 of SEQ ID NOS. 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77.

Another aspect of the present invention is a computer readable medium having recorded thereon one or more of the polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. Another aspect of the present invention is a computer readable medium having recorded thereon one or more of the the polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80. Another aspect of the present invention is a computer readable medium having recorded thereon one or more of the the polypeptide codes of SEQ ID NOS. 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, 15, or 20 polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, or 15 polypeptide codes of SEQ ID NOS. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80. Another aspect of the present invention is a computer readable medium having recorded thereon at least 2, 5, 10, or 15 polypeptide codes of SEQ ID NOS. 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

Computer readable media include magnetically readable media, optically readable media, electronically readable media and magnetic/optical media. For example, the computer readable media may be a hard disk, a floppy disk, a magnetic tape, CD-ROM, Digital Versatile Disk (DVD), Random Access Memory (RAM), or Read Only Memory (ROM) as well as other types of other media known to those skilled in the art.

Embodiments of the present invention include systems, particularly computer systems which store and manipulate the sequence information described herein. One example of a computer system 100 is illustrated in block diagram form in Figure 3. As used herein, "a computer system" refers to the hardware components, software components,

and data storage components used to analyze the nucleotide sequences of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the sequences of the polypeptide codes of 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. The computer system 100 preferably includes a processor for processing, accessing and manipulating the sequence data. The processor 105 can be any well-known type of central processing unit, such as the Pentium III from Intel Corporation, or similar processor from Sun, Motorola, Compaq or International Business Machines.

Preferably, the computer system 100 is a general purpose system that comprises the processor 105 and one or more internal data storage components 110 for storing data, and one or more data retrieving devices for retrieving the data stored on the data storage components. A skilled artisan can readily appreciate that any one of the currently available computer systems are suitable.

In one particular embodiment, the computer system 100 includes a processor 105 connected to a bus which is connected to a main memory 115 (preferably implemented as RAM) and one or more internal data storage devices 110, such as a hard drive and/or other computer readable media having data recorded thereon. In some embodiments, the computer system 100 further includes one or more data retrieving device 118 for reading the data stored on the internal data storage devices 110.

The data retrieving device 118 may represent, for example, a floppy disk drive, a compact disk drive, a magnetic tape drive, etc. In some embodiments, the internal data storage device 110 is a removable computer readable medium such as a floppy disk, a compact disk, a magnetic tape, etc. containing control logic and/or data recorded thereon. The computer system 100 may advantageously include or be programmed by appropriate software for reading the control logic and/or the data from the data storage component once inserted in the data retrieving device.

The computer system 100 includes a display 120 which is used to display output to a computer user. It should also be noted that the computer system 100 can be linked to other computer systems 125a-c in a network or wide area network to provide centralized access to the computer system 100.

Software for accessing and processing the nucleotide sequences of the nucleic acid codes of SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 (such as search tools, compare tools, and modeling tools etc.) may reside in main memory 115 during execution.

In some embodiments, the computer system 100 may further comprise a sequence comparer for comparing the above-described nucleic acid codes of SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 stored on a computer readable medium to reference nucleotide or polypeptide sequences stored on a computer readable medium. A "sequence comparer" refers to one or more programs

which are implemented on the computer system 100 to compare a nucleotide sequence with other nucleotide sequences and/or compounds stored within the data storage means. For example, the sequence comparer may compare the nucleotide sequences of the nucleic acid codes of SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID Nos. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 stored on a computer readable medium to reference sequences stored on a computer readable medium to identify homologies or structural motifs. Various sequence comparer programs identified elsewhere in this patent specification are particularly contemplated for use in this aspect of the invention. Protein and/or nucleic acid sequence homologies may be evaluated using any of the variety of sequence comparison algorithms and programs known in the art. Such algorithms and programs include, but are by no means limited to, TBLASTN, BLASTN, BLASTP, FASTA, TFASTA, and CLUSTALW (Pearson and Lipman, 1988, *Proc. Natl. Acad. Sci. USA* 85(8):2444-2448; Altschul *et al.*, 1990, *J. Mol. Biol.* 215(3):403-410; Thompson *et al.*, 1994, *Nucleic Acids Res.* 22(2):4673-4680; Higgins *et al.*, 1996, *Methods Enzymol.* 266:383-402; Altschul *et al.*, 1990, *J. Mol. Biol.* 215(3):403-410; Altschul *et al.*, 1993, *Nature Genetics* 3:266-272).

In one embodiment, protein and nucleic acid sequence homologies are evaluated using the Basic Local Alignment Search Tool ("BLAST") which is well known in the art (see, *e.g.*, Karlin and Altschul, 1990, *Proc. Natl. Acad. Sci. USA* 87:2267-2268; Altschul *et al.*, 1990, *J. Mol. Biol.* 215:403-410; Altschul *et al.*, 1993, *Nature Genetics* 3:266-272; Altschul *et al.*, 1997, *Nuc. Acids Res.* 25:3389-3402). In particular, five specific BLAST programs are used to perform the following task:

- (1) BLASTP and BLAST3 compare an amino acid query sequence against a protein sequence database;
- (2) BLASTN compares a nucleotide query sequence against a nucleotide sequence database;
- (3) BLASTX compares the six-frame conceptual translation products of a query nucleotide sequence (both strands) against a protein sequence database;
- (4) TBLASTN compares a query protein sequence against a nucleotide sequence database translated in all six reading frames (both strands); and
- (5) TBLASTX compares the six-frame translations of a nucleotide query sequence against the six-frame translations of a nucleotide sequence database.

The BLAST programs identify homologous sequences by identifying similar segments, which are referred to herein as "high-scoring segment pairs," between a query amino or nucleic acid sequence and a test sequence which is preferably obtained from a protein or nucleic acid sequence database. High-scoring segment pairs are preferably identified (*i.e.*, aligned) by means of a scoring matrix, many of which are known in the art. Preferably, the scoring matrix used is the BLOSUM62 matrix (Gonnet *et al.*, 1992, *Science* 256:1443-1445; Henikoff and Henikoff, 1993, *Proteins* 17:49-61). Less preferably, the PAM or PAM250 matrices may also be used (see, *e.g.*, Schwartz and

Dayhoff, eds., 1978, *Matrices for Detecting Distance Relationships: Atlas of Protein Sequence and Structure*, Washington: National Biomedical Research Foundation). BLAST programs are accessible through the U.S. National Library of Medicine, e.g., at www.ncbi.nlm.nih.gov.

5 The BLAST programs evaluate the statistical significance of all high-scoring segment pairs identified, and preferably selects those segments which satisfy a user-specified threshold of significance, such as a user-specified percent homology. Preferably, the statistical significance of a high-scoring segment pair is evaluated using the statistical significance formula of Karlin (see, e.g., Karlin and Altschul, 1990, *Proc. Natl. Acad. Sci. USA* 87:2267-2268).

10 The parameters used with the above algorithms may be adapted depending on the sequence length and degree of homology studied. In some embodiments, the parameters may be the default parameters used by the algorithms in the absence of instructions from the user.

Figure 4 is a flow diagram illustrating one embodiment of a process 200 for comparing a new nucleotide or protein sequence with a database of sequences in order to determine the homology levels between the new sequence and the sequences in the database. The database of sequences can be a private database stored within the computer system 15 100, or a public database such as GENBANK that is available through the Internet.

The process 200 begins at a start state 201 and then moves to a state 202 wherein the new sequence to be compared is stored to a memory in a computer system 100. As discussed above, the memory could be any type of memory, including RAM or an internal storage device.

20 The process 200 then moves to a state 204 wherein a database of sequences is opened for analysis and comparison. The process 200 then moves to a state 206 wherein the first sequence stored in the database is read into a memory on the computer. A comparison is then performed at a state 210 to determine if the first sequence is the same as the second sequence. It is important to note that this step is not limited to performing an exact comparison between the new sequence and the first sequence in the database. Well-known methods are known to those of skill in the art for comparing two nucleotide or protein sequences, even if they are not identical. For example, gaps can be introduced into one sequence in order to raise the homology level between the two tested sequences. The parameters that control 25 whether gaps or other features are introduced into a sequence during comparison are normally entered by the user of the computer system.

30 Once a comparison of the two sequences has been performed at the state 210, a determination is made at a decision state 210 whether the two sequences are the same. Of course, the term "same" is not limited to sequences that are absolutely identical. Sequences that are within the homology parameters entered by the user will be marked as "same" in the process 200.

35 If a determination is made that the two sequences are the same, the process 200 moves to a state 214 wherein the name of the sequence from the database is displayed to the user. This state notifies the user that the sequence with the displayed name fulfills the homology constraints that were entered. Once the name of the stored sequence is displayed to the user, the process 200 moves to a decision state 218 wherein a determination is made whether more sequences exist

in the database. If no more sequences exist in the database, then the process 200 terminates at an end state 220. However, if more sequences do exist in the database, then the process 200 moves to a state 224 wherein a pointer is moved to the next sequence in the database so that it can be compared to the new sequence. In this manner, the new sequence is aligned and compared with every sequence in the database.

5 It should be noted that if a determination had been made at the decision state 212 that the sequences were not homologous, then the process 200 would move immediately to the decision state 218 in order to determine if any other sequences were available in the database for comparison.

Accordingly, one aspect of the present invention is a computer system comprising a processor, a data storage device having stored thereon a nucleic acid code of SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41,
 10 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78, a data storage device having retrievably stored thereon reference nucleotide sequences or polypeptide sequences to be compared to the nucleic acid code of
 15 SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 and a sequence comparer for conducting the comparison. The sequence comparer may indicate a homology level between the sequences compared or identify structural motifs in the above described nucleic acid code of
 20 SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 or it may identify structural motifs in sequences which are compared to these nucleic acid codes and polypeptide codes. In some embodiments, the data storage device may have stored thereon the sequences of at least 2, 5, 10, 15, 20, 25, 30 or 40 or more of the nucleic acid codes of SEQ ID Nos. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33,
 25 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

Another aspect of the present invention is a method for determining the level of homology between a nucleic acid code of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15,
 30 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 and a reference nucleotide sequence or polypeptide sequence, comprising the steps of reading the nucleic acid code or the polypeptide code and the reference nucleotide or polypeptide sequence through the use of a computer program which determines homology levels and determining homology between the nucleic acid code or
 35 polypeptide code and the reference nucleotide or polypeptide sequence with the computer program. The computer program

may be any of a number of computer programs for determining homology levels, including those specifically enumerated herein, including BLAST2N or BLASTN with the default parameters or with any modified parameters. The method may be implemented using the computer systems described above. The method may also be performed by reading at least 2, 5, 10, 15, 20, 25, 30 or 40 or more of the above described nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 through use of the computer program and determining homology between the nucleic acid codes or polypeptide codes and reference nucleotide sequences or polypeptide sequences.

Figure 5 is a flow diagram illustrating one embodiment of a process 250 in a computer for determining whether two sequences are homologous. The process 250 begins at a start state 252 and then moves to a state 254 wherein a first sequence to be compared is stored to a memory. The second sequence to be compared is then stored to a memory at a state 256. The process 250 then moves to a state 260 wherein the first character in the first sequence is read and then to a state 262 wherein the first character of the second sequence is read. It should be understood that if the sequence is a nucleotide sequence, then the character would normally be either A, T, C, G or U. If the sequence is a protein sequence, then it is preferably in the single letter amino acid code so that the first and sequence sequences can be easily compared.

A determination is then made at a decision state 264 whether the two characters are the same. If they are the same, then the process 250 moves to a state 268 wherein the next characters in the first and second sequences are read. A determination is then made whether the next characters are the same. If they are, then the process 250 continues this loop until two characters are not the same. If a determination is made that the next two characters are not the same, the process 250 moves to a decision state 274 to determine whether there are any more characters either sequence to read.

If there aren't any more characters to read, then the process 250 moves to a state 276 wherein the level of homology between the first and second sequences is displayed to the user. The level of homology is determined by calculating the proportion of characters between the sequences that were the same out of the total number of sequences in the first sequence. Thus, if every character in a first 100 nucleotide sequence aligned with a every character in a second sequence, the homology level would be 100%.

Alternatively, the computer program may be a computer program which compares the nucleotide sequences of the nucleic acid codes of the present invention, to reference nucleotide sequences in order to determine whether the nucleic acid code of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 differs from a reference nucleic acid sequence at one or more positions. Optionally such a program records the length and identity of inserted, deleted or substituted nucleotides with respect to the sequence of either the reference polynucleotide or the nucleic acid code of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49,

51, 53, 55, 69, 73 and 77. In one embodiment, the computer program may be a program which determines whether the nucleotide sequences of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 contain a single nucleotide polymorphism (SNP) with respect to a reference nucleotide sequence.

5 Accordingly, another aspect of the present invention is a method for determining whether a nucleic acid code of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 differs at one or more nucleotides from a reference nucleotide sequence comprising the steps of reading the nucleic acid code and the reference nucleotide sequence through use of a computer program which identifies differences between nucleic acid sequences and identifying
10 differences between the nucleic acid code and the reference nucleotide sequence with the computer program. In some embodiments, the computer program is a program which identifies single nucleotide polymorphisms. The method may be implemented by the computer systems described above and the method illustrated in Figure 6. The method may also be performed by reading at least 2, 5, 10, 15, 20, 25, 30, or 40 of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43,
15 47, 49, 51, 53, 55, 69, 73 and 77 and the reference nucleotide sequences through the use of the computer program and identifying differences between the nucleic acid codes and the reference nucleotide sequences with the computer program.

In other embodiments the computer based system may further comprise an identifier for identifying features within the nucleotide sequences of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41,
20 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

An "identifier" refers to one or more programs which identifies certain features within the above-described nucleotide sequences of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59,
25 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. In one embodiment, the identifier may comprise a program which identifies an open reading frame in the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51,
30 53, 55, 69, 73 and 77.

Figure 7 is a flow diagram illustrating one embodiment of an identifier process 300 for detecting the presence of a feature in a sequence. The process 300 begins at a start state 302 and then moves to a state 304 wherein a first sequence that is to be checked for features is stored to a memory 115 in the computer system 100. The process 300 then moves to a state 306 wherein a database of sequence features is opened. Such a database
35 would include a list of each feature's attributes along with the name of the feature. For example, a feature name

could be "Initiation Codon" and the attribute would be "ATG". Another example would be the feature name "TAATAA Box" and the feature attribute would be "TAATAA". An example of such a database is produced by the University of Wisconsin Genetics Computer Group (www.gcg.com). Alternatively, the features may be structural polypeptide motifs such as alpha helices, beta sheets, or functional polypeptide motifs such as enzymatic active sites, helix-turn-helix motifs or other motifs known to those skilled in the art.

Once the database of features is opened at the state 306, the process 300 moves to a state 308 wherein the first feature is read from the database. A comparison of the attribute of the first feature with the first sequence is then made at a state 310. A determination is then made at a decision state 316 whether the attribute of the feature was found in the first sequence. If the attribute was found, then the process 300 moves to a state 318 wherein the name of the found feature is displayed to the user.

The process 300 then moves to a decision state 320 wherein a determination is made whether more features exist in the database. If no more features do exist, then the process 300 terminates at an end state 324. However, if more features do exist in the database, then the process 300 reads the next sequence feature at a state 326 and loops back to the state 310 wherein the attribute of the next feature is compared against the first sequence.

It should be noted, that if the feature attribute is not found in the first sequence at the decision state 316, the process 300 moves directly to the decision state 320 in order to determine if any more features exist in the database.

Accordingly, another aspect of the present invention is a method of identifying a feature within the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising reading the nucleic acid code(s) or polypeptide code(s) through the use of a computer program which identifies features therein and identifying features within the nucleic acid code(s) with the computer program. In one embodiment, computer program comprises a computer program which identifies open reading frames. The method may be performed by reading a single sequence or at least 2, 5, 10, 15, 20, 25, 30, or 40 of the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 through the use of the computer program and identifying features within the nucleic acid codes or polypeptide codes with the computer program.

The nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 may be stored and manipulated in a variety of data processor programs in a variety of formats. For example, the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33,

37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 may be stored as text in a word processing file, such as MicrosoftWORD or WORDPERFECT or as an ASCII file in a variety of database programs familiar to those of skill in the art, such as DB2, SYBASE, or ORACLE. In addition, many computer programs and databases may be used as sequence comparers, identifiers, or sources of reference nucleotide sequences or polypeptide sequences to be compared to the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78. The following list is intended not to limit the invention but to provide guidance to programs and databases which are useful with the nucleic acid codes of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 or the polypeptide codes of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

The programs and databases which may be used include, but are not limited to: MacPattern (EMBL), DiscoveryBase (Molecular Applications Group), GeneMine (Molecular Applications Group), Look (Molecular Applications Group), MacLook (Molecular Applications Group), BLAST and BLAST2 (NCBI), BLASTN and BLASTX (Altschul et al, *J. Mol. Biol.* 215: 403 (1990)), FASTA (Pearson and Lipman, *Proc. Natl. Acad. Sci. USA*, 85: 2444 (1988)), FASTDB (Brutlag et al. *Comp. App. Biosci.* 6:237-245, 1990), Catalyst (Molecular Simulations Inc.), Catalyst/SHAPE (Molecular Simulations Inc.), Cerius².DBAccess (Molecular Simulations Inc.), HypoGen (Molecular Simulations Inc.), Insight II, (Molecular Simulations Inc.), Discover (Molecular Simulations Inc.), CHARMM (Molecular Simulations Inc.), Felix (Molecular Simulations Inc.), DelPhi, (Molecular Simulations Inc.), QuanteMM, (Molecular Simulations Inc.), Homology (Molecular Simulations Inc.), Modeler (Molecular Simulations Inc.), ISIS (Molecular Simulations Inc.), Quanta/Protein Design (Molecular Simulations Inc.), WebLab (Molecular Simulations Inc.), WebLab Diversity Explorer (Molecular Simulations Inc.), Gene Explorer (Molecular Simulations Inc.), SeqFold (Molecular Simulations Inc.), the MDL Available Chemicals Directory database, the MDL Drug Data Report data base, the Comprehensive Medicinal Chemistry database, Derwents's World Drug Index database, the BioByteMasterFile database, the Genbank database, and the Genseqn database. Many other programs and data bases would be apparent to one of skill in the art given the present disclosure.

Motifs which may be detected using the above programs include sequences encoding leucine zippers, helix-turn-helix motifs, glycosylation sites, ubiquitination sites, alpha helices, and beta sheets, signal sequences encoding signal peptides which direct the secretion of the encoded proteins, sequences implicated in transcription regulation such as homeoboxes, acidic stretches, enzymatic active sites, substrate binding sites, and enzymatic cleavage sites.

The present invention will be further described with reference to the following examples; however, it is to be understood that the present invention is not limited to such examples.

In order to begin the physiological characterization of *Cenarchaeum symbiosum*, it was necessary to obtain enriched preparations of *Cenarchaeum symbiosum* for use in the construction of genomic DNA libraries in fosmid based vectors. Genomic DNA libraries were constructed from two enriched preparations using the methods described in Example 1 below.

Example 1

Enrichment of *Cenarchaeum symbiosum* Cells in Samples Obtained from *Axinella Mexicana*

Enriched preparations of *Cenarchaeum symbiosum* for use in the preparation of the first fosmid genomic DNA library were obtained essentially as described in Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* **93**, 6241-6246. Briefly, a small individual of *A. mexicana* was incubated in calcium- and magnesium-free artificial seawater (ASW) containing 0.25 mg/ml Pronase. The tissue was then homogenized and enriched for archaeal cells by differential centrifugation.

Enriched preparations of *Cenarchaeum symbiosum* for use in preparing the second fosmid genomic DNA library were obtained from a different sponge individual using the following improved enrichment procedure. A small individual of *A. mexicana* was incubated in calcium- and magnesium-free artificial seawater (460mM NaCl, 11mM KCl, 7mM Na₂SO₄, 2mM NaHCO₃) containing 0.25 mg/ml Pronase at room temperature for one hour. The sponge tissue was rinsed in artificial seawater and homogenized in a blender. Large particles and spicules were removed by low-speed centrifugation (4000 rpm, Sorvall GSA rotor at 4°C). The supernatant was next centrifuged at 5000 rpm for 5 min. at 4°C to remove large sponge cells, and the resulting supernatant was centrifuged at 10,000 rpm in a GSA rotor at 4°C for 20 min. to collect the *Cenarchaeum symbiosum* cells. Following centrifugation, the recovered cell fraction containing *Cenarchaeum symbiosum* was further incubated for 1 hr at 4°C in 10 mM Tris/HCl pH 8 and 200 mM EDTA. The cells were then pelleted and subsequently purified on a 15 % Percoll (Sigma) cushion in artificial sea water centrifuged at 2500 rpm in a Beckman SS34 rotor. Archaeal cells banded in the light, upper fraction after centrifugation. This cell fraction was washed in ASW and resuspended in TE buffer (10 mM TrisHCl pH 8, 0.1 mM EDTA). The additional incubation step was found to increase the lysis of sponge cells, which resulted in an enhanced separation of archaeal and eukaryotic cells in the percoll gradient.

Quantitative hybridization experiments were performed as described in DeLong, E. F. 1992. Archaea in coastal marine environments. *Proc. Natl. Acad. Sci.* **89**, 5685-5689 using an oligonucleotide specific for archaea having the sequence GTGCTCCCCGCCAATTCT (SEQ ID NO: 115). These hybridization experiments indicated that 25% to 30% of the total rRNA from this fraction was derived from archaea.

The enriched cell preparations were then utilized to construct fosmid libraries as described in Example 2 below.

Example 2

Construction of Fosmid Libraries

DNA was extracted from the enriched preparations of Example 1 and inserted into fosmids as described in Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* 93, 6241-6246 and Stein, J.L. *et al.* 1996. Characterization of uncultivated prokaryotes: isolation and analysis of a 40-kilobase-pair genome fragment from a planktonic marine archaeon. *J. Bacteriol.* 178, 591-599. A vertical cross section of sponge (0.5 g) was mechanically dissociated in 0.22µm filtered, autoclaved seawater using a tissue homogenizer. Cell lysis was accomplished by incubating the dissociated cells in 1 mg of lysozyme per ml for 30 min. at 37°C followed by an incubation for 30 min. at 55°C with 0.5mg of proteinase K per ml and 1% SDS. The tubes were finally placed in a boiling water bath for 60 sec to complete lysis. The protein fraction was removed with two extractions with phenol:chloroform:isoamyl alcohol (50:49:1), pH 8.0, followed by a chloroform: isoamyl alcohol (24:1) extraction. Nucleic acids were ethanol-precipitated and resuspended in TE buffer (10mM Tris.HCl/1mM Na₂-EDTA, pH 8.0). Approximately 5µg of DNA was purified by CsCl equilibrium density gradient ultracentrifugation on a Beckman Optima tabletop ultracentrifuge using a TLA100 rotor. The genomic DNA obtained above was inserted into fosmids as follows. The genomic DNA was partially digested with Sau3AI (Promega) and treated with heat-labile phosphatase (HK phosphatase; Epicentre). The partially digested genomic DNA was ligated with pFOS (*See* U.J. Kim *et al.*, *Nucleic Acids Res.* 20:1083-1085 (1992)) which had previously been digested with AatII, phosphatase treated (HK phosphatase), and subsequently digested with BamHI. The ligation mixture was used for *in vitro* packaging with the Gigapack XL packaging system (Stratagene) selecting for DNA inserts of 35 to 45kb. The phage particles were transfected into *E. coli* DH10B (Bethesda Research LaboratoriesP and the cells were spread onto LB plates supplemented with 12.5µg/ml chloramphenicol.

Example 3

Identification of Fosmids Containing the *Cenarchaeum symbiosum* rRNA Operon

The fosmid libraries constructed above were screened to identify clones containing the rRNA operon. PCR reactions were conducted on the library using primers known to amplify the rRNA operon.

The first fosmid library yielded seven unique clones, out of a total of 10,236 recombinant fosmids, which contained the *Cenarchaeum symbiosum* rRNA operon. The second fosmid library yielded eight unique clones, out of a total of 2100 recombinant fosmids, which contained the *Cenarchaeum symbiosum* rRNA operon.

The sequences of the 16S rRNA genes in each of the 15 fosmids containing the *Cenarchaeum symbiosum* rRNA operon were determined. The sequences of the small subunit rRNA genes of these 15 fosmids exhibited variations with respect to one another. Ten of the fosmids contained a small subunit rRNA gene having the sequence of the 16S rRNA gene in the insert of SEQ ID NO: 1, while the remaining fosmids contained a small subunit rRNA gene having the sequence of the 16S rRNA gene in the insert of SEQ ID NO: 2. As discussed in more detail below, the differences in the sequences of the rRNA genes may be used to determine whether a sample contains *Cenarchaeum symbiosum* variant A or *Cenarchaeum symbiosum* variant B.

In addition to determining the sequences of the rRNA genes, the sequences adjacent to the rRNA genes were also determined.

Example 4

Fosmid Sequencing

Partial restriction enzyme digests were conducted on two purified fosmids, fosmid 101G10 (which contains the variant A sequence) and fosmid 60A5 (which contains the variant B sequence). The partially digested DNA was used to construct plasmid libraries containing inserts of 1-2 kb. The resulting plasmids were sequenced using Applied Biosystems (ABI, Foster City, CA) Prism Dye-terminator FS reaction mix. Direct sequencing from fosmids was used for gap filling and resequencing to ensure accuracy. Fosmid sequencing was performed by using DNA from a single 3 ml overnight culture purified on an Autogen 740 automated plasmid isolation system. Each reaction consisted of one preparation of DNA directly resuspended by the addition of 16 μ l H₂O, 8 μ l oligonucleotide primer (1.4 pmol/ μ l) and 16 μ l ABI Prism Dye-terminator FS reaction mix. Cycle sequencing was performed with a 96° C 3 min. preincubation followed by 25 cycles of the sequence 96° C 20 sec. / 50° C 20 sec. / 60° C 4 min. and a 5 min. post-cycling incubation at 60° C. Sequencing reaction products were analyzed on ABI 377 Prism Sequencers.

The complete sequences of the *Cenarchaeum symbiosum* derived inserts in the two fosmids are provided in the accompanying sequence listing as SEQ ID NO: 1 (fosmid 101G10) and SEQ ID NO: 2 (fosmid 60A5). The insert of fosmid 101G10 (SEQ ID NO: 1, designated variant A) was 32,998 bp and was syntenic over ca. 28 kbp with the 42,432 bp insert of fosmid 60A5 (SEQ ID NO:2, designated variant B). Analysis of the common 28 kbp region is shown in Fig. 1.

Although the sequences of both fosmids could be aligned unambiguously over most of the overlapping region, four large insertion/deletions ranging in size from 142 bp to 1994 bp were identified between positions 20,500 and 25,800. The longest insertion contained a repetitive element of 1784 bp, that was found in the sequence of SEQ ID NO: 1 between *menA* and ORF05. It was composed of a 3-fold direct repeat of 575 bp (rep1 through 3 in Fig. 1), with repeats exhibiting only minor sequence variation (95.8% to 98.7% identity).

A segment of 56 bp at the start of this repeat was also found adjacent to the 3' terminus of the third direct repeat. No obvious structural or sequence similarities to known repeats or mobile genetic elements from other organisms were identified within the repeat sequence. Its occurrence in only one variant and its relatively low G+C content relative to the rest of the fragment suggest that it may have been acquired by horizontal transfer from a different genetic context.

The sequenced regions contained several open reading frames or RNA encoding sequences. Some of the identified open reading frames encode proteins having homology to previously identified proteins. In particular, some of the open reading frames encode proteins involved in several metabolic pathways, providing insight into the physiology of *Cenarchaeum symbiosum*.

An open reading frame which encodes a protein having homology to glutamate semialdehyde aminotransferase (a protein involved in heme biosynthesis) was identified between nucleotides 7604-8908 of the

insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 23558-24682 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 45 and 13 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 46 and 14 respectively in the accompanying sequence listing. A gene encoding glutamate semialdehyde aminotransferase has also been detected in a rRNA operon containing genomic fragment of a planktonic marine crenarchaeote. (Stein, J.L. *et al.* 1996. Characterization of uncultivated prokaryotes: isolation and analysis of a 40-kilobase-pair genome fragment from a planktonic marine archaeon. *J. Bacteriol.* 178, 591-599)

10 An open reading frame encoding a protein having homology to triose-phosphate isomerase was identified between 13944-14612 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 29655-30491 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 57 and 25 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 58 and 26 respectively in the accompanying sequence listing. This triosephosphate isomerase represents the first such protein sequence reported in a crenarchaeote, and shares known archaeal signature sequences and deletions which distinguish archaeal triosephosphate isomerase genes from their eucaryal and eubacterial homologues.

15 An open reading frame encoding a protein having homology to the TATA binding protein was identified between 14616-15164 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 30501-31049 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 59 and 27 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 60 and 28 respectively in the accompanying sequence listing. This TATA box-binding protein (TBP) is similar to other known archaeal TBP's and is N-terminally truncated with respect to the eukaryal homologs. It shares 49% amino acid similarity with TBP from *Pyrococcus woessii*.

25 An open reading frame encoding a protein having homology to DNA polymerase (a protein involved in DNA replication and repair) was identified between nucleotides 15488-18025 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 31371-33905 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 61 and 29 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 62 and 30 respectively in the accompanying sequence listing.

30 The DNA polymerase of *Cenarchaeum symbiosum* has a high degree of similarity to the crenarchaeal homologs from the extreme thermophiles *Sulfolobus acidocaldarius* and *Pyrodictum occultum* (54% and 53% resp.) and exhibits all conserved motifs of B-(a)-type DNA polymerases and 3'-5'-exonuclease motifs, both indicative of archaeal polymerases. A more detailed phylogenetic analysis and biochemical characterization of the *C. symbiosum* polymerase has been published elsewhere. (Schleper, C., *et al.* 1997. Characterization of a DNA polymerase from the uncultivated psychrophilic archaeon *Cenarchaeum symbiosum*. *J. Bact.* 179, 7803-7811)

An open reading frame which encodes a protein having homology to dCMP deaminase (a protein involved in pyrimidine synthesis) was identified between nucleotides 18022-18663 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 33902-34456 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned
5 SEQ ID NOs: 63 and 31 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 64 and 32 respectively in the accompanying sequence listing.

An open reading frame encoding a protein having homology to the ATP dependent RNA helicase (a protein involved in translation) was identified between nucleotides 18638-20149 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 34559-36067 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading
10 frames have been assigned SEQ ID NOs: 65 and 33 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 66 and 34 respectively in the accompanying sequence listing. The identified ATP RNA helicase is highly similar in sequence to homologues found in the genomic sequences of three euryarchaeota (Bult, C., *et al.* Complete genome sequence of the methanogenic archaeon, *Methanococcus jannaschii*. *Science* **273**, 1058-1073; Klenk, H.P. *et al.* 1997. The complete genome sequence of the
15 hyperthermophilic, sulphate-reducing archaeon *Archaeoglobus fulgidus*. *Nature* **390**, 364-370; Smith, D. R. *et al.* 1997. Complete genome sequence of *Methanobacterium thermoautotrophicum* delta H: functional analysis and comparative genomics. *J. Bacteriol.* **179**, 7135-7155).

An open reading frame encoding a protein having homology to MenA (a protein involved in menaquinone biosynthesis) was identified between nucleotides 20956-21834 of the insert from fosmid 101G10 (SEQ ID NO: 1)
20 and between nucleotides 37404-38282 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 71 and 37 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 72 and 38 respectively in the accompanying sequence listing.

An open reading frame encoding a protein having homology to the site specific DNA methyltransferase proteins involved in restriction/modification was identified between nucleotides 26378-27454 of the insert from
25 fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 40563-41669 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 75 and 41 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 76 and 42 respectively in the accompanying sequence listing.

An open reading frame encoding a protein having homology to the histone H1 DNA binding protein was
30 identified between nucleotides 10625-1134 of the insert from fosmid 60A5 (SEQ ID NO: 2). This open reading frame has been assigned SEQ ID No: 5 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 6 in the accompanying sequence listing.

An open reading frame encoding a protein having homology to lysyl tRNA synthetase was identified between nucleotides 13046-14620 of the insert from fosmid 60A5 (SEQ ID NO: 2). This open reading frame has been assigned

SEQ ID No: 9 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 10 in the accompanying sequence listing.

5 A hypothetical open reading frame was identified between nucleotides 11478-13046 of the insert from fosmid 60A5 (SEQ ID NO: 2). This open reading frame has been assigned SEQ ID No: 7 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 8 in the accompanying sequence listing.

10 An open reading frame encoding a protein having homology to peptidylprolyl cis/trans isomerase (a chaperone) was identified between nucleotides 20156-20434 of the insert from fosmid 101G10 (SEQ ID NO: 1) on the strand complementary to that provided in the sequence listing. This open reading frame has been assigned SEQ ID No: 67 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 68 in the accompanying sequence listing.

An open reading frame encoding a protein having homology to glucose-1-dehydrogenase was identified between nucleotides 28065-29843 of the insert from fosmid 101G10 (SEQ ID NO: 1). This open reading frame has been assigned SEQ ID No: 79 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 80 in the accompanying sequence listing.

15 A hypothetical open reading frame designated Hypothetical O1 was identified between nucleotides 1358-2290 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 17329-18213 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 43 and 11 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 44 and 12 respectively in the accompanying sequence listing.

20 A hypothetical open reading frame designated Hypothetical O2 was identified between nucleotides 8961-9767 of the insert from fosmid 101G10 (SEQ ID NO: 1) between nucleotides 24913-25728 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 47 and 15 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 48 and 16 respectively in the accompanying sequence listing.

25 An open reading frame designated ORF O1 was identified between nucleotides 9772-10479 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 25732-26427 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 49 and 17 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 50 and 18 respectively in the accompanying sequence listing.

30

An open reading frame designated ORF O2 was identified between nucleotides 10545-10922 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 26504-26881 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 51 and 19 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 52 and 20 respectively in the accompanying sequence listing.

35

5 An open reading frame designated ORF 03 was identified between nucleotides 11382-11987 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 27337-27936 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 53 and 21 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 54 and 22 respectively in the accompanying sequence listing.

10 An open reading frame designated ORF 04 was identified between nucleotides 12916-13737 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 28822-29631 of the insert from fosmid 60A5 (SEQ ID NO: 2) on the strands complementary to the insert strands provided in SEQ ID NOs: 1 and 2. These open reading frames have been assigned SEQ ID NOs: 55 and 23 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 56 and 24 respectively in the accompanying sequence listing.

15 An open reading frame designated Hypothetical 03 was identified between nucleotides 20554-20955 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 37002-37403 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 69 and 35 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 70 and 36 respectively in the accompanying sequence listing.

20 An open reading frame designated ORF 05 was identified between nucleotides 25151-26377 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 39454-40572 of the insert from fosmid 60A5 (SEQ ID NO: 2). These open reading frames have been assigned SEQ ID NOs: 73 and 39 respectively in the accompanying sequence listing, while the polypeptides they encode have been assigned SEQ ID NOs: 74 and 40 respectively in the accompanying sequence listing.

25 An open reading frame encoding a protein with no homology to known proteins was identified between nucleotides 3-10421 of the insert from fosmid 60A5 (SEQ ID NO: 2). This open reading frame has been assigned SEQ ID No: 3 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 4 in the accompanying sequence listing.

30 An open reading frame designated ORF06 was identified between nucleotides 27535-28002 of the insert from fosmid 101G10 (SEQ ID NO: 1). This open reading frame has been assigned SEQ ID No: 77 in the accompanying sequence listing, while the polypeptide it encodes has been assigned SEQ ID No: 78 in the accompanying sequence listing.

A gene coding for tRNA^{Tyr} was identified between nucleotides 12129-12251 of the insert from fosmid 101G10 (SEQ ID NO: 1) and between nucleotides 28058-28180 of the insert from fosmid 60A5 (SEQ ID NO: 2). This tRNA contains a 45 bp intron in the vicinity of the anticodon loop.

35 Table 1 shows the level of homology between the open reading frames in the inserts from fosmid 101G10 and fosmid 60A5 at the nucleic acid level. Table 1 also shows the level of homology at the amino acid level between

the polypeptides encoded by the insert from fosmid 101G10 and fosmid 60A5. Nucleic acid homology was calculated using BLASTN with the default parameters. Amino acid homology was calculated using FASTA with the parameters. As shown in Table 1 and Fig. 1, the protein coding regions were highly similar in both nucleic acid and deduced amino acid sequences.

Over the 28 kb common region in the 101G10 and 60A5 inserts, the inserts shared >99.2% identity in their ribosomal RNA genes, approximately 87.8% overall DNA identity, an average of 91.6% similarity in ORF amino acid sequence, and complete colinearity of protein encoding regions. As shown in Table 1, in protein coding regions the DNA identity of the two contigs ranged from 80.9% (triose phosphate isomerase) to 91.5% (Hypothetical O3). Within intergenic regions the identity dropped to 70 - 86 %, and small insertions or deletions were found frequently. The high similarity in coding regions and upstream sequences aided in the identification of genes, start codons, and putative transcriptional promoter motifs (see below). Genes appear as densely packed in *C. symbiosum* as they are in other sequenced archaeal genomes (Bult, C., *et al.* 1996. Complete genome sequence of the methanogenic archaeon, *Methanococcus jannaschii*. *Science* 273, 1058-1073, Klenk, H.P. *et al.* 1997. The complete genome sequence of the hyperthermophilic, sulphate-reducing archaeon *Archaeoglobus fulgidus*. *Nature* 390, 364-370; Smith, D. R., *et al.* 1997. Complete genome sequence of *Methanobacterium thermoautotrophicum* delta H: functional analysis and comparative genomics. *J. Bacteriol.* 179, 7135-7155).

The ribosomal RNA operon of *Cenarchaeum symbiosum* is composed of the genes for the 16S and 23S rRNAs separated by a spacer of 131 bp. This organization is typical of crenarchaeotes, and differs from rRNA operons of euryarchaeotes, which usually contain 5S RNA and tRNA genes. (Garrett, R. A. *et al.* 1991. Archaeal rRNA operons. *TIBS* 16, 22-26). The large subunit rRNA genes are located between nucleotides 2680-5674 of SEQ ID NO: 1 (fosmid 101G10) and between nucleotides 18645-21639 of SEQ ID NO: 2 (fosmid 60A5). The small subunit rRNA genes are located between nucleotides 5806-7278 of SEQ ID NO: 1 (on the opposite strand from that shown in the Sequence Listing, as indicated in Figure 1) and between nucleotides 21771-23243 of SEQ ID NO: 2. The large and small subunit rRNA genes in the two fosmids were 99.2% and 99.3% identical, respectively.

As mentioned above, the sequences of the *Cenarchaeum symbiosum* derived inserts in fosmids 101G10 and 60A5 had a high degree of homology but were not completely identical. The sequence of the insert in fosmid 101G10 was designated variant A, while the sequence of the insert in fosmid 60A5 was designated variant B. Such sequence differences could arise if the fosmid inserts were derived from two closely related but distinct strains of *Cenarchaeum symbiosum* or, alternatively, the sequence differences could be due to cloning or sequencing artifacts. To confirm that the fosmid inserts were in fact derived from two closely related strains, portions of the inserts in a plurality of different fosmids were sequenced to determine whether they were identical to either of the inserts in fosmids 101G10 and 60A5, as would be the case if there were in fact two closely related strains of *Cenarchaeum symbiosum*.

In particular, the ribosomal RNA spacer regions of variant A and variant B contained 10 distinguishing signature nucleotides and the 16S rRNA genes of variant A and variant B contained two distinguishing nucleotides.

Example 5 provides the results of a PCR based analysis of the 16S rRNA gene and the 16S-23S spacer region in 13 different fosmid inserts.

Example 5

PCR Based Analysis of Fosmid Inserts to Determine

Whether they Contain the Variant A or Variant B Sequences

Primers 21F and 459R-LSU (CTTTCCTCAGGTA, SEQ ID NO: 116) were used to amplify the 16S-23S spacer region from the fosmids. The amplification products were sequenced using primer SP23rev (CTA TTG CCG TCT TTA CACC, SEQ ID NO: 117).

PCR reactions with two archaea-specific 16S rDNA primers (21F and 958R (DeLong, E. F. 1992. Archaea in coastal marine environments. *Proc. Natl. Acad. Sci.* 89, 5685-5689), one of which was biotinylated, were used to amplify a 950 base pair (bp) fragment from the fosmids. The PCR products were purified and sequenced as described in Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* 93, 6241-6246 with primer 519R 16S rDNA

The results of this analysis are shown in Table 2. As shown in Table 2, in samples obtained from several unique rRNA operon-containing fosmids, a sequence identical to either variant A (101G10) or variant B (60A5) was present.

The above methods may also be used to determine whether a biological sample contains variant A and/or variant B. In such procedures, nucleic acids are obtained from the biological sample, amplified using the above primers, and sequenced using the above oligonucleotide to determine whether the sample contains the variant A and/or the variant B sequence.

Similarly, the amplification reaction may be conducted using any primers which generate amplification products having sequences which differ between variant A and variant B. The amplification products may then be sequenced to determine whether they have the sequence of variant A and/or variant B. In some embodiment, the amplification reaction may be conducted under conditions in which the amplification primers specifically hybridize to one of the variants.

RFLP analyses were also be used to assess whether the fosmids contained the sequence of variant A or variant B as described in Example 6 below.

Example 6

RFLP Based Analysis of Fosmids to Determine Whether

They Contain the Variant A or Variant B Sequences

Primer set 21F (DeLong, E. F. 1992. Archaea in coastal marine environments. *Proc. Natl. Acad. Sci.* 89, 5685-5689) and 459R-LSU for the amplification of 2.2 kbp of the ribosomal operon, primer set GSAT810F (GAATCGGCC CCCGACTATCTT, SEQ ID NO: 118) and 16S37REV (CATGGCTTAGTATCAATC SEQ ID NO: 119) for the amplification of the 16S RNA-GSAT region (2.2 kbp) and primer set Cenpol357F (ACITACAACGGI GACGAYTTTGA

SEQ ID NO: 120) and Cenpol735R (CACCCCGAARTAGTTYTTYTT SEQ ID NO: 121) for an internal DNA polymerase fragment (of 1134 bp) were used in PCR reactions with 5 ng of purified fosmids. The PCR products were cut with TaqI and HpaII (16S-23S RNA), HaeIII and RsaI (GSAT-16S RNA) or HaeIII and AvaI (polymerase) and analyzed on 2 % agarose gels.

5 The results are shown in Table 2. If the pattern did not exactly match but closely resembled the RFLP of either type A or B, it was assigned as a lower case letter (a or b, Table 2), meaning that at least 3 out of 4 or 3 out of 5 bands created by restriction digest appear identical in size to the ones from either type A or B. As shown in Table 2, RFLP patterns of the 1150 bp fragment covering the 5'-end of the GSAT gene and 16S gene and the internal fragment of 1134 bp from the DNA polymerase gene revealed that all fosmids analyzed could again be assigned to either the A or B type, although slight variations were also detected (lower case letters in Table 2), suggesting that both variants exhibit further microheterogeneity which is detectable in protein coding and intergenic regions.

10 The above methods may also be used to determine whether a biological sample contains variant A and/or variant B. In such procedures, nucleic acids are obtained from the biological sample, amplified using the above primers, and digested as described above to determine whether the sample contains the variant A and/or the variant B sequence. Similar analyses may also be performed using other portions of the sequences of SEQ ID NOs: 1 and 2 which are different from one another.

To further confirm the existence of two closely related strains of *Cenarchaeum symbiosum*, biological samples were obtained from several individual sponges and analyzed to determine whether the samples contained variant A and/or variant B. Example 7 below provides the results of a PCR analysis of the *Cenarchaeum symbiosum* 16S rRNA genes in samples obtained from several individual sponges in different locations and at different times.

Example 7

Analysis of Samples from Individual Sponges

25 The 16S rRNA genes of variant A and variant B differ at positions 175 and 183.7 (*E. coli* numbering). PCR reactions with two archaea-specific 16S rDNA primers (21F and 958R (DeLong, E. F. 1992. Archaea in coastal marine environments. *Proc. Natl. Acad. Sci.* 89, 5685-5689), one of which was biotinylated, were used to amplify a 950 base pair (bp) fragment from total nucleic acids derived from several different sponge individuals. The PCR products were purified and sequenced as described in Preston, C. M. *et al.* 1996. A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen. nov., sp. nov. *Proc. Natl. Acad. Sci. USA* 93, 6241-6246 with primer 519R.

30 The amplification products were sequenced to determine whether they corresponded to variant A and/or variant B. The results are shown in Table 3. As shown in Table 3, in 15 out of 16 cases U/C ambiguities were found at the signature positions, indicating the presence of both variants in samples obtained from a single sponge (Table 3). Only one sponge (S4) yielded an unambiguous sequence identical to variant A, but variant B was detected in this individual by another criterion (see below).

Hybridization analyses were also used to determine whether individual sponges harbored variant A and/or variant B. The results of these analyses are provided in Example 8 below.

Example 8

5 Hybridization Based Analysis of Samples Obtained from *Axinella Mexicana* to Determine Whether the Samples Contain Variant A and/or Variant B

Two oligonucleotides specific for each variant type were designed from the 23S rDNA gene sequences of fosmids 101G10 and 60A5. The probes differed in 3 positions and have the sequences ACACCTTCACTATTTCCTG (SEQ ID NO: 122 variant A) and ACACCTTGACTATTTCGTG (SEQ ID NO: 123, variant B). Nucleic acid samples from
10 individual sponges (300 ng) and controls (fosmids 101G10 and 60A5, 50 ng each) were denatured, bound to nylon membranes (Hybond-N, Amersham), hybridized with the labeled probes (Massana, R. *et al.* 1997. Vertical distribution and phylogenetic characterization of marine planktonic Archaea in the Santa Barbara Channel. *Appl. Env. Microb.* **63**, 50-56) and washed at 41.5 °C. Hybridization was analyzed by autoradiography.

The results are provided in Table 3. In the samples from the majority of host sponges examined,
15 the presence of both 23S rRNA variants was observed, confirming that the specific association of *C. symbiosum* with its host typically involves the presence of both variants.

The data provide strong evidence that these genomic clones are derived from two very closely related, but distinct strains, as opposed to representing two ribosomal RNA operon regions originating from the same organism. This conclusion is consistent with the observation that all crenarchaeota characterized to date contain only one
20 ribosomal RNA operon (Garrett, R. A. *et al.* 1991. Archaeal rRNA operons. *TIBS* **16**, 22-26).

The high conservation between the inserts in fosmid 101G10 and fosmid 60A5 was not entirely confined to coding regions but also extended into adjacent upstream sequences. Due to this upstream similarity, and also because the average G+C content of the sequences was relatively high, it was possible to readily identify prospective transcriptional (A+T rich) promoter elements. A motif corresponding to the consensus of the archaeal TATA-box-like
25 element (C/T-T-T-A-T/A-A) (Hain, J. *et al.* 1992. Elements of an archaeal promoter defined by mutational analysis. *Nucl. Acids. Res.* **20**, 5423-5428) was identified upstream of nearly all genes (Fig. 2). The exceptions were the genes encoding MenA and DNA polymerase which are located immediately downstream of other ORFs and may therefore be transcribed as polycistronic mRNAs. *In vivo* and *in vitro* studies in other archaea have shown that initiation of transcription occurs consistently 24 to 28 bp downstream from the central T of this motif (Hain, J *et al.* 1992.
30 Elements of an archaeal promoter defined by mutational analysis. *Nucl. Acids. Res.* **20**, 5423-5428; Palmer, J. R. and Daniels, C.J. 1995. In vivo definition of an archaeal promoter. *J. Bacteriol.* **177** 1844-1849). For twelve of the protein encoding genes, the promoter element was found 25 to 30 bp upstream of the ORF (Fig. 2), suggesting that transcriptional initiation occurs in close proximity to, or directly at, the translational start codon.

A similar observation has been made for 30 of the predicted 100 strong and medium promoters from 156
35 kbp sequence of *Sulfolobus solfataricus* (Sensen, C. W. *et al.* 1996. Organizational characteristics and information

content of an archaeal genome: 156 kb of sequence from *Sulfolobus solfataricus* P2. *Molec. Microb.* **22**, 175-191). Transcription initiation at, or in close proximity to, the translational start codons has been mapped for some genes in *Halobacterium salinarium* (Brown, J.W. *et al.* 1989. Gene structure, organization, and expression in archaeobacteria. *CRC Crit. Rev. Microb.* **16**, 287-337) and *S. solfataricus* (Klenk, H.P., *et al.* 1993. Nucleotide sequence, transcription and phylogeny of the gene encoding the superoxide dismutase of *Sulfolobus acidocaldarius*. *Biochim. Biophys. Acta* **1174** 95-98), and alternative mechanisms for initial mRNA-ribosome contact in *Archaea* have been hypothesized (Brown, J.W. *et al.* 1989. Gene structure, organization, and expression in archaeobacteria. *CRC Crit. Rev. Microb.* **16**, 287-337).

The promoters listed in Figure 2, or fragments thereof, may be used in expression vectors or expression systems. In one embodiment, the promoters listed in Figure 2 may be operably linked to coding regions and introduced into archaeobacteria, and in particular *Cenarchaeum symbiosum*, to express the encoded gene product in the archaeobacterial cells.

Alternatively, the promoters listed in Figure 2 may be operably linked to coding regions and introduced into host cells which are not normally capable of directing transcription from archaeobacterial promoters. In addition, genes encoding the proteins required for transcription from these promoters are also introduced into the host cells. The genes encoding these transcription factors may be on the same vector as the promoter from *Cenarchaeum symbiosum* or on a different vector. In some embodiments, the genes encoding these transcription factors are linked to an inducible promoter. Expression of the transcription factors is induced when it is desired to express the proteins which are operably linked to the promoter from *Cenarchaeum symbiosum*.

Although this invention has been described in terms of certain preferred embodiments, other embodiments which will be apparent to those of ordinary skill in the art in view of the disclosure herein are also within the scope of this invention. Accordingly, the scope of the invention is intended to be defined only by reference to the appended claims.

Table 1

**Comparison of Overlapping Coding Sequences from Fosmid 101G10
and Fosmid 60A5**

Gene Name ¹	Functional Category	% Identity	
		Nucleotide	Amino Acid
Hypothetical 01	unknown	81.4	76.6
23S	translation	99.16	
16S	translation	99.3	
GSAT	heme biosynthesis	83.2	83.8
Hypothetical 02	unknown	83.4	81.4
ORF 01	unknown	83.3	85.7
ORF 02	unknown	89.9	95.2
ORF 03	unknown	87.9	86.7
tRNA ^{Trp}	translation	99.2	
ORF 04	unknown	87.8	88.1
TIM	glycolysis	80.9	83.3
TBP	transcription	83.4	86.3
DNA polymerase	replication/repair	89.0	93.9
dCMP deaminase	pyrimidine synthesis	85.7	89.8
RNA helicase (ATP dependent)	translation	86.1	92.2
PPI	chaperone	88.4	92.5
Hypothetical 03	unknown	91.5	92.4
MenA	menaquinone biosynthesis	86	89.4
ORF 05	unknown	87.5	90.6
Methylase	restriction/modification	86.4	87.5

¹ Hypothetical: open reading frame (ORF) with similarity to proteins of unknown function from the databases.

ORF = open reading frame identified by similarity between both fosmids, including upstream promoter sequence;
GSAT = glutamate semialdehyde aminotransferase; TIM = triose-phosphate isomerase; TBP = TATA box-binding protein; PPI = peptidylprolyl cis/trans isomerase.

Table 2

Analysis of Polymorphism at Four Distinct Loci in Different Fosmids

Fosmid	16S RNA ^{*1}	16S-23S spacer ^{*2}	16S-GSAT ^{*3}		DNA Pol ^{*3}	
			HaeIII	RsaI	HaeIII	Avall
101G10	A	A	A	A	A	A
60A5	B	B	B	B	B	B
15A5	B	B	--	--	b	b
43H4	A	--	--	--	A	A
60H6	A	A	--	--	a/b	B
69H2	A	--	--	--	A	A
87F4	B	--	--	--	b	a/b
C1H5	A	A	A	A		
C4H1	A	A	A	A		
C4H9	A	A	A	A	A	B
C7D4	A	A	A	A	A	A
C8B8	B	B	B	B	B	b
C15A3	A	A	A	A		
C17D2	B	--	b	B	B	b
C20B5	A	A	a	a/b		

*1: partial sequence (101G10 through 87F4) or RFLP analysis (C1H5 through C20B5).

*2: partial sequence.

*3: RFLP analysis of PCR products; A/B: identical pattern to either 101G10 (-A) or 60A5 (-B); a,b: similar pattern to either A or B (see materials and methods). Fosmids C1H5, C4H1, C15A3 and C20B5 did not yield PCR products with polymerase-specific primers.

The first seven fosmids were isolated from a first library, the last 8 fosmids (prefix C) are from a second library.

-- = not determined.

Table 3
Detection of *C. symbiosium* Variants in Natural Populations of *A. mexicana*

<i>A. mexicana</i> Individual or Isolated DNA Source*	Variation in 16S rDNA Positions**		Variations in 23S rRNA Hybridization	
	175	183.7	Variant Type A	Variant Type B
fosmid 101G10 from s12	U	U	+	-
fosmid 60A5 from s12	C	C	-	+
s12	Y	Y	+	+
s1	---	---	+	+
s2	---	---	+	+
s3	Y	Y	+	+
s4	U	U	+	w
s5	Y	Y	---	---
s6	Y	Y	+	+
s7	---	---	+	w
s8	Y	Y	+	+
s9	Y	Y	+	w
s10	---	---	+	+
s11	Y	Y	+	+
s13	---	---	+	+
s14	---	---	+	w
s16	---	---	+	+
s17	---	---	-	w
s18	Y	Y	-	w
s19	---	---	+	+
s20	---	---	+	+
s21	---	---	+	+
s22	---	---	+	+
s23	---	---	+	+
s24	---	---	+	+
s25	---	---	+	+
s26	---	---	+	+
s27	---	---	+	+
s28	---	---	+	+
s29	---	---	+	+
s30	---	---	+	+
hs1	---	---	+	+
hs2	---	---	+	+
hs3	Y	Y	+	w
hs4	Y	Y	+	w
hs5	Y	Y	+	+
hh1	---	---	w	w
hh2	Y	Y	+	+
hh3	Y	Y	+	+
Aq1	Y	Y	---	---
Aq2	Y	Y	---	---
Aq3	---	---	+	+

*s = Naples Reef; hs = Haskle; hh = Hermit Hole; Aq = captive sponge.

**Y = direct sequence of PCR product yields C and U at the same position.

--- = not determined; w = weakly positive.

WHAT IS CLAIMED IS:

1. An isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NO: 1 and SEQ ID NO: 2, the sequences complementary to SEQ ID NO: 1 and SEQ ID NO: 2, fragments comprising at least 10 consecutive nucleotides of SEQ ID NO: 1 and SEQ ID NO: 2, and fragments comprising at least 10 consecutive nucleotides of the sequences complementary to SEQ ID NO: 1 and SEQ ID NO: 2.
2. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 1 under conditions of high stringency.
3. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 1 under conditions of moderate stringency.
4. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 1 under conditions of low stringency.
5. An isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of Claim 1 as determined by analysis with BLASTN version 2.0 with the default parameters.
6. An isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of Claim 1 as determined by analysis with BLASTN version 2.0 with the default parameters.
7. An isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs: 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79 and the sequences complementary thereto.
8. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 7 under conditions of high stringency.
9. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 7 under conditions of moderate stringency.
10. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 7 under conditions of low stringency.
11. An isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of Claim 7 as determined by analysis with BLASTN version 2.0 with the default parameters.
12. An isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of Claim 7 as determined by analysis with BLASTN version 2.0 with the default parameters.
13. An isolated, purified, or enriched nucleic acid comprising at least 10 consecutive bases of a sequence selected from the group consisting of SEQ ID NOs: 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79 and the sequences complementary thereto.
14. An isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of Claim 13 as determined by analysis with BLASTN version 2.0 with the default parameters.

15. An isolated, purified, or enriched nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs: 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73, 77 and the sequences complementary thereto.

16. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 15 under conditions of high stringency.

17. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 15 under conditions of moderate stringency.

18. An isolated, purified, or enriched nucleic acid capable of hybridizing to the nucleic acid of Claim 15 under conditions of low stringency.

19. An isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of Claim 15 as determined by analysis with BLASTN version 2.0 with the default parameters.

20. An isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of Claim 15 as determined by analysis with BLASTN version 2.0 with the default parameters.

21. An isolated, purified, or enriched nucleic acid comprising at least 10 consecutive bases of a sequence selected from the group consisting of SEQ ID NOs: 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73, 77 and the sequences complementary thereto.

22. An isolated, purified, or enriched nucleic acid having at least 70% homology to the nucleic acid of Claim 21 as determined by analysis with BLASTN version 2.0 with the default parameters.

23. An isolated, purified, or enriched nucleic acid having at least 99% homology to the nucleic acid of Claim 21 as determined by analysis with BLASTN version 2.0 with the default parameters.

24. An isolated, purified, or enriched nucleic acid encoding a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

25. An isolated, purified, or enriched nucleic acid encoding a polypeptide comprising at least 10 consecutive amino acids of a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

26. An isolated, purified, or enriched nucleic acid encoding a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

27. An isolated, purified, or enriched nucleic acid encoding a polypeptide comprising at least 10 consecutive amino acids of a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

28. An isolated or purified polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

29. An isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of Claim 28.

30. An isolated or purified polypeptide having at least 70% homology to the polypeptide of Claim 28 as determined by analysis with FASTA version 3.0t78 with the default parameters.

31. An isolated or purified polypeptide having at least 99% homology to the polypeptide of Claim 28 as determined by analysis with FASTA version 3.0t78 with the default parameters.

32. An isolated or purified polypeptide having at least 70% homology to the polypeptide of Claim 29 as determined by analysis with FASTA version 3.0t78 with the default parameters.

33. An isolated or purified polypeptide having at least 99% homology to the polypeptide of Claim 29 as determined by analysis with FASTA version 3.0t78 with the default parameters.

34. An isolated or purified polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

35. An isolated or purified polypeptide comprising at least 10 consecutive amino acids of the polypeptides of Claim 34.

36. An isolated or purified polypeptide having at least 70% homology to the polypeptides of Claim 34 as determined by analysis with FASTA version 3.0t78 with the default parameters.

37. An isolated or purified polypeptide having at least 99% homology to the polypeptides of Claim 34 as determined by analysis with FASTA version 3.0t78 with the default parameters.

38. An isolated or purified polypeptide having at least 70% homology to the polypeptides of Claim 35 as determined by analysis with FASTA version 3.0t78 with the default parameters.

39. An isolated or purified polypeptide having at least 99% homology to the polypeptides of Claim 35 as determined by analysis with FASTA version 3.0t78 with the default parameters.

40. An isolated or purified antibody capable of specifically binding to a polypeptide comprising a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

41. An isolated or purified antibody capable of specifically binding to a polypeptide comprising at least 10 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80.

42. An isolated or purified antibody capable of specifically binding to a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

43. An isolated or purified antibody capable of specifically binding to a polypeptide comprising at least 10 consecutive amino acids of one of the polypeptides of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

44. A method of making a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

45. A method of making a polypeptide comprising at least 10 amino acids of a sequence selected from the group consisting of the sequences of SEQ ID NOs: 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, and 80 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

46. A method of making a polypeptide having a sequence selected from the group consisting of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

47. A method of making a polypeptide comprising at least 10 amino acids of a sequence selected from the group consisting of the sequences of SEQ ID NOs: 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising introducing a nucleic acid encoding said polypeptide, said nucleic acid being operably linked to a promoter, into a host cell.

48. A method of generating a variant comprising:

obtaining a nucleic acid comprising a sequence selected from the group consisting of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, the sequences complementary to the sequences of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, fragments comprising at least 30 consecutive nucleotides of SEQ ID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77, and fragments comprising at least 30 consecutive nucleotides of the sequences complementary to SEQ ID NOS. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77; and

changing one or more nucleotides in said sequence to another nucleotide, deleting one or more nucleotides in said sequence, or adding one or more nucleotides to said sequence.

49. The method of Claim 48, further comprising the step of testing the enzymatic properties of a translation product of said variant.

50 A computer readable medium having stored thereon a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

51 A computer system comprising a processor and a data storage device wherein said data storage device has stored thereon a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25,

27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78.

52 The computer system of Claim 51 further comprising a sequence comparer and a data storage device having reference sequences stored thereon.

53 The computer system of Claim 52 wherein said sequence comparer comprises a computer program which indicates polymorphisms.

54 The computer system of Claim 51 further comprising an identifier which identifies features in said sequence.

55 A method for comparing a first sequence to a reference sequence wherein said first sequence is selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising the steps of:

reading said first sequence and said reference sequence through use of a computer program which compares sequences; and

determining differences between said first sequence and said reference sequence with said computer program.

56 The method of Claim 55, wherein said step of determining differences between the first sequence and the reference sequence comprises identifying polymorphisms.

57 A method for identifying a feature in a sequence selected from the group consisting of a nucleic acid code of SEQID NOs. 1, 2, 5, 9, 13, 25, 27, 29, 31, 33, 37, 41, 45, 57, 59, 61, 63, 65, 67, 71, 75, 79, 3, 7, 11, 15, 17, 19, 21, 23, 35, 39, 43, 47, 49, 51, 53, 55, 69, 73 and 77 and a polypeptide code of SEQ ID NOs. 6, 10, 14, 26, 28, 30, 32, 34, 38, 42, 46, 58, 60, 62, 64, 66, 68, 72, 76, 80, 4, 8, 12, 16, 18, 20, 22, 24, 36, 40, 44, 48, 50, 52, 54, 56, 70, 74, and 78 comprising the steps of:

reading said sequence through the use of a computer program which identifies features in sequences; and

identifying features in said sequence with said computer program.

1/6




FIG. 1

2/6


Seq. ID No.	Gene	Strain	TATA Box	Coding Start	TATA to Start (b)
81	Hypoth 03	A AAGCTAGACT	TTTAAAT TGGG ATCCGGCGGG	GCGGCGCATG	----- 25
82		B AAGCTAAACT	TTTAAAT TGGG ATCCGGCGAG	CCGGCGCGTG	-----
83	Hypoth 02	A GGAACACTTTG	ATTATA CGGG CGTGCTGCC	CGGGGCCCAT G	----- 26
84		B GGAACACTTTG	ATTATA CGGG CGTACATTCC	CGGGGCCCAT G	-----
85	ORF 02	A AAGGCAAGGT	AATAAT AGCC TGCCGCTCTGT	AACGGCCGTA TG	----- 27
86		B ACGGCAAGGT	AATAAT AGCC TGCCGCTCCGT	ACCTGCCGTA TG	-----
87	ORF 03	A CATGGAACATA	GATAAT AACC GGTTCGCGG	ATCCCATGCA TG	----- 27
88		B CATGGAACATA	GATAAT AACC GGTTCGCGG	GTACAATGCA TG	-----
89	PPI	A ATACCGAGAA	GTTATA GCAG GGTATGGAAT	GTGCGCGCGC ATG	----- 28
90		B AAGCACGACAA	GTTATA GCAG GGTACAAGG	AGCAGCGCAC ATG	-----
91	GSAT	A ATCCGCCCTG	ATTAAA TTAT GGGGGGAGCG	GCCTGCTGCC GTG	----- 28
92		B ATCCGGCCTC	ATTAAA TTAC GGGGGGTACA	ACCTGCTGCC GTG	-----
93	ORF 05	A CCTTCATACA	CATAAA TCCC GCCTGGAATGT	ACCTGCTGCC ATG	----- 28
94		B ACITCATACA	CATAAA TCCC GCCTGAACGG	TCGTCCGCGC ATC	-----
95	deaminase	A .GGCATATAC	CATAAT ATGC CGGGCGGTGG	CACCATGGCC GTT	----- 29
96		B CCGCATATAC	CATAAT ATGC CGGGCGGTGG	CAGGCTGCC .GTG	-----
97	RNA halic	A TGACGAAAC	CATAAA ACAA CAGGCCGCGT	CAGGCCGCG CGTG	----- 29
98		B CGGTAGAAAC	CATAAA ACAA CAGGCCGCGG	CAGGCCG .CG CGTG	-----
99	ORF 06	A .ACACGCAG	TATAAA CCGG GGGCCGGCGG	GCGCGTATCA CATG	----- 29
100		B ATACACGTGG	TATAAA CAGA GG .CCGGACG	GCGCGGACCA CATG	-----
101	tRNA-tyr	A GCGATAGTTA	TTTAAA ACTA GGATGCCGAT	CACGGATCGT CCA	----- 29
102		B TCTATAGTTA	TTTAAA ACTA GGATGCCGCG	CACCCGTCGT CCA	-----
103	TBP	A CCGGCCCCCG	GTTAAA ATAG CG .CACGGG	GGATCCTGAC CAATG	----- 30
104		B CCGGCCCCCG	GTTAAA ATAG AGTGCGGCGG	GGCACCGGAT CAATG	-----
105	TIM	A GCGTCGATAG	AATAAA TACG CGCAGGGGGC	CCCGTGGCGG GATCGCCCGT	G----- 36
106		B GCGTCGATAG	AATAAA TACG CGC .GGGGC	GCGGTGC... GATCGCCCGT	G-----
107	Hypoth 01	A ATTTCAACTA	CATAAA TGCC TAGTTACGCA	GAAATAGCAA ACGACGTACT	TCGACTAATG 49
108		B ACTTCAACTA	CATAAA TGCC TAGTACCCCA	GAAATATCAA ACAAAQTACT	TCGACTAATG
109	04F 01	A ACGCAGGCT	ATTATT ACCT TGCCCTTGCCT	TGTA /...G CCGGGTGCGG	CAGGGATG 52
110		B ACGCAGGCT	ATTATT ACCT TGCCCTTGTG.	TACA /...G AGGGGGCCTG	CCGGAGTG
111	Methylase	A CTACAAACGAT	TTTAAG TCGG CGCCGGGGCA	GCCG. /...G ATGTGGGCA	GGCAACATG 104
112		B CTACAAAGAT	TTTAAG ACGG CGCGGGTGCC	GCGG. /...T GGCACGGGG	CCTATCTTG
113	168 RNA	A TCGGCGATGG	TTTATA TGCC CATGGACGGG	CCGATCCGAT CGTACGTGAC	GC. /...AAT 220
114		B CCGGCGATGG	TTTATA TGCC CATGGACAAG	CGATCCGAT CGTACGTGAC	GC. /...AAT

yttnama


FIG.2


Archaeal promoter consensus

3/6


**FIG.3**

4/6

**FIG. 4**

**FIG.5**

6/6

**FIG. 6**

SEQUENCE LISTING

<110> Diversa Corporation
Swanson, Ronald V.
Feldman, Robert A.
Schleper, Christa

<120> NUCLEIC ACIDS AND PROTEINS FROM *CENARCHAEUM SYMBIOSUM*

<130> DCORP.002VPC

<150> 60/102,294

<151> 1998-09-29

<160> 123

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 32998

<212> DNA

<213> *Cenarchaeum symbiosum*

<220>

<221> CDS

<222> (7604)...(8908)

<221> CDS

<222> (8961)...(9767)

<221> CDS

<222> (10545)...(10922)

<221> CDS

<222> (13944)...(14612)

<221> CDS

<222> (18638)...(20149)

<221> CDS

<222> (20554)...(20955)

<221> CDS

<222> (20956)...(21834)

<221> CDS

<222> (25151)...(26377)

<221> CDS

<222> (27535)...(28002)

<221> CDS

<222> (28065)...(29483)

<400> 1

gataccttgac	ctctgcgctt	attgcagcca	tggactgacc	ggccgtgcgg	ggctaaataa	60
agctgaggcg	ccgctgcag	gctctgctca	gccgttgatt	atacagtact	cgcactcgca	120

ggctcttgctt	tcgtcatctt	ttgccctgca	cttggcggtgc	tggcccgact	ggcactggac	180
gcagatctcg	tctatgttgt	ctatcgaggt	gtactttttg	gactgggtcaa	agccgaagcc	240
gccgtccttt	ggtccaacca	tgaagcggtc	agggccggtta	tgccttaatt	atctttgccc	300
tcggggcggg	gccgcttctg	ccggcgggag	cccccttga	ggccgctccc	cggctcgttg	360
tcccacaggt	gcatgctgcc	cctgatcata	aacgagccga	ctatgattgc	tacaagccc	420
cccactatca	gtataaacag	cctagccacg	ccccccattc	tgcccatgcg	tgtaatatgc	480
tgcacctgta	aacaaacatt	gcgcggggca	tgggcggtcc	ggacagacag	aactgcccc	540
gagacaggtg	cctgcggggc	ggtaagctac	attaatttat	cacccccac	gggcggggccc	600
catgagcagg	accaagagaa	taatcatctg	ggcatccata	ctgggcgggg	ggataatcta	660
ctttctcgtc	cagggcgaga	ttgccagaaa	tgtattgtcc	tgagaacaga	agccatgcag	720
caactgccc	atcgtttttc	aggtacctac	tgggcttttt	ggagtctcgt	gatcaaaagc	780
ggtacaggta	ttctatacat	gccagtcttg	gctggaaaaa	taaattgaag	atcggcggat	840
cctatctacg	agcgctgcc	tgcttttcac	ttgactagcc	ggagtacttc	gtctgcaatt	900
tctgtatagc	taggcattta	tgtagttag	atacatgtcc	gcgggatccg	tttcatagtc	960
tgaatcaaac	accggatcat	tccttctctt	taattcctta	aatgcctgat	gcagttcaag	1020
caggacggtt	acatcatcgc	gtttgattat	ccgttctggt	gtttcagctt	tttgtcatt	1080
ctcatccatg	attataggct	acggtatttg	actaaaaagg	tttccatctt	catgagtcgt	1140
gtgtttgccc	tgggaattacc	taccggggga	acataaaaaa	atgagtcata	aacagcgcac	1200
tgcacccacc	gtggacccat	gagacaacga	gccggcagcg	gtgcacagca	ccgagtacaa	1260
ccccgcaatc	gtcttatcca	acgacctgcc	ctatgaaaac	tccagacgga	tctcttccgg	1320
gcaccagta	cccattgtatg	tgagaattct	gactatctta	ccgtgggtgt	ggcagtgtct	1380
caacgacggt	attaccgagg	tgattcatga	taattttggt	gactggagta	tactgaaaca	1440
tggtatttgc	cgcatagaat	actgacagca	ccagatcttg	aaattcttgt	tcactttcca	1500
gatcagttac	ttttaaggca	atccttttac	attcttctct	cgatatgcgc	cttccatgac	1560
tgtgatattt	tttagaggaa	gacattatct	ctgatatttt	ttttgacttt	tttaccgctg	1620
cagactcgtt	ctcaaacatg	tatctagcca	gccatttttg	tacaagttcc	acacttagct	1680
tctggctgct	aatgcatttt	tgaattagcc	cgggaggata	ttgccctaac	agtggaaagc	1740
atgcgcgag	cctccccggg	tgtttttctg	acaccgactg	tgcttcttga	aactcgctaa	1800
ttagaactg	tgcagacatt	atgtgcattg	cggctcctgt	tggaaataata	aattgggggt	1860
cggtagggacc	tatcgatgag	tgttttacca	ttaccaggca	attcgatgag	catgcaagca	1920
tcgcagctgc	cgacatcgcg	gcatatggga	taatgatccg	gacattttta	aattttgcac	1980
gtatgtatga	gacgattgct	tcggtggact	cgacggagcc	ccccggactg	tggagtatta	2040
aatctaattt	cttagtcctt	aaatcacgca	tcactctcat	aaatccatac	aggtcaccat	2100
ttgttatgag	agcttcatta	gacgtatgcg	cttcgtccgt	tatccagttg	gtcgcataca	2160
gtattgtatc	cctccccgaa	tactgttgca	attttgaaag	atagtcgtga	agtactacac	2220
caggtgcctg	ctcaccgact	gactccatta	gtcgaagtac	gtcgtttgct	atttctcgct	2280
aactaggcat	ttatgtagtt	gaaatgacta	cccgcgggaa	tcataccata	gtctgtgtcg	2340
tatgacttgc	cttttttctt	catcaatttc	tcatattcct	catgcagttc	gagcaggatg	2400
gccatgtcac	tacgttttgt	cgtctgtttt	gtctatctcg	gcttttggtc	catattatta	2460
tccatgctag	taaaggacta	tgttccttta	aaaaaggttcg	tgattttaat	ttccaagtgt	2520
ttgcctcgca	atttcctcca	aggcacatga	aaaacggggc	acaggcagag	cacagcatcc	2580
gctggggacc	catgaaataa	gccccggcg	gtgcacagca	tccgctgggg	gctcaataaa	2640
aaaatgagtc	atcatgcata	gtctctatgt	aaatggctga	accgggtgtt	tggtcgatta	2700
gtaaaggctg	gctcaccact	cgccgaagct	tgtgggatac	accaccttcc	tatcaacgca	2760
gtcttcttct	gcgaaccttc	atccgaagaa	ggaatatctt	gtctcgggat	aggattcgtg	2820
cttagatgct	ttcagcactt	agcctagatg	gcttagctgc	ccggcctgcc	ctgtcggaca	2880
accggtagac	cagtggccac	gcctctctgt	tcctctcgta	ctaagagcga	cttccccctca	2940
gatattcgcg	cttccatcag	gcagaggccg	acctgtctca	cgacggtcta	aaccagctc	3000
atgttccctt	ttaataggcg	agcagcctca	cccttggccc	ctgctgcagg	accaggatag	3060
gaaaagccga	catcgaggta	ccaaaccgcg	gggtcgatag	gagctctcgc	ccgcgacgag	3120
cctgttatcc	ctgggtaaat	ttttctgtca	cctccggggc	ccaatagtgg	gcacacgaag	3180
gacgcgtaag	ccagactttc	gtctatgaat	tccgtgcgtt	tggaaatcca	ttcagtctag	3240
tttttggtct	tgccctcttc	agcggatttc	tgacctcgtt	gaactaaact	ttggggccct	3300
ttgatattct	ttcaaagggg	tgccgcccc	gccgaactgc	ccacctgcac	atgtccccgg	3360
tcttcacggg	gtcaagtggca	ctgcaggaaa	tgtctggtgt	tacatcggcg	tccccgacg	3420
tcccaaagaa	gtaacggaaa	tgactcccag	atacgtatg	cactccctgc	tataccacaa	3480
gcacaagctg	cagtataaact	ccacgggggtc	ttctctcccc	gatggaagat	gatggactgt	3540
tcgtccacct	tatgtggctt	caccgggttg	taggcggggga	cagtggggct	ctcgttgttc	3600

cattcatgca	cgtcggaact	tacccgacaa	ggcatttggc	taccttaaga	gagtcagagt	3660
tactcccggc	gttaaccggg	ccttagctcg	gttgaaccca	agtttttagat	accggcaccg	3720
gccaggattc	agcgactata	catacccttt	cgggctagca	gtcgcctgtg	tttttattaa	3780
acagtcgaaa	cccccttgtc	actgcaacct	gtcgcgcgca	ttcctcatga	cagctgcagg	3840
catcccttat	acctaagcta	caggactaat	ttgccaat	ccctcgccat	acggtatacc	3900
cgtagcacct	tagtttacta	aaccagcgca	cctgtgtcgg	atctgggtac	gaacttgacg	3960
tttgctagcc	gcacgggtctt	tcatgggtctc	ctggaatcgg	gaaaactctg	ctaacgcaaa	4020
gccactcccg	cctcgggcct	gttctcgtca	ttacgacact	cccaggccct	cgaacgggttc	4080
gacacgacga	cggatcatgtt	ccccctatcc	ggaagcgaa	catgcggttc	aaacgctccc	4140
tgcaagggtac	cagaatatta	actggtttcc	cattcggact	actctgttga	ggcagtcctt	4200
aggatcgact	aactccaggc	tgacgacgca	ttgcctggaa	acccttgccg	ttacgggtgg	4260
gcggattctc	accgcaactat	gctgttactg	ccaccaggat	ctgcaataga	aatcggtcca	4320
caggacgtca	ccgccttgct	tcgtcccaat	cactacgcca	acctaccacg	gtgcacctat	4380
cacggtgcac	gtctggagta	tcggtactct	gctttagccc	cgtccgtttt	tgtggcgccc	4440
tcgctcggca	ggttaagtgt	tacacacttt	ttgaaggata	gctacttctg	agcttacctc	4500
cctgctgtct	tggcgatgac	acgcactttg	gcttgacact	tagcagaaat	ttggggacct	4560
taactccagt	ctgggttaaa	ccccctcctg	tcgtgaacct	tacgtcacac	gaaccggtgt	4620
ccatgcttct	gcgatgtgta	tccgttcgga	gtttgaatgg	atggtgagga	atctcttccc	4680
cgcgccaccc	tatcagtgtc	ctaccggaaa	caccatctcc	acatagcacg	ccctgcgaga	4740
cgtctcgggt	ggaactagca	agcgccagtc	tagattgggt	tttgacccct	attcccaagt	4800
cacacaaacg	agttgcacgt	cagaactgct	gcagacctcc	agtgggcttt	cgcaccactt	4860
catcttgctc	aggaatagat	cgactggctt	ctagccttac	cgccatgact	taacgcactt	4920
tcacacgctt	ctcctcacia	tgctgcgaga	attcgggttc	ccttcggcta	cgcctttcta	4980
ggcttaacct	cgccatgaca	gcaagctccc	tggcccgtgt	ttcgagacgg	aacgcacgac	5040
actgacgaca	tgagctccgg	actttcagct	ccattgctgg	aacctccgtt	ccgaaaaaat	5100
cgtctttcat	gccatgcacg	tctgtaagca	ataggtttca	tgcacttttc	accccccttc	5160
cggggtaact	ttcagctttc	cctcacggta	ctagtacact	atcggtcttg	agagatatatt	5220
agcctttgat	gctactttca	ccaatcttcg	ctgcccactg	ccaaggacaa	ctactcgggt	5280
gctggccctg	ccccattcca	cttcgtctag	ggggggtatca	ccctctaagc	cggaacattt	5340
cagaacactt	caactatttc	ctggggccat	tgcgccgcac	caaaacacca	catctcggcc	5400
gcgttaccgc	ggcagattca	gtttgggtct	tttccctttc	gatcgccctc	acttgggaaa	5460
tctctattga	tttctcttcc	tcgtgggtact	aagatgcttc	aattcccacg	gttcgacctc	5520
cgttgccgcg	gagtatacag	gattcctatt	cggaaatctc	gggatcaacg	ggtgcgtgca	5580
cctaccccga	gcttatcgca	gcttgccacg	tccttcttct	ctcctcaagc	ctagcaatcc	5640
tcctattgcc	gtctttacac	cggcatattc	agccacatat	tacacgacta	tgcatgatga	5700
tcacgcagct	cccaggggga	ggggggccgct	acatccttca	tacaccactt	gcgtgggtgca	5760
ttgcaccatg	caaagatcat	gtgcattctg	ttcaaaccag	tttctaaggga	ggtgatccga	5820
ccgcagggtc	ccctacggtc	accttggttac	gacttttccc	ttgtcgctta	cctcaagttc	5880
gataacgcca	attagacgtc	acctcactaa	aagcaaaact	caatgaaacg	acgggcggtg	5940
tgtgcaagga	gcagggacgt	attcactgcg	cggtaatgac	gcgcggttac	tagggattcc	6000
agattcgtga	gggcgagttg	cagccctcag	tcataactgt	ggtagcgttt	ggggattacc	6060
tcctcctttc	ggatatggaa	cccattgtca	ctaccattgc	agcccgcgtg	tggccccaga	6120
gtttcggggc	atactgacct	gccgtggccc	tttccctcct	ccgcattaac	tgcggcggtc	6180
ccgctaattc	gccccactgc	tcgggagagc	aatggtggca	actagaggca	aggatctcgc	6240
tcgttacctg	acttaacagg	acatctcacg	gcacgagctg	gcgacggcca	tgaccacctt	6300
ctcagcttgt	ctggtagagt	cttcagcttg	accttcacac	tgtgtctctc	ccgggtaaga	6360
tttctggcgt	tgaactccaat	tgaaccgcag	gcttcacccc	ttgtggtgct	ccccgcgcaa	6420
ttcctttaag	tatcatactt	gcgtacgtac	ttcccaggcg	gcaaacttaa	cggtctccct	6480
gcggcactgc	actggctctt	acgccaatgc	atcactgagt	ttgcattggt	tacagctggg	6540
actaccgggg	tatctaatac	ggtttgctcc	cccagctttc	atccctcacc	gtcggacgtg	6600
ttctagtaga	ccgccttcgc	cacagggggg	catcgataga	tcagaggatt	ttaccccttc	6660
ctaccgagta	ccgtctacct	ctccactccc	ctagccgtgc	agtatttccg	gcagcctatg	6720
cgttgagcgc	atagatttaa	ccgaaaactt	acacggcagg	ctacggatgc	tttagggcca	6780
ataatcctcc	tgaccacttg	aggtgctggg	tttaccgcgg	cggctgacac	cagaacttgc	6840
ccacccctta	ttgcgggtg	gttttaagac	cggtaaaaga	tttctttagc	agaaaacact	6900
cggattaacc	ttgtcgtgct	ttcgcacatt	gcaaagtttt	ctcgcctgct	gcgccccata	6960
gggcctgggt	ccgtgtctca	gtacccatct	ccgggcctct	cctctcagag	cccgtatctg	7020
ttatagcctt	ggtggggccat	tacctcacca	acaagctgat	agaccgcagt	cccattcctac	7080

ggcgataaat	catttggggcc	acaaaccatt	ccaggcatag	tggcctatcg	gatattattc	7140
tcagtttccc	gaggttatcc	ccgtccatag	gttagattga	ctacgtgtta	ctgagccgtc	7200
tgcttgtat	tgctacaatg	actcgcatgg	cttagtatca	atccgatagc	agtcagggtc	7260
ggcaggatca	accggattca	taattggatt	atTTTTTTTT	tgttaagtac	gcttgtactt	7320
ttggaattga	acagaatgca	cataatcttc	acatctcaga	tatgaccctt	cgatcatacc	7380
ctcattctgt	gtgcgtaact	ggaggccagc	gaatcacaat	atggtacaat	accatgcatt	7440
catcgcaagc	gcccgtcttg	cgtcacgtac	gatcggatcg	gcccgtccat	gggcatataa	7500
accatcgccg	atttccgccc	ccggcagccc	cgatcagggg	ccggatctgc	ctgtatgatg	7560
gcgatccgcc	ctgattaaat	tatgggggga	gcggcctgct	gccgtggatc	tggaacgcga	7620
gtacagggca	aagaccggcg	gctcggcccc	gatctttgcc	aggtcgaaaa	agtaccacgt	7680
cggcggggtc	agccacaaca	taaggttcta	cgagccgtat	ccgtttgtga	caaggtccgc	7740
gagcggcaag	cacctcgtcg	acgtggacgg	gaacaagtat	gtagactact	ggatggggca	7800
ctggagcctg	atactggggc	acgcgcgggc	gccagtcagg	tcggcagtag	aggggcagct	7860
tcgcgcggcg	tggatccacg	ggaccgtcaa	cgagcagacg	atgaatctct	cggagataat	7920
acgcggcgcg	gcaaggctgg	cgcgcgcgca	tacgggcaga	aaaataatag	caaaggcgga	7980
catgtatgcg	gcaaggctgg	cgcgcgcgca	tacgggcaga	aaaataatag	caaaggcgga	8040
cggcggtctg	cacgggtacg	cgtcggggct	gctcaagtgc	gtcaactggc	cgtatgatgt	8100
gcccagagagc	ggggggctcg	tcgacgaaga	gcactctata	tccattccgt	acaacgatct	8160
tgaaggttcc	ctggatgttc	ttgggcgcgc	aggcgacgac	ttggcatgcg	tgataatcga	8220
gcccgtgctg	ggcgccggcg	gctgcatacc	ggcggatgag	gactatctgc	gcggcataca	8280
ggagtttgtg	cattcaaggg	gcgcgctgct	tgctctcgac	gagatagtga	cagggttccg	8340
gtttaggttt	ggctgcgcgt	atgctgcagc	agggctggac	cccgatatag	tggcgctcgg	8400
caagatagtc	gggggcggat	tccccatagg	ggtgatatgc	ggcaaggacg	aggtgatgga	8460
aatctccaac	actatatcgc	atgcaaagtc	cgacagggcg	tacatcggcg	gcggcacatt	8520
ctctgcaaac	cccgccacga	tgacagcggg	cgcgccagcg	ctcgggggagc	tcaaaaagag	8580
aaagggcaca	atatacccca	ggataaaatc	catggggggc	gacgcaaggg	acaagctctc	8640
aaagatattt	gggaacaggg	tatccgtgac	cggaaggggc	tcgctgttca	tgactcactt	8700
tgttcaagat	ggcgccggca	gggtctcaaa	tgctgcagat	gcggcagcct	gcgatgttga	8760
cgtgtgcac	aggtaccacc	tggacatgat	caccggggac	ggcatattct	ttctgcgggg	8820
caagctgggg	cccatatcgg	cggcgcactc	aaaggccgac	ctcaagacca	tgtattccgc	8880
atcagagcgc	tttgcagaag	gcctatgagg	tatagcgccg	gaggaaaactt	tgattatacg	8940
ggcgtgctgc	cccggggccc	atgatactct	tcggcaagag	cgaccccgcc	gagctggtgc	9000
gccaggcgga	cctcctgtgc	agcaagaacc	agttcagggc	ggcaataggc	ctgtacggga	9060
aaatcctcaa	ggacgacccg	cagaacaggg	gcgtcctgca	caaaaagggg	ctggcccaga	9120
acagggcaaa	aaagtactct	gatgcgatca	cgtgctttga	ccggctgctc	gagcttgaca	9180
acaaggacgc	gcccgcgtac	aacaacaagg	ccatagccca	ggccgagctc	ggagacacgg	9240
catccgcgct	ggaaaactac	ggcagggcca	tcgaggccga	cccgcggtac	gcgcgggcgc	9300
gcttcaacag	ggcgcgtgctg	ctcgacaggg	tgggcgagca	tgaggaggcg	ctgccggacc	9360
tcgacagggc	agccgagctg	gaccgacgca	agccgaaccc	gaggttctac	aaggggatag	9420
tgctcggcaa	gatgggcagg	cacgaagagg	cgctggcctg	cttcaagggc	gtgtgcaaga	9480
ggcatcccgg	ccacgccgac	tcacagttcc	acgtggggat	agagcttacc	gagcttggca	9540
ggcacgccga	ggccctcggg	gagcttgcat	cactgcccgc	ggagcaccgc	gagaacgcca	9600
atgtattgta	tgccagggcg	cgcagcctct	cgggccttgg	cagggaggac	gaatccatag	9660
cgcacctgca	aaaggcggcc	aaaaaagatt	ccaagacgat	aaaaaagtgg	gcccgcgcag	9720
aaaaggccct	tgacggaata	cgggacgatc	ccggttcaaa	aagatagccg	gctagaggat	9780
cttttttctt	gcccgcgtcaa	tccgcatcat	gcggaccttt	tttttggggc	ccacaagtgc	9840
cgattcatag	actggtacat	agaccacctc	caccgccttt	gcggcaaaact	cctcccgcag	9900
gtcgcgcatg	ccgtcaggcg	ggggcccgcg	cagcttctct	tttagttttg	agagcgcttc	9960
ttctgtctcc	acctcggggc	tccgcacatt	ctctgacgca	tcgagtatcc	tccgcgggta	10020
cggctccacc	gcgcggggcc	ccgtcttgta	gggaaagtcc	gtctcgccgc	cgtgccggtc	10080
aaggcacatc	atcccttctg	attccgcaaa	gacatgctct	tctagctcga	ggtcgaccct	10140
gttcttgccg	agccctgccc	agagcgtctt	gtgtatgcgc	gacttggacc	ttatgggaaa	10200
gacgccgtcg	cctagcacca	cctcgatcac	gttctggtcc	accttgatcg	ggtgaaccgc	10260
ctttctgaaa	aaatccgcag	agtacctggc	ggagaccccg	atcagcgctt	cgtggaccag	10320
ctttacagaa	tgcacatgga	cgtcttcttt	ccgcggggcc	ctcataaggg	ccctaaaggc	10380
acccgtcttc	tttgccctcta	tcatggcccc	agccgactcc	tcagtcattg	cgttccgcag	10440
gaccgccgtc	ctgggtctttc	cagtcattccc	ctgccgcacc	ccgcataagg	catactatac	10500
aacgcaaggc	aaggttaataa	tagcctgccc	tctgtaacgg	ccgtatgagg	tcggagggca	10560

ggcccgata	catcgaaaag	ttcctaaaga	ggcgagacaa	ggcgatagac	aatgcagtcg	10620
agcagggcgt	caagagggca	gacgagatac	tagatgacgc	agtcgagctc	ggcaagatca	10680
ccgtgggcga	ggcgcaaaaa	agaagcgatg	tgtgtctcaa	gcaggccgag	cgggagagca	10740
agcggctcaa	gtcaaggggc	gccaaaaagc	tcgaaaaggg	cataggggag	gcaaaaaaga	10800
tggcagccgg	caagggcgac	gcgctagaga	ccctggcaaa	gctcggcgag	ctgagaaagg	10860
cggggatcat	aacggagaag	gagtttcgag	ccaagaaaaa	gaagcttctc	goggagatct	10920
gacttgaagc	cgctagacta	taccggggac	ggctcgataa	aggaggtcac	aaagaggtgg	10980
tttataggca	cggcgtccct	tgtcgacctt	gcaggcgagc	tcggcataatc	tgagagcaac	11040
atattccacg	tgacatttcc	cgacggcgca	aagaccaccc	tgcatacgca	cgagggcggg	11100
cagctgctca	tagtgacctc	gggcaccggc	agcatgtcaa	tatttgaaaa	gaccggcgga	11160
ggcgaggcgg	aatttgcaat	aaaagagaca	gacaggatac	cgctaaagca	gggcagcatc	11220
cagtacatac	ctgcggcggt	gctcacgtgc	acggcgcaac	agacggcacc	accctgtccc	11280
atatagcggg	aaactacccg	tcgccatcgg	gaaaggagcc	gtatacatta	tggatatgaat	11340
ccgactttgc	cagccgggtc	accggcggtc	tgtaaattat	attatttgag	cctctccagt	11400
atcgacaggc	ttacaagggt	ggctcatcggt	atccccctgc	ggatcacttc	ccttctagtc	11460
ttttcgcagt	acttggtgac	gctctggtgg	ctcttttcgc	tggatacctc	gagcaccaca	11520
atgtttcccg	tgtacgggaa	ggcaaacctt	ggcggaattc	tcgagcatac	atccatgcgc	11580
cctatccccg	cctgccttat	cttctccttt	cttgccacta	ccgacgccac	ctcgcgtatg	11640
tcctcctcgg	aatctccgta	ttccagatag	tacatggata	catagctcat	cccgggggat	11700
tccttttcga	atatctcctc	gtccatgctg	aataaatagg	aagggccgcc	cccgcggccc	11760
tcacccgcct	ttatcatttt	ggggccggtt	ttgaaccttg	ccagcaggta	gtggctggcc	11820
tgtgtctcaa	agtaaggctt	gcttttggtg	gagaaagtgg	cggtcacaaa	gtacatctcg	11880
cctacgttcc	tcgacgagga	ccattcctcc	ttgagctcta	tcgaggcatg	gtcgtgcgtg	11940
tatggcgtgc	aggcatatcc	ccccggggag	gcctcgtctt	tggacatgca	tgggatccgc	12000
ggaaccgggt	aatatctagt	tccatgccgc	cttggggggc	gggggccccg	cctgtggccg	12060
gccccggggc	aggcgtgctg	ggatccatgc	gatagttatt	taaaactagg	atgccgatca	12120
cggatcgtcc	caagctagct	cagcctggta	gagcttccgg	ctgtagatgt	cggccttggc	12180
tgaccgtata	acagcatatc	aggcatacag	agaccgggtt	gtcgaagggt	caatttcctc	12240
gcttgggacc	acataaaact	gccgcgggta	caccgcgcac	gccgtgcgc	agtgcagtca	12300
atgtgcccag	tttgcccgcg	ccgtgaaaga	tggaaattctg	tccgtgcact	gccgcatata	12360
tgcgcgggcg	cgcctgcatg	ttgtgccctg	ctcgtaacgc	caaagtgcag	gagctgcccg	12420
gccaaaagac	ggcgcggttc	ctgcgcgcga	ctgcgcgcgg	ctgcatgctg	tgccctgcct	12480
atacacggaa	agatcaggag	ctgccgcgcc	agaacactgc	gcggcgcggtg	cgccgcgcgg	12540
cagggcgcgc	cccgctccgc	gcatcgcgcg	accgggacct	ctgccgctcc	agcaatgtat	12600
cgagcgccga	gtcgtcgact	agagtgcgcg	ccggcaggcc	gcctggcgct	ggcacgccct	12660
gcatccccat	ggcccgggcg	atctcatcgt	tctccctccg	gagccggctc	tccttctcat	12720
caagcctgct	gctcatcctg	tcgagaaaca	tcacatccga	gttgatataga	tccttgcgct	12780
gctccatcat	gcacagtatg	tggcgcaatc	gggactgggtc	gcatattccg	gatgccatga	12840
gctccatgac	cccgcttttt	gtgtgcccat	tctgattccc	cccgggcccgc	ccttgcggccc	12900
cgcgcattccc	ggacctcatc	gccgcttccct	caggattatcc	cggactatcc	tgttggcaag	12960
ccgggtctcg	tctgtccccc	cgcgctcggc	cagcctggag	agctttcttg	cgcggttctt	13020
gcccagctct	attggtatct	ttttcttgat	gcccaccttg	cgcacccctc	ttagtattat	13080
cttgtggccg	gagcgggggg	tctgggcaag	caacctcagg	tagatccgcc	tcgacggcct	13140
gtcgagcttt	gctatctttg	ataccacctt	gagcgccctg	gatatggctg	gcaccgcctg	13200
gtagagcctt	gtcgcctcgt	cccgggatat	ggtgccgggt	accatcgccct	tgatcttgct	13260
cggtagcggc	gcaaagccgt	ggtatttctt	gaacgtgggc	atcgacatgc	cgagcttttt	13320
tgcggcctcg	gattttgtcg	tctgctcggc	caggaaacttg	catgcgtctg	caagctcccc	13380
cgggctcatc	tggagacggg	gcaggttctc	tacaaccgat	gcggcctttg	catcatccag	13440
gccgtactct	gtatccttgg	ttatcaccag	aaacttggac	ttttttgcgc	ccaggtactt	13500
gagggccgca	agccggtggg	gccccgatat	gaggaggtac	agccccctgc	cgcctctctg	13560
tatgacgggc	gggttctgca	gccccctgta	tctgatcgac	tttgcgatat	cccgcacccg	13620
ggacctgtcc	agcctccttg	cctgcgcctc	cttccacaca	tgacacattt	tgaggggcac	13680
ctcgcggagg	gtctgcttta	tcttgggctt	gtagcgccga	accaacgtac	ttttcaagat	13740
goggatcctt	gttaactgtg	tttggtaagt	ttatcacaac	aattagggtta	gatagagctg	13800
ttcccacgcg	gcaatccctt	gtatacgcac	gcaaattccgc	gcatactccc	ccgggaggcg	13860
ttctggggcc	ccggggctca	cgagcccggg	acctgggggtg	ccccgcgggg	gcgtcgatag	13920
aataaatacg	cgcagggggc	cccgtggcgc	gatcgccctg	gctgataata	aactgcaaaa	13980
actacaagga	ggcgcccggc	ggcagaattg	acagcctagc	ggcgccagcc	gccggggcgg	14040

ccgcaaaata	cggcgtcagg	atagctcttg	ccccgcgcga	gcacctgctg	ggcgagtaa	14100
agggggaaga	tcttacagtt	ctggcgagc	atatagacga	caagggggtt	ggaagcacca	14160
caggatatgt	cgtgccggag	ctgctgggag	aatccggcgt	ctctggcgcg	ctcatcaacc	14220
acagegagca	ccgcgtatca	gctgaccagg	tggcaagcct	tgtgcccagg	ctcaggggtc	14280
tggatatgat	ctccgtggtc	tgtgtaaagg	attccgcgca	ggcggcaaat	ctctcccggc	14340
accggcccga	ctacatagct	atcgagcctc	ccgagctgat	aggctcgggc	aggctcgtct	14400
catcgagag	gcccagagctg	ataggggagg	cagcagaggc	catcaggggg	gcggatggaa	14460
caaagctgct	ctgcggggcg	ggcataacat	caggcgctga	tgtgcgcaag	gccctcgagc	14520
tcgggtccaa	ggggatccctc	gtggcaagcg	gggtggtaaa	atcatcagac	cccgtcgcg	14580
ccatagccga	gctggcacag	gccatgtcct	gagtagtagg	cccccgcggt	attgaggcgc	14640
gtcagcaggt	caaacgacga	cctgcgcagc	tcattccggcg	acttggcgcc	cgctatcacc	14700
atctttcccg	acgcaaagac	tagaaagctg	cagctgtcca	gcccccttgag	tatcatcccg	14760
ggaaacgacc	cgggatcata	tacagcgcca	ggcatgcgcg	acgatatcct	gtctatggga	14820
acattcctac	cggcatccac	cgtggctaca	atattgcgca	cgacgggcct	tatcttgagc	14880
tcgcccggcag	ccccgttgcg	caccaggtgg	agccgcgcct	cgtgcagctg	cccaaacgag	14940
gccctcacgg	atctggcgcc	gacggatata	atcttgccag	aaatgaatac	agtcaccctc	15000
ccctgcatgc	cgggcgtctt	tatgtagccg	cacctgccgc	cgtatacggc	ctcatcatac	15060
atgcagcacg	gcatggcggc	catctttttt	gcgtccaccc	tttgtacaag	gtctgatgtg	15120
ctgacgacat	tgacgacccg	gggcgcgcgc	cggggatcca	gcattgggtca	ggatccgccc	15180
gtgcgcctatt	ttaaccgggg	cccgggcggc	cgccctcgcca	tcttgtcata	cttgcgcttc	15240
atcaaaatta	cagtgaacat	cagggttatg	ccggccacgt	tggtccctat	tatgtagacg	15300
tcccatatgt	gcaccccgta	tgttatccag	agcacagagc	cagccctat	gaacatgggt	15360
agataccacg	agacgtccct	gaggtctctt	gtcttgtaag	ccttgattat	ctggtgcacc	15420
catccggaga	gtatcagtag	gccgcgggca	acggccacga	catccagcag	tgctatatcc	15480
acggttggtca	tttgaaaaag	aactgctcca	ttccagtctg	ctttggcttg	cccagcatct	15540
cgtcaaagtc	aaggcccatg	gacgaggtga	gctggtccag	agtagactcc	atgaactcta	15600
gatactttga	cgtgtccacc	tctcctgcct	gggccatctc	gacaggcttg	acgcctgtct	15660
tgttcatcac	ctttacgtac	gatattatgt	cgctttttt	gacctccctt	gcgttctcga	15720
gcagtctggc	cgcccgtagt	tgctgcggga	cggctctttac	gtattcagag	ggcgcccttg	15780
ttatcatcac	attgaacgcc	agatccgcca	gcgggacccc	cctctcctcc	agcctcttcc	15840
cggatgccgc	tatggccttt	gagatcttta	gctttgccga	ttcaaactcg	tcctcggctc	15900
gtacagccga	cagtatgtcg	agcagcgaa	agaacagctc	ctttatgaac	gggggcgtgt	15960
gcgacttttt	ccccgtcagg	cccttgacgt	cgaccttgcc	ggactttgtc	accccgaaat	16020
agtttttctt	cctgttagat	agcagacat	acctgtactc	tttgtccacc	tcgagctcga	16080
cgccgtgctc	ctttttggcg	tgctcgacta	tatcatggat	ctgcgcctcc	tctggattct	16140
ttatgaacag	cgaatcgggtg	tccccgtaca	gcacctttac	gcccactctgc	tcgagtgcg	16200
atatggctctg	catgatgata	tagcgccccga	ccgcctgggt	ggcctcggcg	gcaggcagaa	16260
agtacagcgg	gaatatctcg	gcgccccatca	ccccgtagct	tgcgttttagc	accaccttga	16320
gggcctgggt	gatcacagta	tactgtcgcc	cgtctcctc	cggtatagac	tggtctcttg	16380
agaggctctt	gtaatagttg	acgcgcaggt	cgcggagcga	tcctattatc	atcgatgtaa	16440
gcccgttggt	tttcgtgcat	acccagtggt	tggtatcggg	gatgggtgtc	tttctgcatt	16500
cgggatgaac	gcacctgacg	gtctcgtagc	agaggtttcg	cacctttatt	atgctaggat	16560
acaggcttgc	aaaatccata	actgtaacat	caaagtgtat	gccctcttca	ggctcgacta	16620
cgagaccacc	gcggaacttt	ttgtccttga	ttacggcgtc	gttgcttacc	tggtgagacc	16680
tcttttccag	ctcgccctcg	cggggtatca	gcgcgttgcg	ctgcctgtgc	tcatagtaca	16740
gcaggctcct	tatccactgc	gagacgcccc	tgccggacat	atcatcgatg	ggcatccggg	16800
caatcctgct	ggtcaccacc	aggaggtcca	tcagtatctc	gttcccaaag	gtgctaagct	16860
ccagcgtcag	gcgcgcgtca	tgatagcaat	agtttgagct	ctggatataga	gtgagatccc	16920
cgagagacac	gccataatcg	accttgccct	cgccgagcat	cgcttggtac	acgctgttca	16980
gggagtaatc	tgtatacttt	gccgcaaagt	catacagctg	gaacgacctg	ttcgagaagg	17040
tctgtacag	gtccagatgg	acgcctgtgc	ggagcgtggc	cgaatcccgc	atcatgtaca	17100
ggggtatgtc	ggaatccgcc	acgcgcaggg	gccggggccc	attgtacatg	tacggcatgt	17160
caaagtgcgc	cccgttggtat	gtaagcacia	acgggtacga	gcctattatt	gctagcgctg	17220
cgcggatcat	gtccgcctcc	ttgtcctcgt	cgtagaacac	cacctcgacc	ccgggggtca	17280
catcgtttgc	gccctcgctc	gcgcgcctcg	tcaggacaag	gacctttctg	aggccgtcgg	17340
tggcggaaca	ccccactgct	gtgacctctc	tgtccgagat	cttggcatcg	gggatccctgc	17400
cctcctctga	atccacctcg	atgtcaaagc	tgaggcgccct	tatccgggggt	atgggctggt	17460
tgagcagggtc	cgccccaccc	gctatgaact	cgcggaactc	tttctctgctg	gccatgcctc	17520

cgtctatgag	cttgtcccag	agaaggctct	tgagggccag	ttttacctcg	tccgatattg	17580
gcatgtcatg	cggaaatcacc	tccccgcctg	ataccgaata	gtacctgccc	actaccaggc	17640
ccgcgctcata	cagatagttc	tctgaataact	ttatgtcggg	ttcccacgtg	tctatcacgt	17700
ttctgatgct	cttctccgag	tgggtcccgc	ctatcgcaag	aggatcagag	acggttatct	17760
tggagacggg	cacctccttg	tccgctatca	ggtcgtgccg	catgacctgc	tctatcccga	17820
gcacgtcctc	cctgccccca	agaaagccga	gctcggaggg	cggcagcctc	gtataacagt	17880
agggccttg	ccccgtgttg	tccgtccagt	ggatgatcct	ttgcgattcc	gactcgtaga	17940
acttgaggac	cacggccctt	gcctggccat	catagggtgc	agatacaagc	agtgcagggg	18000
gaatctcttc	atcctgtgca	gtcagcgcac	cggcacctcc	tttgttcccc	cgggcacctc	18060
tgacgcccag	tatgtgatct	tctccttgtc	catcatgggt	atgctggccg	atgcaccttt	18120
taccagcttg	gaggcgcttc	ccggatatgt	atccaggcag	acaaaccgcc	tgattcctat	18180
ggtcaccgcc	atctttgtgc	actctaaaca	cggagagaac	gtcgtataca	tgggtggcgt	18240
gcctccccct	gcgcctatcc	ccagtatcgc	acagtgcatt	atcgcgttgg	cctctgcatg	18300
gttgacacag	caccgggtcca	ggccctcgcc	tgagcggatc	ttgcctcca	tgcgctctat	18360
gcacctttcg	caccgcctct	cgaagcagtt	ctttaccgcg	gggggcgtcc	cgttgtatcc	18420
tgtggccagc	tgctgtgat	ccctgactat	gacggcccc	acctttctga	ccatgcagtt	18480
ggatcggagc	tttgccagct	ccgcctgcag	catgaaatat	tctgccagg	acgggcgctc	18540
aaaaccgctc	aacggccatg	gtgccaccgc	ccggcatatt	atggtatatg	ccccgggtga	18600
cgaaccata	aaacaacagg	ccgcgtcagg	gccgcgcgtg	gagaccgcac	acataacggg	18660
caaatacgtg	gagcccgccg	ccgtcgagag	gcgcgactac	cagggtggcc	ttgccgagca	18720
ggccatacgg	gaaaactgca	tagtggtgct	gcctaccggc	ctcggcaaga	cggccgtggc	18780
cctgcagggtg	atctcccact	atctggacga	aggcaggggg	gctctcttcc	ttgcgcgcac	18840
aagggtgctg	gtaaaccagc	accgccagtt	cctgggcagg	gcccttacca	tatccgatat	18900
taccctgggtc	acaggcgagg	acaccgtccc	gaggcgcaaa	aaagcctggg	gcggcagcgt	18960
gatctgcgcc	acccccgaga	taacaagaaa	cgacatagcg	cgcggaatgg	tcccgcctga	19020
acagttcggc	ctggttgtgt	tgcacgaggc	ccacagggcg	gtgggcgact	atgcctattc	19080
cgcaatagcg	cgtgcagtg	gggagaactc	tagaatgac	ggcatgactg	cgacccttcc	19140
aagcgagagg	gagaaagccg	acgagataat	gggcactctt	ctctcaaaga	gcatagcaca	19200
aaggacggaa	cagcaccgaa	atgtaaagcc	ctaccgtcag	gagaccgaaa	ctgaatggat	19260
aaagggtggag	ctgcccccg	agatgaagg	gatccaaaag	ctcctgaaga	tggccctcga	19320
cgaagatat	gcggccctca	agagggtcgg	ctatgatctc	ggctcgaaca	ggtcgctctc	19380
ggctctgctc	cgccttcgca	tggctgttct	aagcggcaac	aggcgggcgg	caaagccttt	19440
gtttactgcg	atacgcata	catacgcgct	caacatattc	gaggcccacg	gggtcacgcc	19500
gtttctaaag	ttctgcgaga	ggaccgtcaa	gaaaaagggc	gccggtgttg	cagagctggt	19560
cgaggaggac	agaaacttta	caggggccat	ggcgcgcgca	aaggcggcgc	aggcagccgg	19620
catggagcat	caaagatata	caaagtggga	agaggctgtg	cgcggggcca	aagggaaggc	19680
gctggtcttt	acaagctaca	gggactctgt	cgatttaata	cactcaaagc	tgcaggctgc	19740
cgggataaac	tccgggatcc	tcataggaaa	ggcgggagaa	aagggcctca	agcagaaaaa	19800
acaggtagag	actgtcgcca	agttccgcga	cgggggatac	gacgtgctcg	tatctacaag	19860
agtgggcgag	gagggcctcg	acatatcgga	ggtaaaccct	gtggtattct	atgacaatgt	19920
cccaagctcg	ataaggatat	tgcagagaag	gggcaggacc	ggcaggaagg	acgcgggcaa	19980
gctggtggta	ctgatggcaa	aggggactat	agacgaggca	tactactgga	taggcggcgg	20040
caagattact	gccgccaggg	gcatggggga	caggatgaac	aagtcgcttg	cagcgggggg	20100
ccctgcgcca	aaggcagccc	caaaaaagg	gctcagaggg	tatttctagg	cgggcttate	20160
ccaggcgctt	tatcacgtgg	tagccaaact	cggattttac	cggctcggat	acctcgccct	20220
cctgcaggcg	gaacgcggca	tcctcaaacg	gctttaccat	cttgcccctg	ccaaagtagc	20280
caaagctgcc	gtccctcttt	gcgctgcccc	cgtctatcga	gagctccttt	gccagctttc	20340
caaacttttc	gcccgccttg	aggcgctctt	gcactgcgag	cgcctcgccc	tgttttttta	20400
ccagtatgtg	cgagcacttt	atcttgctcg	ccatgcgcgc	gcacattcca	taccctgcta	20460
taactttctg	gtatgcaggg	ccctgccggc	cggcagatct	tccgggcggg	cccgccaagc	20520
tagactttta	attgggatcc	ggcggggcgg	cgcgtgtctt	tgtattttac	gataaagacg	20580
gccaacctgg	ccctgcccga	cgtggtaaag	aggtacaacc	acgtcctggc	gtgcaagagc	20640
gagggtgatga	gggcccagaa	gcagatccag	gtgtccatct	cgtcgtcggg	cggctctggac	20700
aagtacgcgg	agctcaagca	gcagttcaac	tgcaggataa	ccgagttcta	ccgctcgata	20760
gaggagctgg	agaagacggg	cgtggtgggt	aagagcatag	acgaggggct	cctggacttt	20820
cccgcaaagc	gctttgggga	cgacatctgg	ctgtgctgga	aggtgggcga	gcgcgagatc	20880
aagttctggc	atgaaaagga	ctcgggggtt	gacggaagaa	agcccataga	ggtaagtgac	20940
gagtcactag	tgtagatgct	ctcctcctgg	ctgcgcgtaa	tacgcgtccg	gttctgctc	21000

gcgtcggtga	tagccgtatc	agcgggcctt	gccctctcct	ggtggcacgg	ccacggaata	21060
gacgcgctca	cagcggcact	caccatggcc	ggagtggccg	ctcttcatgc	aagcgtggac	21120
atgctcaacg	actactggga	ctacaagcgc	ggcatagata	cgagaaccaa	gaggaccccg	21180
atgagcgggg	ggacaggggt	gctgccagag	ggcctgctga	gcccccgcca	ggtgtaccgc	21240
gccggcatca	tatcactggg	gctcgggact	gccgcggcg	catactttgt	gatcacaacg	21300
gggcccgtca	tagctgcgat	actcggcttt	gcgggtggtct	cgatttactt	ttactcgaca	21360
aggatttgtg	actcgggcct	ctccgaggtg	ctcgtcgggg	tcaagggggc	gatgatcgtc	21420
cttggcgcct	actacataca	ggcggcccgag	atcacgccgg	cgcctctcct	cgtcggcgcg	21480
gcagtggggg	cgctgtcatc	tgcggtcctc	tttgtggcgt	cgtttccgga	ccacgacgca	21540
gacaaggagc	gcggcagaaa	aacgctggtg	ataatactgg	gcaaaaagag	ggcctcgcg	21600
atactctggg	tctttccagc	tgtggcgtat	tcatccgtga	tagcgggggt	gattatccag	21660
gtgctgccag	tgtactccct	cgccatgctg	cttgccgccc	cccttgccgg	aatatcgga	21720
aggggccttg	ccaaagagta	tgacggggac	aggatcatac	gggtcatgcg	cggcacgctg	21780
cggttcagca	ggactgcagg	cgcgctgctg	gtgctgggaa	tactgcttgg	ttgagtggaa	21840
ctagactcga	gactgtgtaa	gcataagatg	ggcatgcatg	caagtaccag	aaccgataga	21900
attattctcc	ataaaatcat	ggaattccca	caccctctga	taaagatctg	aagatctctg	21960
cccctctgac	ggaccagtcc	agacgaaagc	gccatctcat	caaaagggtc	ggtatttgaa	22020
ttagtccagc	atgttgggga	cgaacgtagt	gaagtaccag	cacaatctgt	ccatcttcac	22080
ccagatcatg	cgatttctaac	tgcaccatga	gagtcaatcg	ggtgtaaata	aattgggac	22140
acttattcta	ctatcacggt	atcatctgtc	atgtcaacga	agatgggttg	tataatctgc	22200
gggttcctaa	tatctccaat	gtcatcagaa	gttacttctt	tcgtttctcc	atcccgaga	22260
gtaacattgt	gctgtcccat	aggctgatag	agcttctatg	tatatgaaa	cttaccact	22320
ttacagggaa	ttggaagata	aatcaagggt	tgttgaataa	gtcgactagg	aggcagcata	22380
gtataatctc	ctttgtacat	tatgcgtaca	tagccaccaa	ccggttgtaa	agcgacaccc	22440
tgatcaggat	ttcccgcatg	atgctccctg	ccttccctgg	ctgcacggac	tcgccaata	22500
tctttttgga	ccctcaaac	accatctcca	cggatgtcca	gcagtctgat	ccaatatcct	22560
tgttccactc	gtcgtaccgg	cccacctagg	ccttgaccac	gagctgcccg	gcacggcagc	22620
ccgtgcccac	cctcgagttt	atcctgatcg	tggagatgaa	catgtgtaac	tgcagtcacg	22680
gaaaccttca	gtttctggac	agctatcttg	ggtctagctt	aaacatacgc	aacgtattgg	22740
cagaattact	agatttctat	ggtcatgctt	tcttctgtca	ctctatcgaa	cacggcacgt	22800
ataatgtgtg	tgcgcttttc	atctacaaga	cttgagcagg	ttattacttt	tgattccccg	22860
caccgcatag	taacgtcttg	tatgtccatt	atgaattaa	acatctacgc	gtataaaaac	22920
atagtattgt	taccggggcg	gggctacccc	agggtagcat	catccccctt	gtacatcatg	22980
tgagcatggc	cacaaaccgg	ctgcaggcca	acacctcgat	caagatctac	cgaatgatgt	23040
cccctccctt	cctggcctgc	acggcatcgc	cgaatatctt	tttgaacccc	gcaaacacca	23100
tctccacgga	tgtcctgagg	ccgtatccaa	tatccttggt	ccactcgtcg	taccggccca	23160
cctaggcctt	gaccacgagc	tgcccggcac	ggcagcccg	gcccacctc	gagtttatcc	23220
tgatcgtgga	gatgaacatg	tgtaactgca	gtcacggaaa	ccttcagttt	ctggacagct	23280
atcttgggtc	tagcttaaac	atacgcaacg	tattggcaga	attactagat	ttctatggtc	23340
atgctttctt	ctgtcactct	atcgaacacg	gcacgtataa	tgtgtgtgcg	cttttcatct	23400
acaagacttg	agcagggttat	tacttttgat	tccccgcacc	gcatagtaac	gtcttgtatg	23460
tccattatga	attaagacat	ctacgcgtat	aaaaacatag	tattgttacc	ggggcggggc	23520
taccccaggg	tagcatcatc	ccccttgtac	atcatgtgag	catggccaca	aaccggctgc	23580
aggccaacac	ctcgatcaag	atctaccgaa	tgatgtcccc	tcccttccctg	gcctgcacgg	23640
catcgccgaa	tatctttttg	aaccgcgcaa	acaccatctc	cacggatgtc	ctgcggccgt	23700
atccaatata	cttgtcccat	tgcgtctact	ggcccacttg	ggccttgacc	acgaactgcc	23760
cggcacggca	gcccgtgccc	aacctcgagt	ttactctgat	cgtggagatg	aacatgtgga	23820
actgcaggca	cggaaacctt	cagtttcttg	acagctatct	tgggtctagc	ttaaacatac	23880
gcaacgtatt	cgcagaatta	ctagatttct	atggctcatg	tttcttctgt	cactctatcg	23940
aacataaaaac	gtataatatg	tgaacgcttt	tcatctacaa	gacttgtgga	ggttattact	24000
tttgattccc	cgcaccgtag	agtaacgtct	tgcatgtcca	taagggatta	agacatctac	24060
gcgtataaaa	acatagtatt	gttaccgggg	cgggggttacc	ccagggttagc	atcatcccc	24120
ttgtacatca	tgtgagcatg	gccacaaacc	ggctgcaggc	caacacctcg	atcaagatct	24180
cccgaatgat	gtccccctcc	ttcctggcct	gcacggcctc	gccgaatata	tttttgaacc	24240
ccgcaaacac	cgtccgggtt	cccgtaccag	ttcggcatgc	agacgtcttt	aatcaggccg	24300
acaactctgc	cgtagtgtga	ccctccagg	ttctccatta	caaggccgga	atcttttgat	24360
ccaaatattt	ttcggcgcac	gatggcgctt	aattaggcag	ggttagtcag	caggctcaat	24420
caatatgcct	atcttactct	tttaccacag	gcttctacca	cttttttaca	cccattacaa	24480

atgaacctct	gtggcccggt	gtccatttta	atggatgaat	ccgtgctgtc	ctcatgtgaa	24540
cacaacggac	acttgaaagt	gtacctgtat	ggaaatgtcg	ggggggcgtc	cttttcaccc	24600
aagacttttt	ctatgtatat	tgtgcaacat	ttggcatgat	acaccattcc	ccctttcttg	24660
gtataatgtt	gagtccccgc	aacatccttc	ttgcacagag	cacataatcc	gggattcgat	24720
tcgtgccact	ccacacagga	agtatggcat	ttaaaatcag	aataaggcat	gatggagcct	24780
tctagattct	tcatgcata	ccctcaaagc	tttttcatgt	ccatgttctc	ccccaaatgc	24840
catattactt	aactattctg	ttgtgactg	ctgacaaggc	cctgaagttt	ccgagtactc	24900
aaacacctgt	acttcacaac	acagtgtaaa	acctcggggg	atcacaagga	aaggagctcg	24960
gtccaaaacc	aagaccgata	tggatagaga	aagagaatac	acgccgcggc	ttttggggat	25020
ttatccgcgg	cgggttgggt	gatatacagt	gccagctcag	ggggcacgac	atgccgcagg	25080
atgtgatgga	gatcaaggga	cggcaatata	catggcactg	catgccgcag	gtgtggccat	25140
aacctgataa	ttgaggcccc	cggctgtgcc	tacagcacgg	gatattggcg	cagaacgggg	25200
caatctcaca	ctttgtaccc	ttcatacaca	taaatcccgc	ttggatgtgc	ggctgcgcac	25260
gatcagcggg	catgccacgg	ccgagggtac	acagaggata	gccgagatgt	ccggcgacac	25320
ccatgacaac	tacaaggtgg	tagacgggct	gcacctctcc	aacgtgggga	tgggcaccta	25380
ccttggcgac	gcggatgacg	ccaccgacag	ggccgtcaca	gacgcgggtc	agagggtcaat	25440
caagtgcggg	ataaacgtca	tagataccgc	gataaaactac	cgctccaga	gggcccagcg	25500
ttccgtgggg	agggccgtta	cagagctctc	agaggagggg	ctggtatcca	gggaccagat	25560
attcatatcc	acaaaggcgg	gatacgtgac	caacgattca	gaggtctccc	tgcacttttg	25620
ggagtatgta	aaaaaggaat	acgtcgggtg	cggcgtcata	cagtccgggg	acatactctc	25680
gggataccac	tgcataagc	ccgcgtatct	agaggaccag	ctaaagagaa	gccttgcaaa	25740
catgaacgtc	gactgcatag	atcttgtcta	cgtgcacaac	ccggtggagg	ggcagatcaa	25800
ggaccgcccc	gtgccggaga	tctcagagg	gataggcgag	gcctttgcca	tgtacgagaa	25860
aatgcgggag	gctggccgca	taaggtatta	cgggctcgcc	acgtgggagt	gcttccgggt	25920
cgcagagggc	gacccgcaga	gcatgcagct	cgaagcagtg	gtaaaaaagg	ccaaggatgc	25980
cggcggggag	aaccacggct	ttaggttcat	acagctgcc	ttcaaccagt	actttgacca	26040
ggcctacatg	gtaaagaacc	aggggacggg	cggcggcaag	tcatccatac	tggaggcggc	26100
agccgcgctg	gacattggcg	tgttcacaag	cgtcccgttc	atgcagggca	agctgctcga	26160
gcctggcctg	ctgccggagt	ttggcgggct	ctcgcccgcc	ctgcggctcc	tgcagttcat	26220
caggtctaca	ccgggagtg	ttgccccct	gccggggcac	aagtccagcc	tgcatacaga	26280
cgagaacct	aagatcatgg	gcgtgcccc	cattctcct	gacaagttcg	gggagcttgt	26340
ggcagacett	acctcatggt	cgcccgccca	gaaatagtca	gcgtgttccc	tggggcatta	26400
tctggtctag	cacctttttt	ggcagcttcg	agtcgcgaga	atctttcaca	ttgcgcgggg	26460
tcctgtccac	gttggcagga	tacaggteta	ttcccgtaaa	gccccctctg	aggcacgcgg	26520
agactatccc	cgttgtgccc	cttcccga	acggatccag	cacatagtcg	ccctctcttg	26580
tggcaaaact	tactatccgg	gatacagagt	cttctgggaa	caccgcaaag	tgtcgttg	26640
cgtggtgcgc	ctttgtggat	atctcccaga	cgttcccagg	gttcttgccc	cgggggttgc	26700
atgctgcaaa	tatcgatag	tgtcgtggc	ccccatcccg	cttgcgcgtc	gcatgccttt	26760
tgaacttgcg	gtagcatgtc	gggcagtgtc	tttcggggtc	atacccggtg	gcccgcgata	26820
tctcctcggt	ggttggcagc	tcgtcaaacg	gcgtctcggg	ggacgagccg	tgtatcactg	26880
ctgcaatect	ccctatggct	tcagggtccc	tcttcccggg	ggagaactgc	agccggtcgc	26940
gctccggctt	cctgttgacc	ccgctcaggg	cctcgttgcc	ctggacgcgt	atcgggtcta	27000
tgtcaaaggc	gggggattcc	gactttgata	gcaccagcac	aaactcgtac	gcctgcgtaa	27060
ggttctgctt	cgagctctgt	gatagcgcgt	ttttcttgta	ccagactata	tcctcttgaa	27120
agtggatccc	aagggtctaca	agtctgagcg	cgagccgggtg	cgggaccatc	agcttccggc	27180
gccgcctcct	ggtgtgcct	atcactatga	agaggctgcc	gtcgtcggta	agcaggtcca	27240
tgcagctctt	gaacacctct	gccagctcct	cgacgaactc	atcaggcgctc	ccctcctggc	27300
ccagctcgga	gggataccgac	ccgtactttc	tgtgcccgt	atacgggggg	gaagtgcagg	27360
ccagcctgta	cctgccgcgc	tcgccattct	tttttgcaag	cctgggcagc	accgcccggg	27420
catccccccg	gataacctgg	aaccggttgt	tcatgttgcc	tgccccacat	caggctggac	27480
ggacagatct	gcgcagcagg	cgggcccgcgc	gatactacgg	gtcatacaca	ttctatgcgg	27540
ctgccccggc	gccgacttaa	aatcgttgta	ggatgcggcg	ccgcagatgc	attgcccggc	27600
ttatacacccg	cccgggatcg	gccgccttgc	agcacacgca	gtataaacgg	gggcccgggc	27660
ggcgcgtatc	acatgtggat	aaaggacgaa	ttcctcggcc	cgggcaacaa	gatgaggctg	27720
ctctacctga	tactgcccac	ctatgggtat	atctttctgg	agtactatcc	gttctttccc	27780
tggatggcca	cctactggtg	gtcagtagct	ctcagcccc	cgatagtgcc	cacgcattat	27840
gccggggagg	ccctggggcg	gctgatcggg	gatcacgtat	tgtttggcat	caccacaaag	27900
tacgtctatg	cggaatatg	gctcggcatg	gcccattggga	taatcctgct	ggcagggcgc	27960

ctccggggac	ctaggcaggc	gccacggacg	ggcatcccat	aggctctggg	gcatccgcgg	28020
gtccccgcgg	tccaattaaa	tacagcaagg	aacgggtagt	ttcgttgaag	ctgcaaggca	28080
agactgccgt	gatcaccggc	agtggtagcg	ggatcggggt	ggcgggtggca	aggaaatttg	28140
ccgagaacgg	ggccagcgtg	gtaatactcg	gaaggagaaa	ggagcccctc	gatgaggcag	28200
cagcagagct	caaaaagata	gcggaatctg	caggctgcgg	ggcctcgatc	aggatatctg	28260
ccgggggtgga	cgtggccgac	gaatccgcga	taacgaaaaa	gttcgacgag	ctgtccagct	28320
caggtgtaac	cgtggacata	ctgggtgaaca	atgccggcgt	gtcggggccc	gtcacgtgct	28380
ttgccaacaa	tgatctagaa	gagttccgcg	gggcagtcga	catacacctg	accggctcct	28440
tctggacatc	gagggaggcc	ctcaaggcca	tgaaaaaggg	ctccaagatt	gtcaccatga	28500
ctacgttttt	tgcagaagag	aggccactcg	agcagaggcc	gtacaggttc	cgcgaccctg	28560
atacaaccgc	acagggcgca	aagaacaggc	tcgcccaggc	gatgtcgtgg	gatcttttag	28620
accgcgggat	aacatcgata	gcgaccaacc	ccggccccgt	ccattctgac	aggatatata	28680
agacggtata	cccagggggc	gcactcgagt	ttgtcagggt	ttcagggttt	gaggacctgc	28740
agccagaaga	agtcgagggt	gcaggcgcca	ggctaatacca	cctgctcggc	gcggacgacg	28800
atgcaagaaa	aaaaggcata	gcagaggccg	cagagcactt	tgccaagcta	aagcccggtg	28860
atcccgcaaa	gctagaggcc	acccttgatg	ccctgctcgc	aaagatcaag	gggatagccg	28920
aaaagataca	ggccaacact	gcaaggatga	taccagacgg	ggagtttctc	tcccaggacc	28980
aggtggccga	gacgggtactc	gccctctgcg	atgacaagat	ggccaagacg	gtaaacggcc	29040
gcgtaatccc	cgccgacagg	gtattctacc	cggttaagggc	gcatgtggcc	aatgccgctc	29100
cgcgcgtgcc	cccgcacgac	tattccgggg	gatgcgtcct	attcatgata	gatgcagcag	29160
acgacaggga	tgtagaaagg	gcgaccgccc	tggcatccca	tgtggaaaagc	cacgggggca	29220
cggcagttct	catagtctca	gaagactcgc	cccgcgcggc	aaaggagatg	atagcgtcaa	29280
agttccactc	gcatgcgagc	cacatagaca	aggtagacga	gataaacagg	tggctgagcg	29340
ctgcatcaac	aaagataggc	cccatatctg	cagtgggtcca	cctgtccggc	aggatgccaa	29400
aatccggcag	cctaattgga	ctctccagaa	aagaatggga	cgcgctgggt	gacaggttca	29460
tagggacgcg	ggctgcgcgc	ctgcacaggc	cgcttagaca	ctttgcaccc	ggcgggcgca	29520
aggacccccg	tttgttcaag	ggcaagagcg	gcgtcatcgt	gataataggc	cccagactgc	29580
ccgcggggaa	aaaggcctcc	ggcgccgaga	gggcaagggc	ggagatcttc	cggggtgcgc	29640
tcaggccgct	gacgactaca	gtcaaccagg	agctcagcga	tgtgctaaag	tcaaactgct	29700
gcctgtttac	catccttccc	ggcaggggcg	acgggggcga	gaccgatgat	tcccgcatat	29760
ctgctgcaat	cgactacttt	ctgacccccg	aggctgtctc	gtccggcgag	gtcatattct	29820
gcgtagacga	gaacaggggc	tagcccgcca	cagcgtccca	gaagagtttt	gctgccacta	29880
caagtatgac	cactgccgcc	agtatgcgca	ggccccctct	cctcaggttc	agcgagagct	29940
tggcgcccag	caggcccccc	gcaaacgcgc	cagacgagag	cagcagtgca	tggtaaaagt	30000
cagtgtgccc	cagcagcgta	tgggtgacca	tgccggtaaa	tgccacaaac	atcaggacca	30060
gctgcgcggt	gggcgcggcc	ctccacatgc	tcatgcccat	tatcgccacc	atgagcggga	30120
caaatacaag	gccccgcctc	atcccaaaga	agctcgatat	tatccccgcg	aaaaagctgg	30180
ccgctatgga	tagcagcagg	acggtcaggc	gggagcgccg	ctgccccctc	ccaatcctgc	30240
tgtgagcag	caggatatga	gcagatccca	ccaggacgat	cccaaagaac	aatctgaaga	30300
tatcaggcgt	tgtcggggcg	gagaatagcg	cccctagaac	ggtaaccggc	agcgccagca	30360
ggcccagcgt	cagccccctc	cggtagtcta	tccctctctg	cctggcatat	gacgcggtgg	30420
cgcgcgacgc	ggtgctaaat	gccgcaaaga	ggctgcgctc	ggctgcagcc	gtcggtgaaa	30480
agcccataaa	ggtcagcagc	ggaaccacca	cgaaccggcc	gccaagcccc	accatcgagc	30540
cgattacccc	ggctgccagg	ccaagcagcg	gcagccatac	ctcctccatg	acaacctgcg	30600
gcactgctgt	tatgtataat	accgtttttg	ggggcgaggga	aacggatatc	atgcctagaa	30660
gccgtctgtg	ctatccctgc	cgacccccaa	gccccaccca	cttcacactc	atctagtaag	30720
caaactctgc	accaagccgg	atattttcca	tgggttttggc	aataaattca	ataaacagta	30780
cgttcggtca	tactgcatgg	caaaagagac	catagggaac	cgcccagtcg	atatcatgaa	30840
ggagggcaac	gaggtcaaga	tagtattcca	ccccattcta	aaaggggcaa	aacacccccg	30900
cgcggccgta	ttctcgataa	aactgtcgaa	aaaagattta	gagatcatca	ggaatgcttt	30960
ctaacatact	gtaaaatctc	aaaaacatac	tgcaacgtgc	gatttatata	cgggaaatgc	31020
gatcgcgata	tagtgacaaa	atataaccga	tccgctagtg	aaagcatggg	atcggagacc	31080
tatgggtttg	atgccatacg	aggcatgcaa	gctaaccacg	aatattacgt	taccatatgt	31140
cctctaaaga	ttattcccaa	gctcttcata	ttcaacgagt	atgagctccc	ggcaaagctc	31200
agagctcaaa	ggacactccg	aaaatctaga	attccaaccc	tcaaggacta	catactaagc	31260
aatcctgacg	agtacatatt	ctcgccctc	gctgcacggc	tggatggggc	catgaagttt	31320
atcccagccc	cgcactctgg	gccagatggc	aaaatgggca	gactccacat	agacatgtcc	31380
tccaagctaa	taatcaacga	cggacaacac	cgccgcaagg	caatagaggc	agccttgctc	31440

gagaagccgg	atctgggcaa	tgagtcaatt	tcagttgtat	tttttgagga	tcgagggcctt	31500
aaacgctgtc	agcaaatgtt	ttccgatctg	aacaaaaatg	ctgtcaaacc	atccaagtca	31560
ctcaatatac	tgtatgacaa	caggaatcca	ttttctcggt	ttatagtggg	catggtagat	31620
gagatagatg	ttttccggga	cagggtagag	ctggaaaaga	ccaccatagg	gaaaaatgcc	31680
aaggaagcat	ttactcttgg	gggattgtct	gatgcaacaa	tgagactgtt	cggcaaaaaa	31740
tccttgtcgc	gaccagcaa	ggaacaaaag	ggactcataa	aggagtctctg	gaaatgcgtc	31800
tcagccaaca	tgcaagaatg	gggacgggta	gtagacggcg	aaatgtcggc	agacgagctg	31860
cgtgcaaaact	atgtcaatgg	ccataccaac	tgccttaatt	cactagggga	ggtaggcga	31920
acagtaatca	agcagcatcc	agaatcgtgg	aaaagaaagc	tttctctctc	gtctcggatt	31980
gactgggtcca	gggaaaacga	ggtgtgggag	ggcaatctta	tacagggtaa	gaagatggtg	32040
aggaccacca	tcggaataat	gctcggggct	ggcgtcatac	ttcgggaatg	cagcatacga	32100
gttcctgaag	agattgagag	gtatgagaaa	tgacatctgt	gtttgacaag	cggacgactg	32160
acagcatata	cgacgaggta	cgctcagtat	acctcaacga	tgcacgccct	tggatccttg	32220
ggtttagtgg	cggaaaagac	tcgacatgca	tggtacagat	tgtatggaaa	gccctctcgg	32280
aactacctgc	agacaagctg	gacaaaaaga	tctacatagt	gtcgtcggac	accttggtag	32340
agtccccaca	gatagtggag	cggctgacca	agtcacttga	cagcatagag	aaggcggcaa	32400
aagaggccca	tattccaata	tcgaccaacc	tactgcggcc	tccgattact	gacacattct	32460
gggtccggat	actgggcatg	gggtaccctg	ccccacctc	catgttcaga	tggtgcactg	32520
atatgtcaca	aatagcaaac	gctgacaggt	tcatcaaaga	gagagtctcc	gagtatgggg	32580
aggtcatagt	tttgctgggc	acccgcaaga	gcgagagcgc	caccgcgcag	caggtaatga	32640
atctgctgga	gatagagaat	agcgttctaa	gccaccataa	aaaattcgca	cagacctacg	32700
tgtatacccc	cctggtggac	tttgaggcgg	aggacgtatg	gaactacctg	ctccagaata	32760
agaatccatg	gggcgataac	aaccgagacc	tacttgccct	gtatcaggat	gccaatgcgg	32820
cagagtgcc	tcttgtggtg	gacaccagca	cgccatcctg	cggaggtggc	aggttcggct	32880
gctggacgtg	cacggtggta	gacaagcaaa	agtctctgga	cagcatgatt	gaaaacggtc	32940
atgaatggat	ggaaccgctg	gcagaattgc	gccacattct	aaagcagaca	caggatcc	32998

<210> 2

<211> 42432

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (3) ... (10421)

<221> CDS

<222> (10625) ... (11434)

<221> CDS

<222> (11478) ... (13046)

<221> CDS

<222> (13046) ... (14620)

<221> CDS

<222> (23558) ... (24862)

<221> CDS

<222> (24913) ... (25728)

<221> CDS

<222> (26504) ... (26881)

<221> CDS

<222> (29655) ... (30491)

<221> CDS

<222> (34559) ... (36067)

<221> CDS

<222> (37002) ... (37403)

<221> CDS

<222> (37404) ... (38282)

<221> CDS

<222> (39454) ... (40572)

<400> 2

ggatccccgc	gccgccagga	gagggcagcc	ttggcggggg	ggcaatatcc	gacgacggga	60
ggtacatgta	cgcaatcggc	agggatctgc	tcacagtata	ccggtataca	atgaaccgcg	120
cccatgacat	agcctcggcc	gcgctcgggt	cgcagtcatt	ttctctgcct	ggcggcatca	180
gccccgcccc	cggcgcgccg	accggccttg	acatctcgga	tgacggccgc	cacctgtacg	240
tccccgacga	aaacggcgtc	gtgtacaggt	ttgatctgga	aaagccgtac	aggctagacg	300
gcggcacgtt	tggtctttct	gtttatgtgg	gatccgacgt	tgccgcgccc	cgcggcgat	360
acgtggcgcc	ggggcgagc	ctcatgctgg	tctcgatag	tgacagcggc	accatccaca	420
ggtacgagct	ggcaagcccg	tacgagccgg	cgggcgcggc	aaacagggga	tcattcgacg	480
tgctcgatat	ggacggctcg	cctgtcgggg	cggggtttgc	gggcggcctg	cacatgtatg	540
tcgcgggaaa	cgacaccgga	aggtctacc	agtatccggc	gggcacgcac	cagatacagg	600
aggcagccgc	agggccgcgg	ctgctctcgg	ccgtcctgga	caaagacgga	accctgaggg	660
cggcctttga	cggcacggta	gacgcgggat	ccgtgcagcc	cgggatgatc	accatcaggg	720
acggccatgg	ctccaacacg	ggaatacccc	ttttgcttgc	cgggggtgcc	gcggactctg	780
atgtcatgac	atttgtgtgc	cccagaaaag	acagggcaga	ggctgcgcga	tacggggacc	840
agtcgctgca	tgttcccgcc	gcggcgctgg	cggggactgg	cggcgggccg	tttgtgcccc	900
acttttccgg	gggctcgctg	ctggcgctcc	tgtaccggca	cgagcggccg	ttccagggcg	960
aggagatggc	acggacggag	agatccgaca	ggtacgcgct	tactgtaact	gcaggcggga	1020
gtcagatgca	tgtgggcggc	gccggcgga	acatcacctg	gtacgatctt	ggcacgcccc	1080
atgacataac	gaccggcgctc	cgcgcgggat	ccgacatcct	gccggcgat	ccatccgcgg	1140
gcagaaacgt	ggtgccgtca	ataacgggca	ttgccttctc	ggatgacggc	atgcggttgt	1200
ttgcagcaaa	ccggggcgac	cgcattccaa	tgtaccagct	ggacagcccg	tacgacatag	1260
ggagcgccag	cctcgaggga	accctgttta	cggggttcca	gtcgggcatt	gcattctcgg	1320
atgacggcac	gcgcatgttt	gccgcccctg	tcaccgagaa	tgccatacgg	cagtacgacc	1380
tgagggggccc	ctatgacata	cgcggggcgg	gcaatgcggg	ccagtacgac	ctggacatcc	1440
cgtgcacccc	aggactgctg	ttcctgctga	cctcgggggt	gcacttttct	cccgcaggga	1500
cgaggatggt	cgtcggcgag	gggatatcag	atgcggagga	tgccaacgcg	aacagggatg	1560
tcaacgtcaa	cctgtggcac	aggtttgatc	tctccacgcc	gtttgatgtg	ctcacggcgg	1620
agcgcgtgga	cacgtacgag	tacagcacgg	ggccgcgagg	cgatctcgag	gacctctccc	1680
tgccccctga	cggccgcaga	ttgtacaccc	tgctcgagcga	gagggtaagc	tcaagcgagt	1740
atacaatcac	ccgggccag	tactggctgc	cagaaccgta	cgacgtgacg	ccgccgtacc	1800
atgtgcgctc	attcaacgca	agccaggggg	gcaacctggc	agaccctac	gggatggcct	1860
tctcgcccga	cgggaccagg	ctgctggtca	cggggcacgg	gcagacgaat	gcaaagctgt	1920
tccacctgaa	tccgcccttt	gatgtgggca	cggccgtggt	ccacgaccac	ggcagggttc	1980
gccccggggg	gcccgcgaagc	gagatcgagg	cgtcggggat	atccctgtct	gccgacggct	2040
ccaggatggt	tctctccgac	cgcggccgcg	ggcccatcag	ccagtacacg	ctggttgcgc	2100
cctttgatgt	ggagtttgcg	tccgatgtgt	ccgcggatgg	gcagctcgac	gttggcgccc	2160
aggatgcgct	tccggcggg	cttgcccttct	cgcgggggg	gacgaggcta	ttcatggtgg	2220
gaggcatgga	caggtcagtt	cacatgtatt	ccctgaatac	gccgtttgac	ctgggcgggg	2280
cagagcatgc	ggcgtcgttt	ggcgtggggg	acagggcttc	ggatccccct	ggcatcgect	2340
ttgggaacgg	ggggactaaa	atgctaatag	ccgatacgac	aggctttgtg	cacgggtacg	2400
accttggcgc	cccgtacgat	atctcggggc	ccgcgtacag	cggcatatct	gacgcggcgg	2460
gcagcatccg	ggacgtggcc	gtcggcgggg	ggctccatgt	catactcgag	ggggagacgg	2520
accgggtgta	tgagcaccgc	cccggcatat	accgggtggt	ctcagcactg	gacgggcggg	2580
cgtcggctct	tgctcgagca	gatgcaaggg	tgggtgcggc	cgaggtgctc	tttgatcgcg	2640
cgggtggatgt	tggcggggata	gacccggggg	gggtccgcac	agtggatgca	gcaggccccc	2700
tgccccggcgt	ggtgatctcg	gatgccgtca	taccaggcga	ggatcccggc	gtggccaggt	2760

tcagcctgtc	ggacgcggag	gtccttgccg	tgcccgaggc	agtcctggtc	2820
ttggaaggca	tgccgtgccc	ggcgccgag	gcggcacatt	tccctcccag	2880
ccacggagct	tgtgggatcg	attccgaatc	cgaccctgga	ttttgggacg	2940
gggcccatt	ctcggcggac	gggacgggtg	tatttctctc	agacggcccc	3000
tgtaccgta	ttcactgaat	atcccccttg	acatatcgtc	tgcggcgcc	3060
taatcgtgcc	cgtcggagtc	tcggacattg	cgttttctgc	cgacgggccc	3120
tcgcggacga	aaccggggga	atacacaggt	acctggcccc	cagcccgtac	3180
cggatttcat	caaatacatc	ctgggtgagt	ttgtcgagac	attctcggcg	3240
tgcaggatct	tgccggcatc	gcctttctgc	acgacggcat	gatcatgctt	3300
gctcgggggt	tgtgcaccgg	tactcgctgc	catccccgta	tgcatgtatc	3360
acgaggagac	ggcgatgatt	ggcgggagcc	cgtcggggct	ggagttctcg	3420
tgaggatggt	tggtcccgat	gcgggctcgg	agacggggcg	agtctacggc	3480
cctacgggat	tggcgaggcg	gagccgctgc	cgccgctgtt	cctgggggta	3540
aggccacgct	ctgcctgac	ggcaggcaca	tcctagttcc	cgccaggccc	3600
agtactcgct	gttctcgacg	aatcttgagc	tgtgcgcgga	gccccggggc	3660
gatcgtgcga	agatgggata	tacgcctttg	agagtcgggg	caggggagag	3720
ttgccgcctc	gataacggcg	gcagacgggc	caggaaattg	cgagctgcac	3780
gcccggcgat	gcccggcgct	gtcatggagc	aggtcacact	ggattcgcgg	3840
tcagggtcag	gctggacagg	acagtggacg	tcgacacggg	gcgcccctat	3900
tggaggattc	agacggcagc	cagacaaccc	tggcaaattc	aacactgttg	3960
actcgaacat	tctgctcttc	aggctggatg	atgcggccgc	aggcaaaata	4020
catccccgt	gtttcgcacg	tggtcgctgc	cgttctcggg	cacagacgga	4080
cccatacgt	gggctttgga	gacgtgcgcc	ttgcggatat	atacgatgca	4140
tcccgtcgcc	gtcgggcatt	gagttttcag	atgacggcat	gaggatgttc	4200
tcggcacgcc	aggcatcaac	atattcacac	tgcccgcccc	ctttgacata	4260
agcattccgg	cctcaaccaac	ataggcgccc	tgctcgtgtc	tgatctggca	4320
atgggaacag	ctcacggtg	ctcgatgtgg	acggggtgtt	gcgcgtctac	4380
acgattacaa	tgtggtcacc	ggaaccaccc	agaagtttag	gattacgctc	4440
agggcatacc	caattccatt	tacacatctc	cggacggcct	gtcacagttt	4500
atgacaggat	tgacttgtac	gtgcttgcca	gccccaaacg	catatcgctc	4560
taatcccgt	ttcgctgcca	aggccggacc	cgccaaaccg	catggacttt	4620
ggcgaggat	gttctgtctc	accgagaacg	ggatagacca	gtacctgctt	4680
ttgcagtcac	cacgtcggt	tttttgcgca	cgatccccat	tgacggaggg	4740
tacggtttgt	agacaacgga	aggggcctgt	ttgtgcccgg	cgccgacggc	4800
ggcacgagct	catctaccgc	tacggggcca	gcacgtcggt	gttgagagac	4860
gcgtgacgga	cggcggtccg	ggcgagaacc	cggccgcggg	agagatccgc	4920
cattcaatgc	atccgataat	gtacagtcgc	cgtcgggcat	tgagttttca	4980
cggggatggt	tgttaccggg	tttggggccc	cgggcgtgaa	tgaattctcc	5040
cctttgatac	aacctccccg	gtgcatgtgg	aattgcacga	tataggcggc	5100
ttgatctggc	gtttgcagaa	gatggcagga	ccctcctggt	gctggccggc	5160
tggatttcta	cagccttgcc	ggtgatgcct	atgatatagg	ggaagcatcc	5220
aagtggcgtt	tgaggatgcc	gcgggtgctg	tgcccgggcg	cttttaccag	5280
gctcgtctat	tattgccgca	tttgacggca	ggattgacca	gtatgtggtg	5340
agttcgtgtc	atatccactg	acaaggcccc	gcacgcccac	agggattgac	5400
acgggcgctg	gatgttctct	tccaccgaga	acgggataga	ccagtacctg	5460
cctttgacgt	gcgcagcctg	acgtatacgg	gaaccattcc	agtagacggg	5520
tgacgtttgc	ggacaacggc	agggcactgt	ttttggcgga	cagtgaaggc	5580
attatgacct	ggaggaccgc	tatgctctgg	atggcaacac	aatttccgtg	5640
ttgacggtag	cgtgatgtat	gtgctggagt	acgacacaaa	aagggtggtc	5700
tggagtttcc	ctttgacgta	tcgagcagaa	cacgtgcaga	cacgctggac	5760
ttgactcacc	aagacacggt	gcagtctcga	tgcccggcaa	ccacctgtac	5820
cgggtgtttg	ggaagatgac	accatacact	cctatggaat	atctaacaat	5880
cggcatcata	catcggcgag	gaaggcatcc	cggaaaccgt	gataaacggg	5940
ccaacaacgg	cgcgcgcatg	tttctgattg	ggggcaacgg	gttcgactac	6000
atgactacat	gctaggcaca	agatacgaca	tatccagcag	gagcctgctt	6060
ccattccagg	gcccgttggt	tttcccggcg	gccttgattt	ctcgtttgac	6120
tgtttataat	aagcaccgcc	ggttcgggtat	acaggtaagg	cctggacgat	6180
ttgaaacaat	ggactatcag	gagtccttcc	ggctgcccgt	accatcagcg	6240

caatatcgga	tctggcattc	ggcagcagcg	gcctgaatgc	cgtaatatcg	cacgaggggc	6300
tcgacaccct	gtacagcttt	gtactggaca	tcccgtatgg	ggccgaattg	gatattgaca	6360
ggcttgagct	tccgctgggtg	ggggttccga	cgggattcga	gttctcggac	aacgggcgcc	6420
agttgtacat	tggcgcgctt	cgtgactctc	aatcctcgcc	aggcaccctg	cctgcggggc	6480
tgcagcgcta	tgagcttggc	ataccatatg	acctggcttc	ggctgtattt	gcgcagtcct	6540
tgggaatatt	cgattttcct	cccttcaacg	gcatgcgggc	caatggcagc	ttggcaggat	6600
tacatgtgcc	gcccgatgga	agcatcctgt	tcagggccgg	aaatgccgaa	agaaccgtaa	6660
tcagctatga	catggacagc	catgatttgg	atacattatc	attcagggaa	tcattcaaac	6720
cagatgtcgg	acagtcgaca	cccaacataa	gggacatgga	catatccccg	gacggcatgt	6780
tcctctacct	gcttcaaggc	gatgttctgg	acatgtacaa	ccttacagat	agttattcgc	6840
ttgatgcccc	ggcatatgcg	ggtaccctgg	atttggaaac	ggaggatgta	ataccagggg	6900
ggatttcatt	ctcacgggat	ggcacgagtc	tgtttatgac	aggcgaagac	gtggaccaca	6960
ttcacgaata	tgcattgaat	gaaccatggg	acatacgcaa	tgccatactt	gcaggctccc	7020
tgtccataag	cgcagtgaat	ggtgcaccgc	gggggctgga	tatatcgga	gatggcacia	7080
ctgcacatac	tatgcgcggg	cgtgactttg	acacggggcc	cgcatccctg	gtaaaccaca	7140
tattgccagg	ccaatatctc	ctgctgacgg	ctgcgcggc	gtttgcatac	cccgtggagg	7200
aggagggtgc	accgggggat	cttgcatctc	ccgatgacgg	catgcgcgat	ttcgtggcgg	7260
gcgtaaaca	acgttttaaga	cagtacaacc	tgctgtcgcc	gtatgacact	gaaatgcag	7320
aacatttcac	ctcgacggat	ctgctgactg	cggacagggg	ccccacgggt	cttgtatttt	7380
cagatgagaa	cgactttttc	agcacaggcg	ccaggggcca	atttgtgcgc	cagtttacga	7440
caaaccgccc	gtacgacgca	tcacaataa	cactgagtga	caacggactg	tacaaggatga	7500
gcgtggacgg	cctgcctgcc	ggcatacggg	ttacccccga	cggcatgaag	atgttcatat	7560
cgggccagga	gacggccatg	atataccagt	attccctgcc	gtccccgat	gacacatccg	7620
gggcggctcag	ggacagggtt	gagatagtcg	cagggtctct	tagaaatgca	ggtttgtccg	7680
tcgggttgaa	cgagcccagt	ccttccggct	ttgacttttc	ggaggacgga	atggagctgt	7740
acgtgacggg	gtcgggctct	gttcacaggt	atttccctgcc	atcgccatac	ggcctcgaag	7800
atgcagcgta	cgggggcagc	ttccacacgt	tcagggagag	cacgccgctg	ggagtgggtg	7860
tgcgggggga	tgccatgttt	gtggccgggg	acagtactga	ttccatattg	aaatatctcc	7920
tgaacgcaca	acctgtcggc	aacataacct	atgccgatac	gcgcgcgggg	attgccgaca	7980
gggcggagat	cgtgtttggg	gcaatggcag	atacgcgcgc	cgagattctc	gacggcgccg	8040
atgtagttca	taagagtgtg	aaaattgacg	tattcccaat	atcggagggc	ataacagtgg	8100
gcagggcact	ttatccagag	gacgccgcca	tacttgatga	cggcgcgaa	gccacgcata	8160
atagggttgt	aatcattgtt	caogacataa	cagaaggcga	tgccgcgtcc	atacatgatg	8220
agccgattgc	cgtggggatt	tacgccctcg	gccctatgga	tacaatcgcc	gtggttgatc	8280
tcacccgctt	ggcgtatcc	gcatecttgt	ccgggggtga	ttccccgtcg	gcctcagatg	8340
catccggagt	agtggccgag	agccgcagaa	acgcggtgga	caggcctggc	gtggaagagc	8400
gcataggaca	tgggtgatcc	ctggaggcgg	ccgacaggcc	tgccgtcgac	aacatgatgg	8460
atacggatag	tgccggcggtg	tacgaccgca	gtccggacga	cgggcccggc	gtatccgaca	8520
ggtccgcgct	ggggcttgcc	cggatggcag	ccgacaggcc	tgagtcgat	gacatgatgg	8580
atacggatag	tgccggcggtg	tacgaccgca	gcccggacga	cgggcccggc	atatccgaca	8640
ggtccgcgct	ggggcttgcc	cggatggcag	ccgacaggcc	tgagtcgat	gacatgatgg	8700
atacgggcag	tgccggcggtg	tacgaccgca	gcccggacga	cgggcccggc	atatccgaca	8760
ggtccgcgct	ggggcttgcc	cggatggcag	ccgacaggcc	tgagtcgat	gacatgatgg	8820
atacgggcag	tgagagcacg	agcaggcttg	gaccggttga	caggccagaa	atagtcgagc	8880
gccacagcct	ggccgcgtct	gtatacctgt	ccggggggga	ttccccgtcg	gtcgcagacg	8940
gtcatgatgt	ggagtccgag	ggccgcagag	acggggggga	caggcctggc	atcgacgagc	9000
gtatagtcat	caagatctcg	tacagccgcg	gcgcgccgga	tgcccccaga	gtggaggatg	9060
caatggagac	ttccggcggtg	accgcgtaca	ccgcggcgcg	agccgatgcy	cccagatggg	9120
aggatgcaat	ggagacttcc	ggcgtgaccg	tccccaggcg	cagtaccatg	gacgcgcccc	9180
cagtggccga	tgaccacagc	ctggcccggg	ccgcatccat	atccgaaggc	gattccccga	9240
catttgacga	ggcgcccgcg	gcggtatccg	ttggggatat	agacgaggtg	gacgcgcccc	9300
cagtggccga	tgaccacagt	ctggcccggg	ccgcatccat	atccgaaggc	gattccccga	9360
catttgacga	ggtgcgcgcg	gcggtatccg	ttggggatat	agacgaggtg	gacgcgcccc	9420
ccgtggccga	gaggctcctg	gcagtcctcg	gcctgcaggc	ccctgattcg	ccgggagtg	9480
gggatactgt	aggaatagat	cactcggaga	tttcaggcga	tcctgtgccg	gagccaagag	9540
tagtgcccag	ggcggtggc	ggtgggggag	gcggttcttc	gaaccgcggc	cttgaaccgc	9600
atggcgccgg	gtatgagatt	gactttgagt	tccgcataga	cggcaggctg	gtgctcttca	9660
atgggacaga	cgtgctagcc	gaatccggca	aggacctgct	catccgtccg	gtgttccggc	9720

cggaggggag	tttcaacata	tttgatatgg	aggtgttgtt	taccgcccc	ggcggggaga	9780
tatcgactgc	ctactacaac	agggctgga	tcctcatggg	gattgactgc	ggcgagctga	9840
ttatgaccga	tacgacgtat	tcattgcgaca	tgctggacat	attcggagat	gagatatacc	9900
atgtggagag	gcttgacgca	ttcaacggca	tggtcatctc	cttggacggc	cccctcgacg	9960
ggacggtcag	tgtatcgctt	cgtgacaacc	acggcatccc	gctggcgag	catcggtctg	10020
ataaatacga	gattttgatt	ttggacggcg	ctgaaaacag	acccctgtca	gtctcgacgg	10080
accccaagcc	cgtggaggat	ccatcgcccg	tgcagcatat	agagtcacct	cagatggatc	10140
cggagcccgt	ggagtccgag	cccctcccga	tggactccga	gcccgaggag	gatctggaac	10200
ctgtgcagca	tctagagtcc	ctcccgatgg	accccgagcc	cgtggaggat	ctggaacctg	10260
tgcagcatct	cgagcccgtg	cagggatccc	cgcccgtgca	gggagggccg	gagtcctgtg	10320
agtcaggcat	agcatacacg	ctatggcagt	tcctttcagg	actgctggat	gccctgggtc	10380
ttgccgaccc	ggatgtcggg	tctgtccaaa	aaacgtcctg	atgctgtcaa	aaagccggcc	10440
ctgccccgt	gtgcgcggcc	atgcttcaac	atgatgggtt	tgaagggacc	agcccgcggt	10500
cctgcccggca	tccaattccc	gagatcctgt	tacgtgcac	ggccatccct	gtacgtctgc	10560
aacatggtac	tttgtgtgat	catttccggg	cagagatcaa	gtcattgatt	ggaaaactta	10620
aatcatgcat	gggatcggag	gcggccgggg	agatatgtcg	gagaattttg	tggcgttttg	10680
cgtggcgtgc	gccaggggag	tcacaaaagg	cgagatgaag	tatgtagacg	ggagggctct	10740
ccacaaaagag	tgccatgcaa	ggcacggcgg	gcagatccgc	ttccccaacc	cagaggtcga	10800
gcagcgcgtg	gccgagctga	aggtggacct	gatacagatg	agaaaccagc	tggccgagat	10860
gaacagggcg	tccgggggacg	gaggggtgca	ttccagcgcc	acctctgcgg	ccgagggcga	10920
gcagcacagg	gccgagctaa	aggtacagct	ggtgcagatg	agaaaccagc	tggccgagat	10980
gaacaggaag	gcccccgga	agccggcacg	gaaaaaggcc	gcaggcaaga	ctgcacggag	11040
aaagagcggc	aagaagacgg	tgcgcaggaa	gaccggcaag	aggactgccg	gtaagaaggc	11100
cggggcgcg	aggaagacta	cggccaagag	gacggcgcg	aggaagacca	cggcaaaagaa	11160
ggcagccggc	agaaaggccg	gggcgcgcag	aaaggccaca	gtcaagagga	cgggtgcaca	11220
aaagattgga	gtgcggagga	agactacggc	aaggaggacg	gccggttaaga	gtacgggtgcg	11280
caggaagagc	acagtcaaga	ggacggtgca	caggaagacc	ggcaagaagg	cagtagtacg	11340
caggaagagc	acagtcaaga	ggacggcacg	gaggccggcc	ggcagaaaga	cccccggaag	11400
ggccgcgcgc	agggccggcg	caaagaggcg	ctagcctgct	gattaggaat	taaaggcggg	11460
cgcggggcag	caggtaaatg	cagtgccttg	gacggctaga	cgaggcgctg	gcggagatat	11520
cgcgcagcct	gcttgaatac	gagtcctcca	ccgcgggtga	tgtccggacg	gagatcagaa	11580
ggcagtgcac	aaagtactcg	ctccggagga	tcccaaagaa	ccgcgagata	ctggccaccg	11640
ccaggggtca	ggactttgac	aggctgcgcc	ccctgctgct	caaaaagccc	gtaaagaccg	11700
catccggggt	ggcgtgata	gcagtcatgc	ccatgcccga	cgcgtgcccc	cacggcagat	11760
gcacatactg	ccccggcggg	gaggcgctga	acacacccaa	cagctatacc	ggcggcgagc	11820
ccatagcggc	gggcgcctatg	aacagcgggt	acgaccggga	agagcaggtc	cgcgcgggtc	11880
tggcccggt	gcgcgcgcac	ggccacgatg	tagccaagct	ggagatagta	atagtgggcg	11940
gcacattcct	gttcatgccc	caggagtacc	aggagtgggt	cgtcaagtcc	tgttatgacg	12000
cgtcaacgg	gtccgcttcc	gcggggatgg	aggaggccaa	gcaccgaaat	gaaactgccg	12060
tgcacagaaa	cgtgggcctc	accatagaga	ccaagccgga	ctattgcagg	acagagcatg	12120
tggacgcgat	gctcggcttt	ggggccacgc	gcgtggagat	aggcgtgcag	agcctccggg	12180
aggaggtcta	cttgagggtc	aaccgggggc	acggctacca	ggatgtgaca	gagtcgtttg	12240
ccgcgcgcag	ggatgcaggc	tacaagggtg	ctgcccacat	gatgccagga	ctcccggggg	12300
ccaccccga	aggcgacatc	gaggatctgc	gcatgctggt	tgaggatccc	gcgctcaggc	12360
cggacatgct	caagggtgtac	cccgcgctag	tagtaagggt	cacccccatg	tatgaggagt	12420
attcgagggg	caggtattcc	ccgtatacgg	aagaggaggt	catccgggtg	ctctccgagg	12480
ccaaggcgcg	cgtgcccagg	tggcgaggga	taatgcgcgt	gcagcgcgag	atacaccccg	12540
acgagatagt	ggcggggccg	aggagcggca	acctccgcca	gctgggtgcac	aagaggctcc	12600
aagagcaggg	ccgcgcgatg	cgtgcatac	ggtgcaggga	ggcggggctc	gcggggaggga	12660
cgtgcccga	gaagctccgt	attgacaggg	cggactattc	ggcctcgggg	gggagagaat	12720
cgtttatctc	gcttgttagac	ggggatgatg	ccatctatgg	ctttgtgcgc	ctgcgcaagc	12780
cctccggagc	agcacacagg	ccggagggtca	caccggaatc	ctgcataata	cgcgagctgc	12840
acgtatacgg	caggctcgctt	ggcctcggcg	agagggggcg	catacagcac	tcgggtctag	12900
gcagaaggct	cgtctcagaa	gcagagtctg	ccgcccgtga	gcttggcgcg	ggcaggctcc	12960
ttgtgataag	cgcgcgcggg	acaaggggtt	actatcgag	gctcggatat	tcacgcacgg	13020
gcccctacat	ggggaagggtg	ctctgatgga	gacgataggc	cgcggcacct	ggatagacaa	13080
gctggcgcag	gaactggtag	agcgcgaaga	ggccctcggc	cgggatacag	agatgataaa	13140
cgtcgagagc	ggccttggcg	cgtccgggat	acccacatg	gggagcctcg	gggatgcagt	13200

cagggcgtag	ggcgtggggc	tcgccgtcgg	cgacatgggg	cacagcttcc	ggctcatagc	13260
gtactttgac	gacctcgacg	ggctccgcaa	ggccccgag	ggcatgccat	cctcgctaga	13320
agagcacata	gccccgtccc	tctcggcgat	acccgacccc	tacgggtgcc	acgattccta	13380
cggcatgcac	atgagcgggc	tgctgctaga	ggggctcgac	gcactgggca	tagagtatga	13440
ctttagggcg	gcaagggaca	cgtaccgcga	cggcctgctc	gcagaacaga	tccacaggat	13500
actatcgaac	agctcggtaa	taggggagaa	gatagccgag	atgggtgggccc	aggaaaagt	13560
tcgcagcagc	ctgccgtact	ttgcagtctg	tgaacagtgc	gggaagatgt	acacggccga	13620
gtccgttgaa	tacctggcag	acagccgcaa	gggtgcggta	aggtgcggcg	acgccgaggt	13680
aggcggaaga	aagatcgccg	gctgcgggca	cgagggcgag	gcggacacgg	gcggagccgg	13740
cggcaagctc	gcctggaagg	tggagtttgc	cgcaagggtg	caggcgtttg	atgtacgctt	13800
tgaggcatat	ggcaaggaca	tcatggactc	tgtaaggata	aacgactggg	tctccgacga	13860
gatactatcc	agcccgaccc	cccaccatac	aaggtagcag	atgttcctcg	acaagggcgg	13920
caaaaagata	tcaaagtctg	caggaaacgt	ggtcacgcgc	cagaaatggc	tcaggtacgg	13980
cacccccag	tcgatactgc	tcctcatgta	caagcgcac	acggggggcg	gggagcttgg	14040
cctcgaggat	gtgccatccc	tgatggacga	gtacggcgat	cttcagcgcg	agtactttgc	14100
gggagggggc	aggggaggga	aagcccgcca	ggccaagaac	agggggctat	tcgagtatac	14160
gaacctgctg	gaggcacagg	aggggcccgc	gccgcagtcg	ggctaccggc	tgctagtcca	14220
gctctccagg	ctgttcaggg	agaataggac	cgagcgcgtc	acaaaaaagc	tcgtcgagta	14280
cggggttaatt	gacggggcct	cgcccgggat	cgagcggctc	atagcactgg	ccggaacta	14340
tgacagcagc	atgtattctg	ccgagagaac	agaggtggag	cttgacgggg	ccacaagggg	14400
ggccctctcg	gagctggcag	aaatgctcgg	ttccgccccg	gagggcgga	tgaggatgt	14460
catatacggc	gtggccaagt	cccacggggg	gcccccgcg	gactttttca	aggcgctgta	14520
caggataata	ctggatgcat	ccagcggggc	gaggataggc	cccttcatag	aggacatagg	14580
cagggagaag	gtggcaggtg	tgatacgggg	gcgcctctga	tggtccacga	cgtacacaac	14640
cggcggcgga	gcggcggctt	tttctgata	atactgggcy	ccctcatctt	catcacggcc	14700
ccgctgtacc	tctcagattc	gccggagctt	ggggcgcgag	ccatagcctt	tggtttgtc	14760
gtgggcgggg	cgggtttcta	tctcaacttt	atcaaaaaga	aatcctaggg	ggcccgccc	14820
aagcatttta	tggcaagccc	ctgtgggagc	acccatggga	ttgttcagga	aaaagagccc	14880
cgaagaatcc	gagccggggc	cggacgagcc	cgggcccag	gcggagatgg	aaaaggtgag	14940
ggcggaacct	gcccggcgtg	agagagacgt	ggtaaaaaag	tattccgagc	tgacggccct	15000
ctcagagaag	ctcagagagg	taaagacaga	gtatgattcc	accgtgggct	cgctgatgtc	15060
cgagagaaag	gggctcgccg	aggcgaaaaa	agagtcgcga	tcgctcgagg	aggcgcgcg	15120
aggcctcgcc	gaagaagtcg	agcagaagag	ggcaaaactc	gaccaggcgg	agattgacct	15180
tggggataga	aagggcagga	tagaggagct	cgaccgcgcc	cacgcggctc	tcgccgggat	15240
aaaggaggag	tcagacaggg	gccgcgccga	gctgcacgag	atcaagcgga	agatcctcga	15300
gtcacagggc	gcgctcgaca	gggcccaggga	cgcgcaggcc	aaggcggaag	cggagctgca	15360
caattccgcc	gaggggctca	agtccgcccc	ggacgaggcc	ggaaagctct	cccaggagcg	15420
cgacaatata	cgggcccaga	tagatcttgc	aaaaaaggag	ctaaaggtgg	tccggggcca	15480
gatggagtcg	tcccccgagg	ggggcgccga	aaagcacgtg	gtcgaggccg	caagcgcgat	15540
ggtctcgtcg	ctcaccacga	ggctggctgc	cgcgagaggg	gagcttggcg	tggtaaaaga	15600
ggtattggag	agggagagaa	gggggcccgg	tcaggattcc	gaatagatct	ttttccactt	15660
gctcttcatt	tcttctcgcg	tcattcccag	atcgtagagg	ggtgatgtga	tatcgcggat	15720
ttcatccacc	ggtatcttta	ccacggaaga	tatcccgtc	tttatgccgg	tctttttaaa	15780
atgggacgcc	atcgtatcga	actcttcgcc	tgaatcgagc	acggcgggcag	tgccggtaaa	15840
gcggtagccc	tttctgagca	gcgggtctat	aacgttgatc	tctatggcgg	ggttggcgcg	15900
caggttctcg	acggtattgg	gtgaccttat	gttggcaaac	gccagggtgc	cctcgccccca	15960
tacgatcaca	gagcccttgg	gcgagagggt	cggcttgttg	tccgggggta	cagtggccac	16020
aaagcccatc	ttgatgcggg	tgacgtgatc	ccttacctct	gttccgatgg	tcgccatggg	16080
ctatccggtc	atgcgggggt	aaataaagct	gggggtgcag	cgcagacact	cagccgttga	16140
ttatacagta	ctcgcaactc	caggtcttgc	tctcgtcatc	ttttgccctg	cattttgcgt	16200
gctggcccga	ctggcactgg	acgcagatct	cgtctatggt	gtctatcgag	gtgtatttct	16260
tggactgggtc	aaagccgaag	ccaccgtcct	ttgggtcaaac	catacagcgg	ttatgccgcc	16320
gtaccttaat	tatctttgcc	gtcggggcgg	ggccgcttct	gccggcgggga	gcccccttg	16380
aggccgcccc	ccggctcgtt	gtcccacaga	tgcatgctgc	ccgggatcat	aaacgagccg	16440
actatgatcg	ccacaagccc	gcccaccacc	agtagaaca	gccttgccag	gcccggcaac	16500
ccgcccattg	gtgtaatatg	cggcaccctg	aaacaaacat	tgcgcggaaga	aacaggggta	16560
ttccaggggg	caaggcccgc	aagctacatt	aatttatcag	tccggagggg	cgggccccat	16620
gagcagagtc	aaggcgatag	ccatctgggt	ggccatgata	ggcgagggca	tagccttctt	16680

tttcgcctcg	gactatgttg	tagaagtaat	gaggtaaacy	gggaaaacag	gatccaatac	16740
ggttttcttat	cctccctgtc	catggcgggc	ccgttcatac	aaagtcccaa	cggtcaatgt	16800
gccagatacg	atgggtccctc	acaggggaat	ttggactgtc	ccgtgatgtt	ggtgggttag	16860
gaaacgcatt	acctaggcat	ttatgtagtt	gagggtgcacg	tccgagggat	ctgtttcatt	16920
atctggatca	aataatggaa	cttttctctt	cattaatttc	ctacattccg	cctgcagttc	16980
aagcatgatg	gttacatcat	cacgttcgat	tatccgttct	gttgtttcgg	ttttttgctc	17040
actcccatcc	atgccaatat	acgacggcat	ttgtctaaaa	aggtttccat	cttcaagagt	17100
cgtgtgtttg	ccgtgcaatt	acctcccagg	ggagcataaa	aaataagcca	taaacgatgc	17160
acagcatccg	ccatggacct	atgaaaaaac	aagtcgtcag	tggcgcacag	tatccgatac	17220
aaacctctcaa	tctgttcate	cggcaactct	gcaccatgga	aactccggac	gatcgctatt	17280
ctatacatgc	tggttatcgt	acctgtgaga	atcctaatac	tcctacggct	atgttgatgg	17340
tttgcgtgata	actgaattac	cgaggtgatt	cgcatgatt	ttgttgattg	gagtaaattg	17400
agacaggata	tccgctgcat	gagataccga	caatgtcaga	tcctgaaatt	cttggctggc	17460
ttctagatca	gttattttca	aaccgatgcc	cctacactcc	tctcgcgata	tgtatctccc	17520
atgactgtaa	tattttccag	gagaagctaa	cattccagat	attttttttg	atttttctgc	17580
cgcacagac	tccgacgcaa	acatgtggtc	ttccagecat	ttttgtacaa	gcacttcagc	17640
tagtttctgg	ctgctaattg	atttttgaac	cagtccagga	ggatattgtc	ctaacaatgg	17700
aagccatgcy	ccaagcctgc	ccggatgttt	ttcagatacc	acctgcactt	cttgcaactc	17760
gtcaattaga	agctgtgcag	acattatttg	catgccaatc	ttggttgagg	aaataaattg	17820
gggatcagcy	ggtcctatag	acgagtgttt	gcccattacc	agggaaattg	atgcgcaagc	17880
aagcatcgag	gctgctgaca	ttgcggcata	cggtatgatg	acccgaatat	catcatattt	17940
cgcataaagg	tatgtgacaa	tcatctctgc	agactcggca	gaacctccag	gactgtggag	18000
tatcagatcc	aatttttttag	tctttaaatc	acgcatactc	ctcataaatc	catacaggtc	18060
accattttgtt	atgagagctt	cattaggcgt	atgcggttcg	tccgtcatcc	agttggctgc	18120
atatagaatt	gtgtccctcc	ccgaatactg	ttgcaatttt	gaaagatagt	cgtgaagtac	18180
cacaccaggt	gctgtctcac	cggctgactc	cattagtcca	agtactttgt	ttgatatttc	18240
tgcgtagcta	ggcattttatg	tagttgaagt	ggctgcccgc	gggaattaac	ccatagtctg	18300
aatcgtatga	cttgccctttt	ttcttcatca	attttctcata	tacctcatgc	aggtctagca	18360
ggatggccat	gtcactgcgc	ttgcttggtg	atttttggtg	ctcgggcttt	tggctgatat	18420
tcttctccat	gccgataaaa	gtcgggtgtt	ctttaaaaac	gttcatagatt	ttaattttcg	18480
agtctttgcc	gtgcaatttc	ctccagagat	cataaaaaat	gagtcataaa	cgggtgcacag	18540
catccgctgt	ggacccatga	aatggggccc	cggcggtgca	cagcatccgc	tgggggctca	18600
ataaaaaaaa	tgagtcatac	tgcatagtct	ctatgtaaat	ggctgaaccg	gtgttttggt	18660
cgattagtaa	aggctggctc	tccactcgcc	gaagcttggt	ggttacacca	ccttcctatc	18720
aacgcagtct	tcttctgcga	accttcaccc	gaagaaggaa	tatcttgtct	cgggatagga	18780
ttcgtgttta	gatgctttca	gcacttagcc	tagatggctt	agctgcccg	cctgccctgt	18840
cggacaaccg	gtagaccagt	ggccacgcct	ctctgttctt	ctcgtactag	gagcgacttc	18900
ccctcagata	ttcgcgcttc	catcaggcag	aggccgacct	gtctcacgac	ggtctaaacc	18960
cagctcatgt	tcctttttaa	taggcgagca	gcctcacctt	tggcccttgc	tgcaggacca	19020
ggatagggaaa	agccgacatc	gaggtaccaa	accgcggggt	cgataggagc	tctcgcccgc	19080
gacgagcctg	ttatccctgg	ggtaattttt	ctgtcacctc	cgggcccaca	tagtgggcac	19140
acgaaggatc	gctaagccag	actttcgtct	atgaattccg	tgcgtttgga	aatccattca	19200
gtctagtttt	tggctttgct	ctcttcagcg	gattttctgac	ccgcttgaa	taaactttgg	19260
gcccctttga	tatcttttca	aaggggtgcc	gccccagccg	aactgcccac	ctgcacgtgt	19320
ccccggtctt	caccgggtaa	gtggcactgc	aggaaatgtc	tgggtgttaca	tcggcgctccc	19380
ctgacgtccc	aaagaacgcc	aggaaaagac	tcccagatac	gctatgcact	ccctgctata	19440
ccacaagcac	aagctgcagt	aaaactccac	gggggtctct	ctccccgatg	gaagatgatg	19500
gactgttctg	ccacctattg	tggcttcacc	ttggttgtagg	cggggacagt	ggggctctcg	19560
ttgttccatt	catgcacgtc	ggaacttacc	cgacaaggca	tttggctacc	ttaagagagt	19620
cagagttact	cccggcggtta	accggtcctt	agctcggttg	aacccaagtt	ttagataaccg	19680
gcaccggcca	ggattcagcg	actatacata	ccctttcggg	ctagcagtcg	cctgtgtttt	19740
tattaaacag	tcgaaacccc	cttgtcactg	caacctgctg	ccgccattcc	tcatgacagc	19800
tgcaggcatc	ccttatacct	aagctacagg	actaatttgc	cgaattccct	cgccatacgg	19860
tatacccgta	gcaccttagt	ttactaaacc	agcgcacctg	tgtcggatct	gggtacgaac	19920
ttgcagtttg	ctagccgcac	ggtctttcat	ggtctcctgg	agtcggggga	actctgctaa	19980
cgcaaagcca	ctcccgcttc	gggctgttcc	tctgcattac	gacactccca	ggccctcgaa	20040
cggttcgaca	cgacgacggt	catgctcccc	ctatccggaa	gcgaaccatg	cggttcaa	20100
gtccctgca	aggtaccaga	atattaactg	gtttcccat	cggactactc	tgttgaggca	20160

gcccttagga	tcgactaact	ccaggctgac	gacgcattgc	ctggaaaccc	ttgcgctttc	20220
ggtggtgcgg	attctcaccg	cactatgctg	ttactgccgc	caggatctgc	aatagaaatc	20280
ggtccacagg	acgtcaccgc	cctgcttcgt	cccaatcact	acgccaacct	accacgggtgc	20340
acctgccacg	gtgcacgtcc	ggagtatcgg	tactctgctt	tagccccgtc	cgtttttgtg	20400
gcgccctcgc	tcggcaggta	agttgttaca	cactttttga	aggatagcta	cttctgagct	20460
tacctccctg	ctgtcttggc	gacgacacgc	actttggctt	gacacttagc	agaaatttgg	20520
ggaccttaac	tccagtctgg	gttaaaccct	tctcggctcg	gaaccttacg	tcacacgaac	20580
ccgtgtccat	gcttctgcga	tgtgtatccg	ttcggagttt	gaatggatgg	tgaggaaatc	20640
cttccccgcg	ccacctatc	agtgtctctac	cggaaacacc	atctccacat	agcacgccct	20700
gcgagacgct	tcggttgga	ctagcaagcg	ccagtctaga	ttggtttttg	acccctattc	20760
ccaagtcaca	caaacgagtt	gcacgtcaga	actgctgcag	acctccagtg	ggctttcgcc	20820
caccttcac	ttgctcagga	atagatcgac	tggttcttag	ccttaccgcc	atgactcaac	20880
gcactttcac	acgtctctcc	tcacaatgct	gcgagaattc	ggtttccctt	cggctacgcc	20940
tttctaggct	taacctcgcc	atgacagcaa	gtccctggc	ccgtgtttcg	agacggaacg	21000
cacgacactg	acgacatgag	ctccggactt	ttagctccat	tgctggaacc	tcgggtccga	21060
aaaaatcgtc	tttcatgccc	tgcaactctg	taagcaatag	gtttcatgca	cttttcaccc	21120
cccttcgggg	gtacttttca	gctttccctc	acggtagctg	tacactatcg	gtcttgagag	21180
atatttagcc	tttgatgcta	ctttcaccaa	tcttcgctgc	ccactgccaa	ggacaactac	21240
tcgggtgctg	gccctgcccc	attccaactc	gtctaggggg	gtatcacctc	ctaagccgga	21300
acatttcaga	acactttgac	tatttcgtgg	ggccattgcg	ccgcaccaa	acaccacatc	21360
tcggccgcgt	taccgcggca	gattcagttt	gggtcttttc	cttttcgac	gcctctactt	21420
gggaaatctc	tattgatctc	tcttccctcg	ggtactaaga	tgcttcaatt	cccacggttc	21480
gacctccgct	tgccgcggag	atacaggatt	cctattcgga	aatctcggga	tcaacgggtg	21540
cgtgcaccta	ccccgagctt	atcgcagctt	gccacgtcct	tcctctctcc	tcaagcctag	21600
caatcctcct	attgccgtct	ttacaccggc	atattcagcc	acatattaca	cgactatgca	21660
tgatgatcat	cgccgtcccc	aggggagggg	cccgtacat	ccttcatacg	ccactttcgt	21720
gacgcattgc	accatgtgaa	gatatgtgca	ccccgttcaa	accagtttct	aaggagggtga	21780
tcggaccgca	ggttccctta	cggtcacctt	gttacgactt	ttcccttgct	gcttacctca	21840
agttcgataa	cgccaattag	acgtcacctc	actaaaagca	aaactcaatg	aaacgacggg	21900
cgggtgtgtg	aaggagcagg	gacgtattca	ctgcgcggta	atgacgcgcg	gttactaggg	21960
attccagatt	cgtgagggcg	agttgcagcc	ctcagtcata	actgtggtag	cgtttgggga	22020
ttacctcctc	ctttcgata	tggaaccat	tgctactacc	attgcagccc	gcgtgtggcc	22080
ccagagtttc	ggggcatact	gacctgccgt	ggccctttcc	ttcctccgca	ttaactgcgg	22140
cggtcccgtc	aattcgcccc	actgtcctcg	agagcaatgg	tggaactag	aggcaaggat	22200
ctcgctcgtt	acctgactta	acaggacatc	tcacggcacg	agctggcgac	ggccatgcac	22260
cacctctcag	cttgtctggg	aaagtcttca	gcttgacctt	cacactgctg	tctctccggg	22320
taagatttca	ggcggttgact	ccaattgaac	cgcaggcttc	accccttggt	gtgctcccc	22380
gccaatccct	ttaagtttca	tacttgcgta	cgtaactccc	aggcggcaaa	cttaacgggt	22440
tccttgccgc	actgcactgg	ctcttacgcc	aatgcateac	cgagtttgca	ttgtttacag	22500
ctgggactac	ccgggtatct	aatccggttt	gtccccccag	ctttcatccc	tcaccgtcgg	22560
acgtgttcta	gtagaccgcc	ttcgccacag	gggtcatca	atagatcaaa	ggattttacc	22620
ccttccctact	gagtaccgtc	tacctctccc	actccctagc	cgtgcagtat	ttccggcagc	22680
ctatgcgttg	agcgcataga	tttaaccgaa	aaacttacacg	gcaggctacg	gatgctttag	22740
gccaataat	cctcctgacc	acttgagggtg	ctggttttac	cgcggcggct	gacaccagaa	22800
cttgcccacc	ccttattcgc	cgggtggtttt	aagacgggta	aaagatttct	ttagcagaaa	22860
acactcggat	taaccttgct	gtgctttcgc	acattgcaaa	gttttctcgc	ctgctgcgcc	22920
ccatagggcc	tgggtccgtg	tctcagtacc	catctccggg	cctctcctct	cagagcccgt	22980
atctgttata	gccttggtgg	gccattacct	caccaacaag	ctgatagacc	gcagtcccat	23040
cctacggcga	taaatacttt	gggccacaaa	ccattccagg	catggtggcc	tatcgggtat	23100
tattctcagt	ttcccgaggt	tatccccgtc	catagggttag	attgactacg	tgttactgag	23160
ccgtctgctt	tgtattgcta	caatgactcg	catggcttag	tatcaatccg	atagcagtca	23220
ggtcggcgag	gatcaaccgg	attcttattt	ggattatttt	ttttttcaaa	gtacgcctgt	23280
acttttgga	ttgaacggaa	tgacataat	cttcacatct	cagatatgac	ccttcgatca	23340
gacctcatt	ctgtgtgcgt	aactggaggc	ctgcgaatca	caaaatggta	caataccatg	23400
gcttcacgc	aagcgccgct	cttgctcac	gtacgatcgg	atcgcttgt	ccatgggcat	23460
ataaaccatc	gccggtttcc	gggcccgatc	ggacccttga	tcggcccgcg	gggggcatc	23520
cggcctcatt	aaattacggg	gggtacaacc	tgctgccgtg	gatctagagc	gcgagtacag	23580
ggcaaagacc	aggggctcgg	cggggatatt	tgcccggctg	agaaggtagc	atgtaggggg	23640

ggtcagccac	aacataaggt	actatgagcc	gtacccgttt	gttacaaggt	cggcgcgccg	23700
caagcacctt	gtggacgtcg	acgggaacaa	gtataccgac	tattggatgg	ggcactggag	23760
cctgatactc	ggccacgcgc	cggcgcaagt	aaggctcgga	gtggaggggc	agctgcgccg	23820
cggctggata	cacgggaccg	caaacgagcc	caccatgcgg	ctctcggaga	tcatacgcgg	23880
ggcggtaaag	gcggcagaga	agataaggta	tgttacatcc	ggcacggagg	ccgtcatgta	23940
tgcggcaagg	atggcgcgcg	cacgcacggg	aaaaaaagtg	atagcaaagg	tcgacggcgg	24000
ctggcacgga	tacgcgtcgg	ggctgctaaa	gtcgggtcaac	tggccgtacg	atgtgcccg	24060
gagcgggggg	ctcgtcgacg	aggagcacac	cgtgtccatc	ccgtacaaca	atctggaggg	24120
atccctggag	gcgctaaggc	gcgcaggggg	cgaccttgca	tgtgtcatag	tcgagccgat	24180
gcttggcggc	ggcggtgca	taccggcaga	accggactat	ctccgcggca	tacaggagtt	24240
tgtgcattcg	aagggtgcac	tgttcattct	cgacgagata	gtcacggggg	tccggttcga	24300
ctttggctgc	gcgtacaaga	aaatggggct	ggaccccgac	gtggtggcgc	tgggaaagat	24360
agtcgggggc	ggattcccca	taggtgtggt	gtgcggcaag	gacgaggtga	tgtgcattct	24420
cgataccggc	gcgcatgcaa	gaaccgagag	ggcgtaacatt	ggcgcgcgca	ccttttctgc	24480
aaacccccgc	acgatgactg	cgggtgcccgc	ggcactcggt	gcactcaggg	agagaagggg	24540
cacactatac	cccagaataa	actccatggg	ggacgacgca	agggcgcggc	tctcgaggat	24600
attcgacggc	aggggtgcag	tgaccggcag	gggctcgctg	ttcatgacgc	actttacacc	24660
ggatggggcc	cgcaggatat	ccagcgcggc	agatgctgcc	gcctgcgatg	tgcattctgct	24720
gcacaggtac	cacctggaca	tgattacaag	ggacggcata	ttctttctgc	caggcaagct	24780
ggggggcata	tctgccgccc	actcaagggc	ggaccttggg	gccatgtatt	cggcgtctga	24840
gcgcttttgc	gggggactgt	gagttatacc	catgggaaac	tttgattata	cgggcgtaca	24900
ttcccggggc	ccatgatact	cttcggcaag	agcgacccct	ccgacctgct	ccgccaggcc	24960
gatcttttgt	gcagtgggaa	caagtacaag	gcggcagtg	gcctgtacag	caggatactc	25020
aaggacgacc	cgcagaacag	gatggtcctg	cagagaaagg	gcctcgccct	caacaggata	25080
agaaggtact	ctgatgccat	aacgtgcttt	gatctgctgc	tcgagctgga	tgatggcgac	25140
gcgcctgcat	acaacaacaa	ggccatagcc	caggccgagc	tgggcgatac	ggcatccgcc	25200
ctggagaact	atggcagggc	catcgaagcc	agccccaggt	acgcgccggc	gtactttaac	25260
agggccgtcc	tgctcgacag	gctcggcgag	cacgaagacg	cgctgccgga	cctcgacaag	25320
gcgacaagge	tggacaggga	caaggccaac	ccgaggttct	acaaggggat	agtcctggga	25380
aagatggggc	ggcatgcaga	ggcgctgtcc	tgcttcaagg	aggtgtgcag	ggcgaccac	25440
ggccacggcg	actcacagtt	ccacgtggcg	atagaggtag	ccgagctcgg	caaacacgcc	25500
gaagccctcg	gtgagcttgc	ggcactgccc	gcagagtacc	gcgagaacgc	aaacgtttct	25560
tacgcccggg	cgcgcagcct	cgcgggctg	gacaggtacg	acgagtcct	tgcacacctg	25620
caaaaggccg	ccagaaagga	ctccaagaca	ataaaaaagt	gggcccgcgc	cgagaaggcc	25680
tttgatcata	tacgggatga	tcccaggttc	aaaaagatag	ccgggtaaac	cctacagcat	25740
cttttttctt	gcccgcgtct	tccgcattat	ccggaccttt	tttttggggc	ccacaagccg	25800
cgactcgtag	acaggggcat	acacttcttc	gaccgatctg	actgcaaact	cctcccggag	25860
gtcgcgcgat	ccgtcaggcg	ggggccccgc	gagctttacc	cggagttttt	ccagcgccac	25920
cccgggtgtct	atctccgggc	gccgcacatt	ctccgacgaa	tcaagcatgc	gccgcgggta	25980
cggctcgacc	gcgcgggtcc	ccgtcttgta	gggaaagccg	gtctccccgc	cgtgcgggtc	26040
aaggcacatc	acgccctctg	attccgcgta	tacgtgtctc	tcgagttcca	gacgcacct	26100
gttcttgccg	cgcccggcgg	acagggctct	gcgtatgcgc	gactttgacc	ttatcgggaa	26160
gacgcgctcg	cccagcacca	cctcgatcac	gttctgatcc	accttgatcg	ggtgcacggc	26220
ccttctgaaa	aagtcggccg	agtaccgggc	ggagacgcgg	atgagcgcc	cgtggacgag	26280
ccttacggaa	tgtatctgga	cgtcctcctt	tgggggcgcc	ctcatcatgg	ccctgaatgg	26340
ccccgtcttt	tttgccctga	tcatggcccc	ggcggaactgt	tcagtcatgg	cgttgccgag	26400
gacgatgatc	cttgtcttgt	cagtcactcc	cggcaggccc	cctcatccgg	catgccctgt	26460
acacacggca	aggtaataat	agcctgccgt	ccgtacctgc	cgtatgaggt	cagaagagag	26520
gccgggtcac	attgaaaagt	tcctaaagag	ggcggaacaag	gcgatcgaca	gcgcgggtcga	26580
gcagggcgtc	aagagggccg	acgagatact	agacgatgca	gtcgagctcg	gcaagattac	26640
ggtgggcgag	gcgcagagga	ggagcgatgt	gctgtctaaa	caggccgagc	gggagagcag	26700
gcggctcaag	tccaagggcg	caaaaaagct	cgaaaagggc	ataggcgccg	caaaaaagat	26760
ggcagcaggc	aagggcgacg	cgtcgcgac	gctcgcgaa	ctcggcgagc	tcagaaaaggc	26820
ggggatcata	acggagaaa	agtttcgcgc	caaaaagaaa	aagctcctcg	cagagatctg	26880
acatgaaggc	cataatctac	tcccgggacg	gctccgcaaa	ggaggtcaca	aagaggtggt	26940
ttgtcggtac	tccttcactg	atgaaccttg	caggcgacct	tggcatgacc	gagagtgaca	27000
tattccatgt	gacatttccc	gacggcgcca	agacgacct	gcacacacac	gaaggcgggc	27060
agctgctgat	agtcacctcc	ggaacgggca	gcattgtcgt	ctttgaaaag	accggcgccg	27120

gggataccga	ctttgcgata	aaagagaccg	accgcatacc	gctaaaggag	ggcagcatac	27180
agtacatacc	ggcgggtaca	ttgcacgtgc	acggcgccat	cgagggcacc	accctctccc	27240
acatagcggg	aaactatccc	tccccgtcgg	gaaaggagcc	gtataccatc	tggtacgaat	27300
ccgactttgc	gaacaggggtc	accggcggtgc	tataagctac	tttagccgct	ccagtatgga	27360
caggctcaca	agggttggtca	tcgttatccc	cttgcggtatg	acctcgcgcc	gcgtcttctc	27420
gcagtacttg	ttgacgctct	ggtagctctt	ctcgctggag	acctcgagga	ctattatgtt	27480
cccgtgttac	ggaaaggcaa	actttggcgg	caccctcgag	cagacgtcca	tgcgccctat	27540
tcccgccctg	cctatcttct	cctttctccc	caccacggac	gccacctcgc	atatgtcctc	27600
ctcggaatcg	cgtactcca	gatagtacac	cgatacatag	ctcaccgccg	gggactccct	27660
ctcgaatatg	tcctcgtcca	tgctaaacac	ataggatgcg	ccctcccccc	ggcccaccgc	27720
cttgatcatt	ctgggggctg	ccttgaacct	tgccagcagg	tagtggttgg	cctgcggtgc	27780
aaagtaacgg	tggctctcgg	acgagaacgt	ggcggtcaca	aagtacatct	cgcgagcgtt	27840
cctcgacgag	gcccacgcgt	ccttgagctc	gatcgaggcg	tgatcgtgcg	tgtatggcgt	27900
gcaggcatgag	gcgcccgggg	cccccgctcg	ggacatgcat	tgtacccgcg	ggaccgggta	27960
ttatctagt	ccatgggggc	gcagggcgcc	gcccccggtg	ggcatgctg	gatccatgctg	28020
atagttattt	aaaactagga	tgccgggcac	cgctcgtccc	aagctagctc	agcctggtag	28080
agcttccggc	tgtagatgtc	ggccttggct	gaccgtataa	cagcatatca	ggcatacaga	28140
gaccggggtg	tcgaagggtc	aactccttcg	cttgggacca	cattataacg	gctgcgcct	28200
catgcggctg	tgacggcat	ccgtacacgt	tccatgcacg	ggtgccgcgg	cgtgccatat	28260
gcatggatgg	tgcattgtaca	atgcacgggt	gcgcgcacgc	actatacgca	tggatggtgc	28320
actatagatg	cggctaaatg	tgacggcag	agccgcaggg	cccgggcccgc	gtgcacctat	28380
attctgccct	gtcccagggt	caggagccgc	gtcgccagaa	cgatgtgcgg	cgccccgcgc	28440
gcacggcggg	gcccgcgggg	gcgcacgaca	ccgcatcgcc	ggacctggcg	ccatttctct	28500
ccagcagtg	gtcgagcgca	gaatcgtcga	ctagcgtgcg	ggatggcagc	ccgccggggg	28560
taggcacgcc	ctgcagctcc	attgcccggc	gcattctctc	gttctccatg	cggaggcggc	28620
gtccttctc	ctcgagcctg	ctgctcatcc	tgtcgaggaa	cattacatct	gaattgtaca	28680
gtccctttg	ctgccccatc	atgcagagga	tatggcgagc	ccttgacgta	tcgcataatac	28740
cggatgccat	cagctccctg	accccgctcc	cgctgtggcc	gatgtgcccg	cccccgccg	28800
atgcctcgcg	cacgcgggac	ctcatcgctg	cttctcagg	tactcccga	ctatcctgtt	28860
ggcaagccgg	gtctcgtcgg	tgccctcgcg	ctcgccacc	cgggcaagct	ttcttgcgcc	28920
gttcttgccg	agctctatgg	ggatcttctt	cctgacgcc	gtcttgcgca	ccctctttag	28980
caggatcctg	tggcccagac	gggggctctg	ggctagcagc	ctcaggtaga	tccgcctcga	29040
cggccgatca	agccttgata	tgttcagcgc	caccttgagc	gcctgggaga	cggtcgggac	29100
ggcctggtac	agctttgtcg	cctcgtcccg	ggatatggtc	ccggggacta	gcgccttgat	29160
cttctccggc	acgcccgcga	agccgtggta	ctttttgaac	gtgggcatcg	acatgccgag	29220
cttcttgcg	gcctcggcgc	gggtcatctg	ctcggcgaga	aacctgcacg	cgtcggcgag	29280
ctcccggggg	ctcatctgca	tccgggtgcag	gttctccacg	accgatgccg	cctttgcgtc	29340
ctccaggccg	tactccgtat	ccttggttat	cacaagaaac	ttggactttt	ttgcgccag	29400
atgcttttag	gcccgaagcc	tgtggttccc	cgatatgagc	aggtacagcc	cctgcccgc	29460
cctctgtatt	acgggcgggt	tctgcaggcc	ctcggaacctg	atcgactttg	caatctccct	29520
cacctggac	ctgtccagcc	tccttgcttg	cgctccttc	cacacgtgca	cgttcttgag	29580
gggcacctcg	cgtaggacct	gctttatccg	gggcttgtag	cgccgagcca	acgtactcta	29640
caagatacaa	atccttgcta	actgtgtttg	gtaagtttat	cacaacaatt	aggtagata	29700
gagctgttcc	cccgcaggcc	ccggtgcacg	tactctatcg	cgagcccc	cgggggacag	29760
ccggaaccgg	gggctgccgg	ggcgggatcc	cgggcgtcga	tagaataaat	acgcgcgggg	29820
ccgcgggtgcg	atgcgccgtg	ctgataataa	actgcaaaaa	ctatgaggag	gccgcgggcg	29880
gcaggatccg	cgggctggca	gatgccgcgg	ccggggctgc	cgccaggtag	ggcgtcagga	29940
tagcgatagc	cccgcgcag	cacctgctgg	gcattatagc	aggccgggat	cttggcggtg	30000
tggccagca	tgtcgacgac	aaggggacgg	ggagcaccac	agggtatgtc	gtcccggagc	30060
tgctaaaaca	gtcgggggtc	tccggggcca	taatcaacca	cagcgagcac	cgcgtaaccg	30120
cggaccaggt	ggcgggctcg	gtaccaaggc	tcaggggctt	tggcatggtc	tcggtggtct	30180
gcgtcaggga	tcccgcgcag	gccgcgcgac	tctcccgtta	ttgccccgac	tacatagcga	30240
tagagcctcc	cgagctgata	ggttccggca	ggtccgtctc	gacagagagg	cccaggtca	30300
tacaagaggc	cgcagaggcc	atcagggggg	ctggcggcgt	aaagctgctc	tgcggggcgg	30360
gcataacctc	cggggcggac	gtgcgcaggg	ccctcgagct	tggctccgag	ggcattcttg	30420
tggcaagcgg	ggtcgtaaa	tcggcagacc	ccgcaggggc	catcggggag	cttgcgccgg	30480
ccatgtcctg	acgcaccatt	ctaggcgccc	gcgcggttga	ggcgcgccag	caggtcaaac	30540
gacgacctgt	atagctcgcc	tggcgaccgg	gcgcgcgcta	tcaccacctt	tcccgaacga	30600

aacacaagga	agctgcagct	gcccagcccc	tttagtatca	tgccgggaaa	cgacccccggg	30660
tcgtacaccg	cgccgggtat	ccgcgacgat	atcctgtcta	tgggaacagt	ccgtcctgca	30720
tccactgtcg	ccaccatatt	gcgtacgacg	ggccttgtag	acccgcccgc	cgccgccccg	30780
ttccggaaca	ggtgcagccg	ggcctcgtgc	agctgcgcaa	acgatgccct	cacggagctg	30840
gcgcccagcg	atatcatctt	gcccagagaga	aacaccgtca	cgcccccccg	catgccgggt	30900
gttttgatat	agccgcacct	gccgccgtat	accgcctcgt	cgtacatgca	gcatggcatg	30960
gcggccatct	tttttgcgcc	caccctccgg	cccaggctcg	cggtactcac	aacgttgacc	31020
accctggggc	gtttccttgg	atccagcatt	gatccggctg	ccggccgcac	tctattttta	31080
ccggggcccc	ggcggcagcc	ccgcggccct	gtcgtacctg	cgcttttagca	gcattacggc	31140
ggccatcagc	gccaccccgg	ccacgttggt	ccctattatg	tagacgtccc	atatgtgcac	31200
gccgtaggct	atccagagca	tggcccccg	gcctatcagc	atggtcagat	accacgatac	31260
atccctgagg	ctctttgtcc	tgtacgcctt	gactatctgg	tgcacccatc	ccgacagtat	31320
cagcacgccc	ccggcagccg	ccacgatata	cagcagggcg	atatccacgt	tcatttgaaa	31380
aagaactgct	ccatgccggg	ctgctttggc	ttgccgagta	tctcgtcaaa	gtcaaggccc	31440
atggacaggt	tgagctgggc	gagcgtcgac	tccatgaaat	cgaggtaact	tgacgtgtcc	31500
acctgcctg	cccgggccat	ctccaccggc	ttgacgcggg	tcttgttcat	cacctttacg	31560
tacgatatta	tgtcgcctt	tttgacctcc	cttgcggtt	ccagcagcct	tgcgcccgt	31620
atgtgctgcg	ggacggtctt	gacatatctg	gagggcgctt	tgcttatcat	cacattgaac	31680
gccagggtcca	cgagggggat	ctgcctctcc	tcgagcctct	tgcgcacgc	ggcgatcgcc	31740
tttgagatcc	tcatcttggc	tgactcgaac	tcgtcctcgc	tctcgactcc	tgagagtatg	31800
tcgagcagcg	agtagaagag	ctcctttatg	aacggggggc	tgtgcgactt	tttgcccgtc	31860
agccccctga	cgtcgacctt	gcctgcccgg	gtcaccgccg	aatagttttt	tttcctgttg	31920
gatagcacga	catacctgta	ctctttgtcc	acttcgagct	ccacaccgtg	ctccttcttt	31980
gcatgctcga	ctatctcgtg	gatctgcctc	tcttcgggat	cctttatgaa	cagagaatcg	32040
gtgtccccgt	acagcaccct	cactcccctc	tgtcgcaggt	gcgatatcgt	ctgcatgatg	32100
atatagcgcc	cgacagcagt	ggtggcctct	gccgcgggta	aaaagtacag	cgggaatatc	32160
tcggcgccca	tcacgcccgt	gcttgcggtg	agcacgacct	tgagggcctg	gctgattacg	32220
gtatactgct	gccgctgctc	ctccgtaatg	gatgtgctct	ttgagaggct	cttgtaatat	32280
ttgacgcgca	ggtcccgcag	cgagccgatt	atcatcgatg	tcaggccggt	gttttttgta	32340
catacccgat	ggttggtatc	ggggatggtg	ttctttttgc	attctgcatg	cacgcaccgg	32400
acggtctcgt	acgagaggtt	cctcaccttt	atgatactgg	gatacaggct	cgcaaagtcc	32460
atcaccgtaa	catcaaagtg	tatgcctctt	tcaggctcga	cgacaaggcc	cccgcggaac	32520
tttttatact	ttattaccgc	gtcgttgctc	acctcgcgcg	acctgccctc	cagctcgctc	32580
ctccgcggta	tgagcgcggt	tcgctgtctg	tgctcatagt	acagcaggct	gcgtatccac	32640
tgcgagacgc	ccatgcggga	catgtcatcg	atgggcaccc	gggctattct	gctggtcacc	32700
accagcaggt	ccatgagtat	ctcgttgcca	aaggtgctaa	gctcgagcgt	caggcgcgcg	32760
tcgtgatagc	aatagtttgc	agtctggtat	aaggtgagat	cccccagttt	gaccccatag	32820
tcgaccttgc	cctcgccgag	catcgccctt	gtgacgctgt	taagggaata	gtccgtgtac	32880
tttgccgcaa	aggcgtacag	ctggaatgac	ctgttcgaga	aggctcctgta	caggctccagg	32940
tggactccgt	gccggagcgt	ggcagaatcc	cgcacatcat	acaaagggaat	gtcagagtca	33000
gatactccga	ggcgccgtgc	cctggtgagc	atgtacggca	tgtcaaagtc	gtcgccggtg	33060
tacgtcagaa	caaacgggta	cgagcctatt	accgatagcg	cgtcgcggat	catgtcagct	33120
tccttgctgt	agaataccac	ctcgacaccg	ggggtcacgc	cgttctcgcc	ctcttctgcg	33180
ccgctcctca	ggacgaatac	ctgttttagg	ccgtcggtgg	cggcaaacc	caccgccgta	33240
accctcctgt	cggatatctt	ggggtcgggg	atcctgccct	cctctgaatc	cacctcgata	33300
tcaaagctga	ggcgccgtat	cctgggtatg	ggctggttga	gcaggctccgc	ccaccccgct	33360
atgaactcgc	ggaactcttt	tctgtccgcc	atgccctcgt	ctacaacctt	gtcccagagg	33420
aggctcttga	gggccagctt	tacctcgtcg	gatatgggca	tgtcatgcgg	gattaccttg	33480
ccgcccggata	ccgaatagta	cctgcccacg	accaggctct	tgtcgtacag	atagttctca	33540
tagtacttta	tgtcggattc	ccacgtgtcc	atgatgttgc	ggatgctctt	ctccgagttg	33600
gtcccgccca	tggcaagggg	gtcggccaca	gttatcttgg	tgacgggcac	atccttgctg	33660
gctatcaggt	cgtgcgcgat	gacctgctcc	gttccctagca	catcctccct	gccttcaagc	33720
tccccaaagt	cggagggggg	ctgcctcgta	tagcagtagg	gcttggtgcc	cgtattgtcc	33780
gtccagtgta	cgatcttttg	tgattccggc	tcgtaaaact	tgaggacgac	cgcccccgcc	33840
tggctgtcgt	atgttgacga	taccagcagc	gacgggggta	tctctacggc	atcttgccac	33900
gtcaccgcac	cggcacctcc	ttgctgcctc	cgggcacctc	tgacgcccg	tacgagatct	33960
tttccttgct	catcatggtt	atctcggagg	atgtctcttt	taccagccgg	gaggtgttct	34020
cggggtaggt	atcaaggcag	acaaaccgcc	tgatccctat	cgttacggcc	atcttggtac	34080

actccagaca	cggcgagaac	gtggtgtaca	tgggtggcccc	cccgccccc	gcgcctatcc	34140
cgagtatcgc	acagtgcatt	atagcgttgg	cctctgcatg	gttgacacagg	caccgggtcca	34200
gggcctcgcc	tgacttgatc	ctgccctcga	tgcgctcggc	acacctctcg	cagccgcccct	34260
cgtagcagtt	cttgacgcca	ggaggcgctc	cgttataccc	tgtggcgagc	tgccgggtggt	34320
ccctcactat	tacggccccc	accttgcgga	ctatacagtt	ggatcggagc	tttgcaagct	34380
ccgcctgcag	catgaaatat	tcatcccagg	tagggcgctc	aaagccgctc	acgggcagcc	34440
tgcccccgcc	cggcatatta	tggatatatg	gggacggggc	cgcccacccg	cacccccgta	34500
tatggatctg	cgatcagggg	gtagaaacca	taaaacaaca	ggccgcggca	gggcgcgcgt	34560
ggagactggg	cacataacgg	gcaggtacat	cgagccgggt	gccgtcgaga	ggcgcgacta	34620
ccaggtgggc	ctggcggaac	aggccatacg	ggagaactgt	atcgtgggtg	tcccgcgggg	34680
cctcggaag	actgccgtcg	ccctccagg	gatgccctac	tatctcgacg	agggccgcgg	34740
ggcgctcttc	cttgccccta	caagggtcct	ggtaaaccag	caccgccagt	tcctgggcag	34800
ggcccttacc	atatccgata	ttacactggg	cacgggagag	gacaccattc	cccggcgcaa	34860
aaaggcggtg	ggaggcagcg	tgatctgcgc	cacgcccag	atagcaagaa	atgatataga	34920
gcgcggcctg	gtcccgtcgc	aacagttcgg	cctggtcata	ttcgacgagg	cccacagggc	34980
ggtgggcgac	tatgcctatt	cttccatagc	gcgggcggta	ggggataact	ccaggatggt	35040
gggcatgact	gcgacgcttc	ccagcgagag	ggagaaggca	gacgagataa	tgggcaccct	35100
gctctccagg	agcatagccc	agaggacaga	agacgaccg	gacgtaaagc	cctatgtaca	35160
ggagactgcc	accgagtggg	taaagggtga	tcttcccccc	gagatgaagg	agatacagag	35220
gctcctcaag	ctggccctcg	acgagaggta	ttcctccctc	aagagggtgc	ggtacgatct	35280
tggctcgaac	aggctcgtct	cggcgctgct	ccggctgcgc	atggtgggtg	ttggcggcaa	35340
caggcgcgcg	gccaagccgc	tgttcactgc	gatacgcata	acgtacgcgc	taaaacatatt	35400
cgaggcgcac	ggggtcacgc	cctttctaaa	gttctgcgag	aggacctcca	agaaaaagg	35460
cgtcggcggtg	gcgagagctgt	tcgaacagga	ccggaacttt	acagggggcca	tcgcgcgcgc	35520
aaaggccgcg	caggcggcag	gcatggagca	tcccaagata	ccaaagctcg	aggatgccgt	35580
ccgcggggcc	cggggaaagg	cgctgggtct	tacgagctat	cgtgattctg	tcgacctcat	35640
aaactcaaga	ctcaaggcgg	ccgggataaa	ctcgggcatc	ctgataggaa	aggcggggta	35700
aaagggccta	aagcagagaa	aacagggtga	gactgtggca	aagttccgtg	acggcggggt	35760
cgacgtgctg	gtatcgacga	gggtcggcga	ggaggggctc	gacatatcgg	agggtcaacct	35820
ggtgatattc	tatgacaatg	tgccaagctc	gatcagggtac	gtgcagagga	gggggagaa	35880
aggcagaaag	gacgccggca	ggctgatagt	attgatggca	aaggggacga	tagacgaggc	35940
atactatttg	attggctcggc	gcaagatgag	cgccgccaag	ggcatgggtg	agaggatgaa	36000
ccggtcgtcg	gcggcaggcg	gggtcgtctg	caaggccgct	ccaaagggac	tcgaggggta	36060
cttttagccg	aggcgcttta	tcacgtgata	gccaaaactc	gactttatgg	gttccgagat	36120
ctcgctatc	tgacgccgga	acgcggcctc	ttcaaacggc	tttaccatct	ttcccctgcc	36180
aaagtagccg	agactgccgt	ccctctttgc	actgcccccg	tccatggaga	gctcctttgc	36240
gagcctgcca	aacttttccc	cggccttgag	gcgctctttt	actgctagcg	cctcgccctg	36300
tttttttacc	agtatgtcgc	agcactttat	cttgtctgcc	atgtgcgctg	ctcctttgta	36360
ccctgctata	acttgtcgtg	ctgccggggc	gcggtcatcc	cgcagggcct	gtattctgcc	36420
aggaactggt	aatccgcagg	gactgggttc	cccgatttat	cctgtcatat	acagggggga	36480
ttcggcggtc	cacgtgtatt	aacacctaaa	gcagggataa	acgtgtgaga	acaagtgggc	36540
acccggaacg	aatgttacgg	catactggag	gataaccaga	taaaggaaact	agaacaaggc	36600
agcggcctcg	cgtaccgttt	gctggaccac	gagggcagtc	agttccattc	caacagaata	36660
catcttacac	tgggcaatat	cgatatctcc	cttgagcttg	gtgacggcag	tatgacaaac	36720
cccgggacgg	acctgacacc	atacgacgta	aagtcaatag	gcatggggcg	caccataaag	36780
cgatatgcaa	agtaccgttc	tgaaggatcg	caggccgtcc	gcatggatgt	catattcatg	36840
tcccgtgccg	cctgggatga	gatggataaa	ggcaaggcat	gaccggccgg	ttttggggca	36900
tactgcgggt	atacagcggg	aacaggcatt	cagagacttt	ggcggattcc	gtgtgaccgc	36960
ccccaaagcta	aactttta	tgggatccgg	cgagccggcg	cgtgtcatcg	tactttacca	37020
taaagaccgc	caacctggcc	ctgcccgcag	tggtaaaaa	gtacaaccac	gtcctggcat	37080
gcaagagcga	ggtgatgagg	gccgagaagc	agatccagac	gtccatctcc	tcgtctagcg	37140
ggctcgacaa	gtactcggag	ctcaagcaac	agttcaactc	ccggataacc	gagttctacc	37200
gctcgataga	agagctggaa	aagaccgggtg	cggtgggtcaa	gagcatagac	gagggcctgc	37260
tggactttcc	cgcaaagcgc	tttggggacg	acatctggct	gtgctggaag	acagggcgagc	37320
gcgagatcaa	gttctggcat	gaaaaggact	ctggttttgg	cggaagaaag	cccatagagg	37380
taagtgcaga	gtcactagt	tagatgctct	ccgcctgggt	gcgcgtaata	cgcgtccgct	37440
tctgctcgc	gtcgggtgata	gccgtctcgg	cgggcctcgc	cctctcctgg	tggcacggcc	37500
acgaaataga	cgcattctcc	gccgcgctca	ccatggccgg	cgtggccgcg	ctccaacgcaa	37560

gcgtggacat	gctcaacgat	tattcggact	acaagcgcg	catagatacc	ataaccaaga	37620
ggaccccgat	gagcggcgga	acaggggtgc	tgccagaagg	cctgcttacc	cccggccagg	37680
tgcaccgcgc	cggcatcata	tcgttgggtcc	tggtctctgc	tgctggcgcg	tacttttggg	37740
tcacaacggg	gcccgtcata	gccatgatac	tcggctttgc	cgtagtctcg	atatactttt	37800
actcgacgag	gattgtagac	tcgggcctct	cggaggtctt	tgtaggcgct	aagggggcga	37860
tgatcgtcct	tggcgcctac	tacatacagg	cgcccagat	aacgcctgcc	gccgttctgg	37920
tggggcgggc	cgtgggcgcc	ctctcgtcgg	cggtcctctt	tgtaggcgct	ttccagacc	37980
acgatgcgga	caagtccgc	ggcagaaaga	cgcttggtat	aatcctgggc	aaggagagg	38040
cctcgcggat	cctctgggtg	ttccccgcag	tgccatactc	gtccgttata	acgggggtca	38100
tctcgcagtt	cctgcgggtg	catgcaacta	ccatgctgct	tgacgcccc	cttgacgtaa	38160
ttgcggcaaa	aggccttgcc	aggagtagac	gcggggacgg	gatcatacgg	gtcatgcgct	38220
gcacgctgcg	gtttagcagg	gttgacggcg	ccctgctggt	gttgggcatt	ctgttgggct	38280
gagtggagct	aggttcgaga	cgatgtaagc	ttaaactagg	tatgcaattg	gatcacttag	38340
attctactaa	cacgccatcg	tcttttacat	caacgaatat	agttcgtata	acctgcgagt	38400
tatcatcatc	cctgacgttc	tcgggagtta	tttcttttga	ttccccgtct	tgtagaacia	38460
cgctgtactt	atccataatt	aggtaaaaact	tctacatgta	taaaaacgta	ctatcttcac	38520
ggggcccgcg	caggcctttg	ggatttttctg	ctgcgtcaag	tccgagtgtt	ttcagggtgt	38580
gtgggtactc	tgaaaaatcc	cgggggcttt	ccggcagggt	acacaagaat	agttaagtaa	38640
tgacgcatte	aaagtaaaac	atggacatga	acaagctctg	cgggatatgc	atgaggagtc	38700
tggtgggtga	gatcatgcct	tatttccatt	acaagtgcc	taccgcctgt	gtaaaatggc	38760
atgaatccaa	tcccgggttg	tgtgccctgt	gcaaaaagga	tgtagcgggg	attaaacatt	38820
ttacaaagat	agggggaatg	gtataccatg	aagactgttg	tacaatat	gtggaaaaag	38880
tcctgggtca	aaagaacaac	cccccaaaat	tcccgatatac	gtacagtttt	acatgtccgt	38940
cgtgctcaca	cgaggacagc	gtggatacgg	ccgtcaagat	ggacaccggg	ccgcagagat	39000
tcactctgcaa	cgggtgcaga	aaaaaggtaa	aagccacggg	taaaaggata	agataggcat	39060
cttgattggc	cccgcggtat	acaagatgaa	atcatgcatt	ctaaatacca	gggcttgaga	39120
acgcaataaa	accccggtatg	cctgccggaa	gagtcgggtc	ataaaatccg	gccccgtac	39180
cggaggatct	gtcgggtgtg	ggatggatag	cattccattg	ccattacatc	acgccaattc	39240
gcgtgcagtc	ctgccgtgc	ggcagggata	caaagccatg	atgcagaact	ggaggcaccc	39300
atccggggaa	actgcaggct	gccccggaa	ctaaagggtgc	aaatgggtgc	agaacccccg	39360
gaccggcggg	tcgcaccccg	ggcgggatac	caacgaacgg	accgcacccg	tacacttcat	39420
acacataaat	cccgcctgaa	cggctcgtccg	cgcatgatca	gcgggcacgc	cacggccgag	39480
ggtacacgca	ggatagccga	gatgtcgggc	gcccatactg	acaactacaa	gatggtcgac	39540
gggctgcacc	tctccaacgt	ggggatgggc	acctaccttg	gcgacgcgga	tgacgccacc	39600
gacagggccg	tcacggacgc	agtcaagagg	tccgtcaaaa	caggcataaa	cgtcatagat	39660
acggcgataa	actaccgcct	ccagagggcc	gagcgctctg	tcggcagggc	cgtcacggag	39720
ctctcagaag	aggggctcgt	atcaagggac	caaataattca	tatcgacaaa	ggcgggctat	39780
gtaacaaacg	actccgaggt	ctcgcttgac	ttttgggagt	atgtgaaaaa	agagtacgtc	39840
ggggcgggcg	tgatccaggc	aggcgacata	tcctccggat	accactgcat	gaagcccgc	39900
tatctagagg	accagctgaa	gaggagcctt	gcaaacatgg	gcctcgactg	tatcgacctt	39960
gtctactgtc	acaaccccg	cgaggggcag	atcaaggacc	gccccatacc	ggagatcctc	40020
gactgtatag	gagaggcctt	tgccatgtac	gagaaggcaa	gggaggatgg	ccgcatacga	40080
tactatgggc	tcgccacgtg	ggagtgcctt	cgtgttgacg	gggacaaccc	gcagaatgtc	40140
cagctcgaag	acgttgtaaa	gaaggccaaa	gacgcaggcg	gggacaacca	cggattcaag	40200
ttcatacagc	tgcccttcaa	ccagtacttt	gaccaggctt	acatgctaaa	gaaccagacg	40260
gtggacggca	gaaagctgtc	catactggat	gcggcagtat	cccttggcgt	cgggtgtgtt	40320
acgagtgtcc	cgttcatgca	aggcaagctg	ctcgagcctg	gcctgctgcc	ggagtgtggc	40380
gggctctccc	ccgccctgcg	atccctgcag	tttatcagg	ctacaccagg	cgtgcttgcc	40440
ccctgcggg	ggcacaactc	agctgcgcac	acagacgaga	acctcaagat	catgggcgtg	40500
ccccccatcc	cgctgacaa	gttcggggag	cttgtggcca	gcctcacctc	gtggtcgccc	40560
ggtcagaaat	agccggtcag	ctgcctctcg	ggcattatct	ggtcgagcac	cttttttgag	40620
agccgtgaat	cggcggaatc	ctgcacgttg	cgccggggcc	tgccacggt	ggcaggatac	40680
aggtctatcc	cggtaaagcc	cctcttgagg	catgcagaga	ctattcccgt	ggtccccctg	40740
cctgcaaacg	ggtccagcac	gtaatcgccc	tcttttgtgg	caaactttac	tatcctggat	40800
acaaggtctt	ctgggaatac	cgcaaaagtgc	tcgtttccat	ggtgcgcctt	tgtaggatct	40860
tcccagacgt	tccccgggtt	cttgccccgc	gggttgcatg	cggaacat	cggatagtg	40920
tcgtggcccc	ctatcctctt	gcgcgtcgca	tgccctcgga	acttgcgata	gcacgtgggg	40980
cagtactttt	cggggtcata	gccgtggggc	catgatattt	ccccggtggt	tgccagctcg	41040

```

tcaaacggcg taccaggcgt tgagccgtgt atcacggctg caatcctccc tattgcctcg 41100
ggatccctct tccccggggc gaactgcagc cggtcatttg cgggtttgct gtttatcccg 41160
ctcagggcct cgttgccctg gacgcgtatc gggtttatgt cataggcggg ggtatccgac 41220
tttgagagga ccagaacaaa ctcgtaacgc tgcgtcaggt tttgccgcga gctttgcgag 41280
atggcggttc gcttgtagca gattatatcc tcctggaaat ggtacccaag atccaccagc 41340
cttagcgcga gccggtgcgg gaccatcagc ttgtggcgcc gcctcctggt atcacctatc 41400
actatgaaga ggctcccgtc gtctgttagc aggtccatgc agctcttgaa tactcctgcc 41460
agctcctcga tgaactcgtc tggcgtcttt tcctggccca gctcggaggg ctccgacccg 41520
tactttctgt gcccgtaata gggaggggat gttaccgcca gtctgtacct gccgcgctcg 41580
gctgtattct ttgccagccg cggcagcacc tcccgggcgt cgcctgcag tatctggaac 41640
ttttcactca agataggccc ccgtgccatc catctgcccc tgcgcgatcc gacaagtcgt 41700
attcatcttg taccgcggca ccgcgcgctt cttaaaatct ttgtagctta taccggcgcg 41760
ccgcagatgc ggtacaatcc ctccggtgct ccgcgcgatc ggcgcggtgc catcagccgc 41820
cccgtttccc ctccggggg ccccgccacc atacacgtgg tataaacaga ggccggacgg 41880
cgcgaccac atgtggataa aggacgagtt tcttggcaaa ggcaacaaga tgaggctgct 41940
ctacatcata ctgccatct acgggtacct ctctcgag tactggcctg tcctgccctg 42000
gatggctaca ttctggtggt cgggtggcgt cagccccctt attctcctga tgccttatgc 42060
cggggaggcc ataggtcagc tgatcggcgg gcatgtattg tttggagtgt tcacaaagta 42120
tgtctatgcg gcagtatggc tgggcatggc acacgggata atcctcctga cagggcgctt 42180
cagggccagg gctggtaccc tgcgcgaatc cccgcgatag ccccggcagg gccggttggt 42240
ccggatggcc aaggccggcg catacatccc atgatgcata gaccgggggg acatgatcgc 42300
agcagatcgt tccatgccgc ccccgtagc tctggggcgc acctagtcag ggcggggccc 42360
cccgcggtcc aattaaatac ggcaaggaac ggggggtctc gttgaaactg cagggcagga 42420
ctgccgtgat cc 42432

```

<210> 3

<211> 10419

<212> DNA

<213> *Cenarchaeum symbiosum*

<220>

<221> CDS

<222> (1) ... (10419)

<400> 3

```

atc ccc gcg ccg cca gga gag ggc agc ctt ggc ggg gtg gca ata tcc 48
Met Pro Ala Pro Pro Gly Glu Gly Ser Leu Gly Gly Val Ala Ile Ser
1 5 10 15

gac gac ggg agg tac atg tac gca atc ggc agg gat ctg ctc aca gta 96
Asp Asp Gly Arg Tyr Met Tyr Ala Ile Gly Arg Asp Leu Leu Thr Val
20 25 30

tac cgg tat aca atg aac ccg ccc cat gac ata gcc tcg gcc gcg ctc 144
Tyr Arg Tyr Thr Met Asn Pro Pro His Asp Ile Ala Ser Ala Ala Leu
35 40 45

ggt gcg cag tca ttt tct ctg cct ggc ggc atc agc ccc gcc ccc ggc 192
Gly Ala Gln Ser Phe Ser Leu Pro Gly Gly Ile Ser Pro Ala Pro Gly
50 55 60

gcg ccg acc ggc ctt gac atc tcg gat gac ggc cgc cac ctg tac gtc 240
Ala Pro Thr Gly Leu Asp Ile Ser Asp Asp Gly Arg His Leu Tyr Val
65 70 75 80

ccg gac gaa aac ggc gtc gtg tac agg ttt gat ctg gaa agc ccg tac 288
Pro Asp Glu Asn Gly Val Val Tyr Arg Phe Asp Leu Glu Ser Pro Tyr
85 90 95

```

agg cta gac ggc ggc acg ttt ggc tct tct gtt tat gtg gga tcc gac	336
Arg Leu Asp Gly Gly Thr Phe Gly Ser Ser Val Tyr Val Gly Ser Asp	
100 105 110	
gtt gcc gcg ccc cgc ggc gta tac gtg gcg ccg ggc ggc agc ctc atg	384
Val Ala Ala Pro Arg Gly Val Tyr Val Ala Pro Gly Gly Ser Leu Met	
115 120 125	
ctg gtc tcg gat agt gca gac ggc acc atc cac agg tac gag ctg gca	432
Leu Val Ser Asp Ser Ala Asp Gly Thr Ile His Arg Tyr Glu Leu Ala	
130 135 140	
agc ccg tac gag ccg gcg ggc gcg gca aac agg gga tca ttc gac gtg	480
Ser Pro Tyr Glu Pro Ala Gly Ala Ala Asn Arg Gly Ser Phe Asp Val	
145 150 155 160	
tcg gat atg gac ggc tcg cct gtc ggg gcg ggg ttt gcg ggc ggc ctg	528
Ser Asp Met Asp Gly Ser Pro Val Gly Ala Gly Phe Ala Gly Gly Leu	
165 170 175	
cac atg tat gtc gcg gga aac gac acc gga agg gtc tac cag tat ccg	576
His Met Tyr Val Ala Gly Asn Asp Thr Gly Arg Val Tyr Gln Tyr Pro	
180 185 190	
gcg ggc acg cac cag ata cag gag gca gcc gca ggg ccg cgg ctg ctc	624
Ala Gly Thr His Gln Ile Gln Glu Ala Ala Ala Gly Pro Arg Leu Leu	
195 200 205	
tcg gcc gtc ctg gac aaa gac gga acc ctg agg gcg gcc ttt gac ggc	672
Ser Ala Val Leu Asp Lys Asp Gly Thr Leu Arg Ala Ala Phe Asp Gly	
210 215 220	
acg gta gac gcg gga tcc gtg cag ccc ggg atg atc acc atc agg gac	720
Thr Val Asp Ala Gly Ser Val Gln Pro Gly Met Ile Thr Ile Arg Asp	
225 230 235 240	
ggc cat ggc tcc aac acg gga ata ccc ctt ttg ctt gcc ggg ggt gcc	768
Gly His Gly Ser Asn Thr Gly Ile Pro Leu Leu Leu Ala Gly Gly Ala	
245 250 255	
gcg gac tct gat gtc atg aca ttt gtg gtc ccc gag aaa gac agg gca	816
Ala Asp Ser Asp Val Met Thr Phe Val Val Pro Glu Lys Asp Arg Ala	
260 265 270	
gag gct gcc gca tac ggg gac cag tcg ctg cat gtt ccc gcc gcg gcg	864
Glu Ala Ala Ala Tyr Gly Asp Gln Ser Leu His Val Pro Ala Ala Ala	
275 280 285	
ctg gcg ggg act ggc ggc ggg ccg ttt gtg ccc gac ttt tcc ggg ggc	912
Leu Ala Gly Thr Gly Gly Gly Pro Phe Val Pro Asp Phe Ser Gly Gly	
290 295 300	
tcg ctg ctg gcg tcc ctg tac cgg cac gag cgg ccg ttc cag ggc gag	960
Ser Leu Leu Ala Ser Leu Tyr Arg His Glu Arg Pro Phe Gln Gly Glu	
305 310 315 320	
gag atg gca cgg acg gag aga tcc gac agg tac gcg ctt act gta act	1008

Glu Met Ala Arg Thr Glu Arg Ser Asp Arg Tyr Ala Leu Thr Val Thr	
325 330 335	
gca ggc ggg agt cag atg cat gtg ggc ggc gcc ggc gga aac atc acc	1056
Ala Gly Gly Ser Gln Met His Val Gly Gly Ala Gly Gly Asn Ile Thr	
340 345 350	
tgg tac gat ctt ggc acg ccc cat gac ata acg acc ggc gtc cgc gcg	1104
Trp Tyr Asp Leu Gly Thr Pro His Asp Ile Thr Thr Gly Val Arg Ala	
355 360 365	
gga tcc gac atc ctg ccg gcg tat cca tcc gcg ggc aga aac gtg gtg	1152
Gly Ser Asp Ile Leu Pro Ala Tyr Pro Ser Ala Gly Arg Asn Val Val	
370 375 380	
ccg tca ata acg ggc att gcc ttc tcg gat gac ggc atg cgg ttg ttt	1200
Pro Ser Ile Thr Gly Ile Ala Phe Ser Asp Asp Gly Met Arg Leu Phe	
385 390 395 400	
gca gca aac cgg ggc gac cgc att cca atg tac cag ctg gac agc ccg	1248
Ala Ala Asn Arg Gly Asp Arg Ile Pro Met Tyr Gln Leu Asp Ser Pro	
405 410 415	
tac gac ata ggg agc gcc agc ctc gag gga acc ctg ttt acg ggg ttc	1296
Tyr Asp Ile Gly Ser Ala Ser Leu Glu Gly Thr Leu Phe Thr Gly Phe	
420 425 430	
cag tcg ggc att gca ttc tcg gat gac ggc acg cgc atg ttt gcc gcc	1344
Gln Ser Gly Ile Ala Phe Ser Asp Asp Gly Thr Arg Met Phe Ala Ala	
435 440 445	
ctg ctc acc gag aat gcc ata cgg cag tac gac ctg gag ggc ccc tat	1392
Leu Leu Thr Glu Asn Ala Ile Arg Gln Tyr Asp Leu Glu Gly Pro Tyr	
450 455 460	
gac ata cgc ggg gcg ggc aat gcg ggc cag tac gac ctg gac atc ccg	1440
Asp Ile Arg Gly Ala Gly Asn Ala Gly Gln Tyr Asp Leu Asp Ile Pro	
465 470 475 480	
ctg cac cca gga ctg ctg ttc ctg ctg acc tcg ggg gtg cac ttt tcg	1488
Leu His Pro Gly Leu Leu Phe Leu Leu Thr Ser Gly Val His Phe Ser	
485 490 495	
ccc gac ggg acg agg atg ttc gtc ggc gag ggg ata tca gat gcg gag	1536
Pro Asp Gly Thr Arg Met Phe Val Gly Glu Gly Ile Ser Asp Ala Glu	
500 505 510	
gat gcc aac gcg aac agg gat gtc aac gtc aac ctg tgg cac agg ttt	1584
Asp Ala Asn Ala Asn Arg Asp Val Asn Val Asn Leu Trp His Arg Phe	
515 520 525	
gat ctc tcc acg ccg ttt gat gtg ctc acg gcg gag cgc gtg gac acg	1632
Asp Leu Ser Thr Pro Phe Asp Val Leu Thr Ala Glu Arg Val Asp Thr	
530 535 540	
tac gag tac agc acg ggg ccg gca ggc gat ctc gag gac ctc tcc ctg	1680
Tyr Glu Tyr Ser Thr Gly Pro Ala Gly Asp Leu Glu Asp Leu Ser Leu	
545 550 555 560	

tcc cct gac ggc cgc aga ttg tac acc ctg tcg agc gag agg gta agc	1728
Ser Pro Asp Gly Arg Arg Leu Tyr Thr Leu Ser Ser Glu Arg Val Ser	
565 570 575	
tca agc gag tat aca atc acc cgg gcc cag tac tgg ctg cca gaa ccg	1776
Ser Ser Glu Tyr Thr Ile Thr Arg Ala Gln Tyr Trp Leu Pro Glu Pro	
580 585 590	
tac gac gtg acg ccg ccg tac cat gtg ccg tca ttc aac gca agc cag	1824
Tyr Asp Val Thr Pro Pro Tyr His Val Pro Ser Phe Asn Ala Ser Gln	
595 600 605	
ggg ggc aac ctg gca gac ccc tac ggg atg gcc ttc tcg ccc gac ggg	1872
Gly Gly Asn Leu Ala Asp Pro Tyr Gly Met Ala Phe Ser Pro Asp Gly	
610 615 620	
acc agg ctg ctg gtc acg ggg cac ggg cag acg aat gca aag ctg ttc	1920
Thr Arg Leu Leu Val Thr Gly His Gly Gln Thr Asn Ala Lys Leu Phe	
625 630 635 640	
cac ctg aat ccg ccc ttt gat gtg ggc acg gcc gtg ttc cac gac cac	1968
His Leu Asn Pro Pro Phe Asp Val Gly Thr Ala Val Phe His Asp His	
645 650 655	
ggc agg ttc cgc ccc ggg ggg ccc gca agc gag atc gag gcg tcg ggg	2016
Gly Arg Phe Arg Pro Gly Gly Pro Ala Ser Glu Ile Glu Ala Ser Gly	
660 665 670	
ata tcc ctg tct gcc gac ggc tcc agg atg ttt ctc tcc gac cgc ggc	2064
Ile Ser Leu Ser Ala Asp Gly Ser Arg Met Phe Leu Ser Asp Arg Gly	
675 680 685	
cgc ggg gcc atc agc cag tac acg ctg gtt gcg ccc ttt gat gtg gag	2112
Arg Gly Ala Ile Ser Gln Tyr Thr Leu Val Ala Pro Phe Asp Val Glu	
690 695 700	
ttt gcg tcg gat gtg tcc gcg gat ggg cag ctc gac gtt ggc gcc cag	2160
Phe Ala Ser Asp Val Ser Ala Asp Gly Gln Leu Asp Val Gly Ala Gln	
705 710 715 720	
gat gcg ctt ccc ggc ggg ctt gcc ttc tcg ccc ggg ggg acg agg cta	2208
Asp Ala Leu Pro Gly Gly Leu Ala Phe Ser Pro Gly Gly Thr Arg Leu	
725 730 735	
ttc atg gtg gga ggc atg gac agg tca gtt cac atg tat tcc ctg aat	2256
Phe Met Val Gly Gly Met Asp Arg Ser Val His Met Tyr Ser Leu Asn	
740 745 750	
acg ccg ttt gac ctg ggc ggg gca gag cat gcg gcg tcg ttt ggc gtg	2304
Thr Pro Phe Asp Leu Gly Gly Ala Glu His Ala Ala Ser Phe Gly Val	
755 760 765	
ggg gac agg gtc tcg gat ccc ctc ggc atc gcc ttt ggg aac ggg ggg	2352
Gly Asp Arg Val Ser Asp Pro Leu Gly Ile Ala Phe Gly Asn Gly Gly	
770 775 780	
act aaa atg cta ata gcc gat acg aca ggc ttt gtg cac ggg tac gac	2400

Thr 785	Lys	Met	Leu	Ile	Ala	Asp	Thr	Thr	Gly	Phe	Val	His	Gly	Tyr	Asp	
					790					795					800	
ctt	ggc	gcc	ccg	tac	gat	atc	tcg	ggc	ccc	gcg	tac	agc	ggc	ata	ttt	2448
Leu	Gly	Ala	Pro	Tyr	Asp	Ile	Ser	Gly	Pro	Ala	Tyr	Ser	Gly	Ile	Phe	
				805					810					815		
gac	gcc	ggc	ggc	agc	atc	cgg	gac	gtg	gcc	gtc	ggc	ggg	ggg	tcc	atg	2496
Asp	Ala	Gly	Gly	Ser	Ile	Arg	Asp	Val	Ala	Val	Gly	Gly	Gly	Ser	Met	
				820				825					830			
ttc	ata	ctc	gag	ggg	gag	acg	gac	cgg	gtg	tat	gag	cac	cgc	ccc	ggc	2544
Phe	Ile	Leu	Glu	Gly	Glu	Thr	Asp	Arg	Val	Tyr	Glu	His	Arg	Pro	Gly	
				835				840					845			
ata	tac	ccg	gtg	gtc	tca	gca	ctg	gac	ggg	ccg	gcg	ctg	gtc	tct	gct	2592
Ile	Tyr	Pro	Val	Val	Ser	Ala	Leu	Asp	Gly	Pro	Ala	Leu	Val	Ser	Ala	
				850				855					860			
gca	gca	gat	gca	agg	gtg	ggt	gcg	gcc	gag	gtg	ctc	ttt	gat	cgc	gcg	2640
Ala	Ala	Asp	Ala	Arg	Val	Gly	Ala	Ala	Glu	Val	Leu	Phe	Asp	Arg	Ala	
					870				875						880	
gtg	gat	gtt	ggc	ggg	ata	gac	ccc	ggg	ggg	gtc	cgc	ata	gtg	gat	gca	2688
Val	Asp	Val	Gly	Gly	Ile	Asp	Pro	Gly	Gly	Val	Arg	Ile	Val	Asp	Ala	
				885					890						895	
gca	ggc	ccc	ctg	ccc	ggc	gtg	gtg	atc	tcg	gat	gcc	gtc	ata	cca	ggc	2736
Ala	Gly	Pro	Leu	Pro	Gly	Val	Val	Ile	Ser	Asp	Ala	Val	Ile	Pro	Gly	
				900				905						910		
gag	gat	ccc	ggc	gtg	gcc	agg	ttc	agc	ctg	tcg	gac	gcg	gag	gtc	ctt	2784
Glu	Asp	Pro	Gly	Val	Ala	Arg	Phe	Ser	Leu	Ser	Asp	Ala	Glu	Val	Leu	
				915				920						925		
gcc	gtg	tcc	ggg	tat	gcc	gag	ccg	agt	ctg	gtc	ttt	gga	agg	cat	gcg	2832
Ala	Val	Ser	Gly	Tyr	Ala	Glu	Pro	Ser	Leu	Val	Phe	Gly	Arg	His	Ala	
				930				935					940			
gtg	ccg	ggc	gcg	gca	ggc	ggc	aca	ttt	ccc	tcc	cag	ata	ggc	aac	gcc	2880
Val	Pro	Gly	Ala	Ala	Gly	Gly	Thr	Phe	Pro	Ser	Gln	Ile	Gly	Asn	Ala	
					950					955					960	
acg	gag	ctt	gtg	gga	tcg	att	ccg	aat	ccg	acc	ctg	gat	ttt	ggg	acg	2928
Thr	Glu	Leu	Val	Gly	Ser	Ile	Pro	Asn	Pro	Thr	Leu	Asp	Phe	Gly	Thr	
				965					970						975	
acc	ctg	acg	ggg	gcg	gca	ttc	tcg	gcg	gac	ggg	acg	gtg	gta	ttt	ctc	2976
Thr	Leu	Thr	Gly	Ala	Ala	Phe	Ser	Ala	Asp	Gly	Thr	Val	Val	Phe	Leu	
				980					985					990		
tca	gac	ggc	ccc	acc	ggc	agg	gtg	tac	ccg	tat	tca	ctg	aat	atc	ccc	3024
Ser	Asp	Gly	Pro													

Gly Pro Gly Ile Gly Glu Leu His Gly Phe Ala Gly Pro Pro Met Pro	
1250 1255 1260	
gcg cct gtc atg gag cag gtc aca ctg gat tcg cgg gag ggc aca ctc	3840
Ala Pro Val Met Glu Gln Val Thr Leu Asp Ser Arg Glu Gly Thr Leu	
1265 1270 1275 1280	
agg gtc agg ctg gac agg aca gtg gac gtc gac acg gtg cgc ccc tat	3888
Arg Val Arg Leu Asp Arg Thr Val Asp Val Asp Thr Val Arg Pro Tyr	
1285 1290 1295	
aag atg tgg gtg gag gat tca gac ggc agc cag aca acc ctg gca aat	3936
Lys Met Trp Val Glu Asp Ser Asp Gly Ser Gln Thr Thr Leu Ala Asn	
1300 1305 1310	
tca aca ctg ttg aat gcc gaa aac tcg aac att ctg ctc ttc agg ctg	3984
Ser Thr Leu Leu Asn Ala Glu Asn Ser Asn Ile Leu Leu Phe Arg Leu	
1315 1320 1325	
gat gat gcg gcc gca ggc aaa ata tcc ggg tat aca tcc ccc gtg ttt	4032
Asp Asp Ala Ala Ala Gly Lys Ile Ser Gly Tyr Thr Ser Pro Val Phe	
1330 1335 1340	
cgc acg tgg tcg tcg ccg ttc ctg ggc aca gac gga gcc acc agg ccc	4080
Arg Thr Trp Ser Ser Pro Phe Leu Gly Thr Asp Gly Ala Thr Arg Pro	
1345 1350 1355 1360	
cat acg ctg ggc ttt gga gac gtg cgc ctt gcg gat ata tac gat gca	4128
His Thr Leu Gly Phe Gly Asp Val Arg Leu Ala Asp Ile Tyr Asp Ala	
1365 1370 1375	
tcc ggg gat gtc ccg tcg ccg tcg ggc att gag ttt tca gat gac ggc	4176
Ser Gly Asp Val Pro Ser Pro Ser Gly Ile Glu Phe Ser Asp Asp Gly	
1380 1385 1390	
atg agg atg ttc gtt acg ggg atc ggc acg cca ggc atc aac ata ttc	4224
Met Arg Met Phe Val Thr Gly Ile Gly Thr Pro Gly Ile Asn Ile Phe	
1395 1400 1405	
aca ctg tcc gcc ccc ttt gac ata aca ttg ccg aag cat tcc ggc tca	4272
Thr Leu Ser Ala Pro Phe Asp Ile Thr Leu Pro Lys His Ser Gly Ser	
1410 1415 1420	
acc aac ata ggc ggc ctg tcc gtg tct gat ctg gca ttt gca aac aat	4320
Thr Asn Ile Gly Gly Leu Ser Val Ser Asp Leu Ala Phe Ala Asn Asn	
1425 1430 1435 1440	
ggg aac agc ctc acg gtg ctc gat gtg gac ggg gtg ttg cgc gtc tac	4368
Gly Asn Ser Leu Thr Val Leu Asp Val Asp Gly Val Leu Arg Val Tyr	
1445 1450 1455	
gcc ctt ggg gac gat tac aat gtg gtc acc gga acc acc cag aag ttt	4416
Ala Leu Gly Asp Asp Tyr Asn Val Val Thr Gly Thr Thr Gln Lys Phe	
1460 1465 1470	
agg att acg ctc gat acc aca cag ggc ata ccc aat tcc att tac aca	4464
Arg Ile Thr Leu Asp Thr Thr Gln Gly Ile Pro Asn Ser Ile Tyr Thr	
1475 1480 1485	

tct ccg gac ggc ctg tca cag ttt gtg gca tat gat gac agg att gac Ser Pro Asp Gly Leu Ser Gln Phe Val Ala Tyr Asp Asp Arg Ile Asp 1490 1495 1500	4512
ttg tac gtg ctt ggc agc cca aac gac ata tcg tcg aca acc gag ata Leu Tyr Val Leu Gly Ser Pro Asn Asp Ile Ser Ser Thr Thr Glu Ile 1505 1510 1515 1520	4560
atc ccg tat tcg ctg cca agg ccg gac ccg cca acc ggc atg gac ttt Ile Pro Tyr Ser Leu Pro Arg Pro Asp Pro Pro Thr Gly Met Asp Phe 1525 1530 1535	4608
acg cca gac ggg cgc agg atg ttc ctg tcc acc gag aac ggg ata gac Thr Pro Asp Gly Arg Arg Met Phe Leu Ser Thr Glu Asn Gly Ile Asp 1540 1545 1550	4656
cag tac ctg ctt tca gaa ccg ttt gca gtc acc acg tcg gta ttt ttg Gln Tyr Leu Leu Ser Glu Pro Phe Ala Val Thr Thr Ser Val Phe Leu 1555 1560 1565	4704
cgc acg atc ccc att gac gga ggg gcg gag gga ata cgg ttt gta gac Arg Thr Ile Pro Ile Asp Gly Gly Ala Glu Gly Ile Arg Phe Val Asp 1570 1575 1580	4752
aac gga agg ggc ctg ttt gtg ccg ggc gcc gac ggc atc atc cag agg Asn Gly Arg Gly Leu Phe Val Pro Gly Ala Asp Gly Ile Ile Gln Arg 1585 1590 1595 1600	4800
cac gag ctc atc tac ccg tac ggg gcc agc acg tcg ttg ttg gag acc His Glu Leu Ile Tyr Pro Tyr Gly Ala Ser Thr Ser Leu Leu Glu Thr 1605 1610 1615	4848
gtc agg gac ggc gtg acg gac ggc ggt ccg ggc gag aac ccg gcc gcc Val Arg Asp Gly Val Thr Asp Gly Gly Pro Gly Glu Asn Pro Ala Ala 1620 1625 1630	4896
gga gag atc cgc ctt gcg ggc aca ttc aat gca tcc gat aat gta cag Gly Glu Ile Arg Leu Ala Gly Thr Phe Asn Ala Ser Asp Asn Val Gln 1635 1640 1645	4944
tcg ccg tcg ggc att gag ttt tca ggc gac ggc acg ggg atg ttt gtt Ser Pro Ser Gly Ile Glu Phe Ser Gly Asp Gly Thr Gly Met Phe Val 1650 1655 1660	4992
acc ggg ttt ggg gcc gcg ggc gtg aat gaa ttc tcc ctg tcc gcc ccc Thr Gly Phe Gly Ala Ala Gly Val Asn Glu Phe Ser Leu Ser Ala Pro 1665 1670 1675 1680	5040
ttt gat aca acc ctc ccg gtg cat gtg gaa ttg cac gat ata ggc ggc Phe Asp Thr Thr Leu Pro Val His Val Glu Leu His Asp Ile Gly Gly 1685 1690 1695	5088
cag ccg gca gtt gat ctg gcg ttt gca gaa gat ggc agg acc ctc ctg Gln Pro Ala Val Asp Leu Ala Phe Ala Glu Asp Gly Arg Thr Leu Leu 1700 1705 1710	5136
ttg ctg gcc gcg gat gga aca ctg gat ttc tac agc ctt gcc ggt gat	5184

Leu Leu Ala Ala Asp Gly Thr Leu Asp Phe Tyr Ser Leu Ala Gly Asp 1715 1720 1725	
gcc tat gat ata ggg gaa gca tcc cgt act ttt caa gtg ccg ttt gag Ala Tyr Asp Ile Gly Glu Ala Ser Arg Thr Phe Gln Val Pro Phe Glu 1730 1735 1740	5232
gat gcc gcg ggt gct gtg ccc ggc gcc ttt tac cag cct ccg gat ggc Asp Ala Ala Gly Ala Val Pro Gly Ala Phe Tyr Gln Pro Pro Asp Gly 1745 1750 1755 1760	5280
tcg tct att att gcc gca ttt gac ggc agg att gac cag tat gtg gtg Ser Ser Ile Ile Ala Ala Phe Asp Gly Arg Ile Asp Gln Tyr Val Val 1765 1770 1775	5328
atc ccc ttc gag ttc gtg tca tat cca ctg aca agg ccc ggc acg ccc Ile Pro Phe Glu Phe Val Ser Tyr Pro Leu Thr Arg Pro Gly Thr Pro 1780 1785 1790	5376
aca ggg att gac ttt gcg cca gac ggg cgc tgg atg ttc ctg tcc acc Thr Gly Ile Asp Phe Ala Pro Asp Gly Arg Trp Met Phe Leu Ser Thr 1795 1800 1805	5424
gag aac ggg ata gac cag tac ctg ctg tcg atc ccc ttt gac gtg cgc Glu Asn Gly Ile Asp Gln Tyr Leu Leu Ser Ile Pro Phe Asp Val Arg 1810 1815 1820	5472
agc ctg acg tat acg gga acc att cca gta gac ggg gtg gag gga atg Ser Leu Thr Tyr Thr Gly Thr Ile Pro Val Asp Gly Val Glu Gly Met 1825 1830 1835 1840	5520
cag ttt gcg gac aac ggc agg gca ctg ttt ttg gcg gac agt gaa ggc Gln Phe Ala Asp Asn Gly Arg Ala Leu Phe Leu Ala Asp Ser Glu Gly 1845 1850 1855	5568
ttg att tac aat tat gac ctg gag gac ccg tat gct ctg gat ggc aac Leu Ile Tyr Asn Tyr Asp Leu Glu Asp Pro Tyr Ala Leu Asp Gly Asn 1860 1865 1870	5616
aca att tcc gtg gaa ttc tcg ttt gac ggt agc gtg atg tat gtg ctg Thr Ile Ser Val Glu Phe Ser Phe Asp Gly Ser Val Met Tyr Val Leu 1875 1880 1885	5664
gag tac gac aca aaa agg gtg gtc tcg tac gag ttg gag ttt ccc ttt Glu Tyr Asp Thr Lys Arg Val Val Ser Tyr Glu Leu Glu Phe Pro Phe 1890 1895 1900	5712
gac gta tcg agc aga aca cgt gca gac acg ctg gac ata cca caa att Asp Val Ser Ser Arg Thr Arg Ala Asp Thr Leu Asp Ile Pro Gln Ile 1905 1910 1915 1920	5760
gac tca cca aga cac gtt gca gtc tcg atg ccc ggc aac cac ctg tac Asp Ser Pro Arg His Val Ala Val Ser Met Pro Gly Asn His Leu Tyr 1925 1930 1935	5808
ata aca aac tcg gtg ttt ggg gaa gat gac acc ata cac tcc tat gga Ile Thr Asn Ser Val Phe Gly Glu Asp Asp Thr Ile His Ser Tyr Gly 1940 1945 1950	5856

ata tct aac aat gac ata tcg tcg gca tca tac atc ggc gag gaa ggc Ile Ser Asn Asn Asp Ile Ser Ser Ala Ser Tyr Ile Gly Glu Glu Gly 1955 1960 1965	5904
atc ccg gaa ccc gtg ata aac ggg att gac ttt tcc aac aac ggc cgc Ile Pro Glu Pro Val Ile Asn Gly Ile Asp Phe Ser Asn Asn Gly Arg 1970 1975 1980	5952
cgc atg ttt ctg att ggg ggc aac ggg ttc gac tac cag gtg ata cat Arg Met Phe Leu Ile Gly Gly Asn Gly Phe Asp Tyr Gln Val Ile His 1985 1990 1995 2000	6000
gac tac atg cta ggc aca aga tac gac ata tcc agc agg agc ctg ctt Asp Tyr Met Leu Gly Thr Arg Tyr Asp Ile Ser Ser Arg Ser Leu Leu 2005 2010 2015	6048
gat aca tat gcc att cca ggg ccg gtt gtt ttt ccc gcg ggc ctt gat Asp Thr Tyr Ala Ile Pro Gly Pro Val Val Phe Pro Ala Gly Leu Asp 2020 2025 2030	6096
ttc tcg ttt gac agg ctg tcc atg ttt ata ata agc acc gcc ggt tcg Phe Ser Phe Asp Arg Leu Ser Met Phe Ile Ile Ser Thr Ala Gly Ser 2035 2040 2045	6144
gta tac agg tac ggc ctg gac gat ccg ttc ata gtt gaa aca atg gac Val Tyr Arg Tyr Gly Leu Asp Asp Pro Phe Ile Val Glu Thr Met Asp 2050 2055 2060	6192
tat cag gag tct ttc ccg ctg ccc gta cca tca gcg gct gat aat tca Tyr Gln Glu Ser Phe Arg Leu Pro Val Pro Ser Ala Ala Asp Asn Ser 2065 2070 2075 2080	6240
ata tcg gat ctg gca ttc ggc agc agc ggc ctg aat gcc gta ata tcg Ile Ser Asp Leu Ala Phe Gly Ser Ser Gly Leu Asn Ala Val Ile Ser 2085 2090 2095	6288
cac gag ggg ctg gac acc ctg tac agc ttt gta ctg gac atc ccg tat His Glu Gly Leu Asp Thr Leu Tyr Ser Phe Val Leu Asp Ile Pro Tyr 2100 2105 2110	6336
ggg gcc gaa ttg gat att gac agg ctt gag ctt ccg ctg gtg ggg gtt Gly Ala Glu Leu Asp Ile Asp Arg Leu Glu Leu Pro Leu Val Gly Val 2115 2120 2125	6384
ccg acg gga ttc gag ttc tcg gac aac ggg cgc cag ttg tac att ggc Pro Thr Gly Phe Glu Phe Ser Asp Asn Gly Arg Gln Leu Tyr Ile Gly 2130 2135 2140	6432
gcg ttt cgt gac tct caa tcc tcg cca ggc acc ctg cct gcg ggc ctg Ala Phe Arg Asp Ser Gln Ser Ser Pro Gly Thr Leu Pro Ala Gly Leu 2145 2150 2155 2160	6480
cag cgc tat gag ctt ggc ata cca tat gac ctg gct tcg gct gta ttt Gln Arg Tyr Glu Leu Gly Ile Pro Tyr Asp Leu Ala Ser Ala Val Phe 2165 2170 2175	6528
gcg cag tcc ctg gga ata ttc gat ttt cct ccc ttc aac ggc atg cgg	6576

Ala Gln Ser Leu Gly Ile Phe Asp Phe Pro Pro Phe Asn Gly Met Arg	
2180	2185 2190
gcc aat ggc agc ttg gca gga tta cat gtg ccg ccc gat gga agc atc	6624
Ala Asn Gly Ser Leu Ala Gly Leu His Val Pro Pro Asp Gly Ser Ile	
2195	2200 2205
ctg ttc agg gcc gga aat gcc gaa aga acc gta atc agc tat gac atg	6672
Leu Phe Arg Ala Gly Asn Ala Glu Arg Thr Val Ile Ser Tyr Asp Met	
2210	2215 2220
gac agc cat gat ttg gat aca tta tca ttc agg gaa tca ttc aaa cca	6720
Asp Ser His Asp Leu Asp Thr Leu Ser Phe Arg Glu Ser Phe Lys Pro	
2225	2230 2235 2240
gat gtc gga cag tcg aca ccc aac ata agg gac atg gac ata tcc ccg	6768
Asp Val Gly Gln Ser Thr Pro Asn Ile Arg Asp Met Asp Ile Ser Pro	
2245	2250 2255
gac ggc atg ttc ctc tac ctg ctt caa ggc gat gtt ctg gac atg tac	6816
Asp Gly Met Phe Leu Tyr Leu Leu Gln Gly Asp Val Leu Asp Met Tyr	
2260	2265 2270
aac ctt aca gat agt tat tcg ctt gat gcc ccg gca tat gcg ggt acc	6864
Asn Leu Thr Asp Ser Tyr Ser Leu Asp Ala Pro Ala Tyr Ala Gly Thr	
2275	2280 2285
ctg gat ttg gaa ccg gag gat gta ata ccc agg ggg att tca ttc tca	6912
Leu Asp Leu Glu Pro Glu Asp Val Ile Pro Arg Gly Ile Ser Phe Ser	
2290	2295 2300
cgg gat ggc acg agt ctg ttt atg aca ggc gaa gac gtg gac cac att	6960
Arg Asp Gly Thr Ser Leu Phe Met Thr Gly Glu Asp Val Asp His Ile	
2305	2310 2315 2320
cac gaa tat gca ttg aat gaa cca tgg gac ata cgc aat gcc ata ctt	7008
His Glu Tyr Ala Leu Asn Glu Pro Trp Asp Ile Arg Asn Ala Ile Leu	
2325	2330 2335
gca ggc tcc ctg tcc ata agc gca gtg aat ggt gca ccg cgg ggg ctg	7056
Ala Gly Ser Leu Ser Ile Ser Ala Val Asn Gly Ala Pro Arg Gly Leu	
2340	2345 2350
gat ata tcg gag gat ggc aca act gca cat act atg cgc ggg cgt gac	7104
Asp Ile Ser Glu Asp Gly Thr Thr Ala His Thr Met Arg Gly Arg Asp	
2355	2360 2365
ttt gac acg ggg ccc gca tcc ctg gta aac cac ata ttg cca ggc caa	7152
Phe Asp Thr Gly Pro Ala Ser Leu Val Asn His Ile Leu Pro Gly Gln	
2370	2375 2380
tat tcc ctg ctg acg gat gcg ccg gcg ttt gca tac ccc gtg gag gag	7200
Tyr Ser Leu Leu Thr Asp Ala Pro Ala Phe Ala Tyr Pro Val Glu Glu	
2385	2390 2395 2400
gag ggt gca ccg ggg gat ctt gca ttc tcc gat gac ggc atg cgc atg	7248
Glu Gly Ala Pro Gly Asp Leu Ala Phe Ser Asp Asp Gly Met Arg Met	
2405	2410 2415

ttc gtg gcg ggc gta aac aac cat tta aga cag tac aac ctg ctg tcg Phe Val Ala Gly Val Asn Asn His Leu Arg Gln Tyr Asn Leu Leu Ser 2420 2425 2430	7296
ccg tat gac act gaa aat gca gaa cat ttc atc tcg acg gat ctg ctg Pro Tyr Asp Thr Glu Asn Ala Glu His Phe Ile Ser Thr Asp Leu Leu 2435 2440 2445	7344
act gcg gac agg ggc ccc acg ggt ctt gta ttt tca gat gag aac gac Thr Ala Asp Arg Gly Pro Thr Gly Leu Val Phe Ser Asp Glu Asn Asp 2450 2455 2460	7392
ttt ttc agc aca ggc gcc agg gcc caa ttt gtg cgc cag ttt acg aca Phe Phe Ser Thr Gly Ala Arg Ala Gln Phe Val Arg Gln Phe Thr Thr 2465 2470 2475 2480	7440
aac cgc ccg tac gac gca tcc aca ata aca ctg agt gac aac gga ctg Asn Arg Pro Tyr Asp Ala Ser Thr Ile Thr Leu Ser Asp Asn Gly Leu 2485 2490 2495	7488
tac aag gtg agc gtg gac ggc ctg ccg tcc ggc ata cgg ttt acc ccc Tyr Lys Val Ser Val Asp Gly Leu Pro Ser Gly Ile Arg Phe Thr Pro 2500 2505 2510	7536
gac ggc atg aag atg ttc ata tcg ggc cag gag acg gcc atg ata tac Asp Gly Met Lys Met Phe Ile Ser Gly Gln Glu Thr Ala Met Ile Tyr 2515 2520 2525	7584
cag tat tcc ctg ccg tcc ccg tat gac aca tcc ggg gcg gtc agg gac Gln Tyr Ser Leu Pro Ser Pro Tyr Asp Thr Ser Gly Ala Val Arg Asp 2530 2535 2540	7632
agg gtt gag ata gtc gca ggg ctc ttt aga aat gca ggt ttg tcc gtc Arg Val Glu Ile Val Ala Gly Leu Phe Arg Asn Ala Gly Leu Ser Val 2545 2550 2555 2560	7680
ggg ttg aac gag ccc agt cct tcc ggc ttt gac ttt tcg gag gac gga Gly Leu Asn Glu Pro Ser Pro Ser Gly Phe Asp Phe Ser Glu Asp Gly 2565 2570 2575	7728
atg gag ctg tac gtg acg ggg tcg ggc ctt gtt cac agg tat ttc ctg Met Glu Leu Tyr Val Thr Gly Ser Gly Leu Val His Arg Tyr Phe Leu 2580 2585 2590	7776
cca tcg cca tac ggc ctc gaa gat gca gcg tac ggg ggc agc ttc cac Pro Ser Pro Tyr Gly Leu Glu Asp Ala Ala Tyr Gly Gly Ser Phe His 2595 2600 2605	7824
acg ttc agg gag agc acg ccg ctg gga gtg gtg gtg cgg ggg gat gcc Thr Phe Arg Glu Ser Thr Pro Leu Gly Val Val Val Arg Gly Asp Ala 2610 2615 2620	7872
atg ttt gtg gcc ggg gac agt act gat tcc ata ttg aaa tat tcc ctg Met Phe Val Ala Gly Asp Ser Thr Asp Ser Ile Leu Lys Tyr Ser Leu 2625 2630 2635 2640	7920
aac gca caa cct gtc ggc aac ata acc cat gcc gat acg cgc gcc ggg	7968

Asn Ala Gln Pro Val Gly Asn Ile Thr His Ala Asp Thr Arg Ala Gly	
2645 2650 2655	
att gcc gac agg gcg gag atc gtg ttt ggg gca atg gca gat acg cgc	8016
Ile Ala Asp Arg Ala Glu Ile Val Phe Gly Ala Met Ala Asp Thr Arg	
2660 2665 2670	
gcc gag att ctc gac ggc gcc gat gta gtt cat aag agt gtg aaa att	8064
Ala Glu Ile Leu Asp Gly Ala Asp Val Val His Lys Ser Val Lys Ile	
2675 2680 2685	
gac gta ttc cca ata tcg gag ggc ata aca gtg ggc agg gca ctt tat	8112
Asp Val Phe Pro Ile Ser Glu Gly Ile Thr Val Gly Arg Ala Leu Tyr	
2690 2695 2700	
cca gag gac gcc gcc ata ctt gat gac ggc gcg aat gcc acg cat aat	8160
Pro Glu Asp Ala Ala Ile Leu Asp Asp Gly Ala Asn Ala Thr His Asn	
2705 2710 2715 2720	
agg gtt gta atc att gtt cac gac ata aca gaa ggc gat gcg ccg tcc	8208
Arg Val Val Ile Ile Val His Asp Ile Thr Glu Gly Asp Ala Pro Ser	
2725 2730 2735	
ata cat gat gag ccg att gcc gtg ggg att tac gcc ctc ggc cct atg	8256
Ile His Asp Glu Pro Ile Ala Val Gly Ile Tyr Ala Leu Gly Pro Met	
2740 2745 2750	
gat aca atc gcc gtg gtt gat ctc cac cgc ctg gcc gta tcc gca tcc	8304
Asp Thr Ile Ala Val Val Asp Leu His Arg Leu Ala Val Ser Ala Ser	
2755 2760 2765	
ttg tcc ggg ggt gat tcc ccg tcg gcc tca gat gca tcc gga gta gtg	8352
Leu Ser Gly Gly Asp Ser Pro Ser Ala Ser Asp Ala Ser Gly Val Val	
2770 2775 2780	
gcc gag agc cgc aga aac gcg gtg gac agg cct ggc gtg gaa gag cgc	8400
Ala Glu Ser Arg Arg Asn Ala Val Asp Arg Pro Gly Val Glu Glu Arg	
2785 2790 2795 2800	
ata gga cat ggt gta tcc ctg gag gcg gcc gac agg cct gcc gtc gac	8448
Ile Gly His Gly Val Ser Leu Glu Ala Ala Asp Arg Pro Ala Val Asp	
2805 2810 2815	
aac atg atg gat acg gat agt gcc ggc gtg tac gac cgc agt ccg gac	8496
Asn Met Met Asp Thr Asp Ser Ala Gly Val Tyr Asp Arg Ser Pro Asp	
2820 2825 2830	
gac ggg ccc gcc gta tcc gac agg tcc gcg ctg ggg ctt gcc cgg atg	8544
Asp Gly Pro Ala Val Ser Asp Arg Ser Ala Leu Gly Leu Ala Arg Met	
2835 2840 2845	
gca gcc gac agg cct gca gtc gat gac atg atg gat acg gat agt gcc	8592
Ala Ala Asp Arg Pro Ala Val Asp Asp Met Met Asp Thr Asp Ser Ala	
2850 2855 2860	
ggc gtg tac gac cgc agc ccg gac gac ggg ccc gcc ata tcc gac agg	8640
Gly Val Tyr Asp Arg Ser Pro Asp Asp Gly Pro Ala Ile Ser Asp Arg	
2865 2870 2875 2880	

tcc gcg ctg ggg ctt gcc cgg atg gca gcc gac agg cct gca gtc gac Ser Ala Leu Gly Leu Ala Arg Met Ala Ala Asp Arg Pro Ala Val Asp 2885 2890 2895	8688
gac atg atg gat acg ggc agt gcc ggc gtg tac gac cgc agc ccg gac Asp Met Met Asp Thr Gly Ser Ala Gly Val Tyr Asp Arg Ser Pro Asp 2900 2905 2910	8736
gac ggg ccc gcc ata tcc gac agg tcc gcg ctg ggg ctt gcc cgg atg Asp Gly Pro Ala Ile Ser Asp Arg Ser Ala Leu Gly Leu Ala Arg Met 2915 2920 2925	8784
gca gcc gac agg cct gca gtc gat gac atg atg gat acg ggc agt gag Ala Ala Asp Arg Pro Ala Val Asp Asp Met Met Asp Thr Gly Ser Glu 2930 2935 2940	8832
agc acg agc agg ctt gga ccg gtt gac agg cca gaa ata gtc gag cgc Ser Thr Ser Arg Leu Gly Pro Val Asp Arg Pro Glu Ile Val Glu Arg 2945 2950 2955 2960	8880
cac agc ctg gcc gcg tct gta tac ctg tcc ggg ggc gat tcc ccg tcg His Ser Leu Ala Ala Ser Val Tyr Leu Ser Gly Gly Asp Ser Pro Ser 2965 2970 2975	8928
gtc gca gac ggt cat gat gtg gag tcc gag ggc cgc aga gac ggg ggg Val Ala Asp Gly His Asp Val Glu Ser Glu Gly Arg Arg Asp Gly Gly 2980 2985 2990	8976
gac agg cct ggc atc gac gag cgt ata gtc atc aag atc tcg tac agc Asp Arg Pro Gly Ile Asp Glu Arg Ile Val Ile Lys Ile Ser Tyr Ser 2995 3000 3005	9024
cgc ggc gca gcc gat gcg ccc aga gtg gag gat gca atg gag act tcc Arg Gly Ala Ala Asp Ala Pro Arg Val Glu Asp Ala Met Glu Thr Ser 3010 3015 3020	9072
ggc gtg acc gcg tac agc cgc ggc gca gcc gat gcg ccc aga gtg gag Gly Val Thr Ala Tyr Ser Arg Gly Ala Ala Asp Ala Pro Arg Val Glu 3025 3030 3035 3040	9120
gat gca atg gag act tcc ggc gtg acc gtc ccc agg cgc agt acc atg Asp Ala Met Glu Thr Ser Gly Val Thr Val Pro Arg Arg Ser Thr Met 3045 3050 3055	9168
gac gcg ccc aca gtg gcc gat gac cac agc ctg gcc cgg acc gca tcc Asp Ala Pro Thr Val Ala Asp Asp His Ser Leu Ala Arg Thr Ala Ser 3060 3065 3070	9216
ata tcc gaa ggc gat tcc ccg aca ttt gca gag gcg cgc cgc gcg gat Ile Ser Glu Gly Asp Ser Pro Thr Phe Ala Glu Ala Arg Arg Ala Asp 3075 3080 3085	9264
acc gtt ggg gat ata gac gag gtg gac gcg ccc aca gtg gcc gat gac Thr Val Gly Asp Ile Asp Glu Val Asp Ala Pro Thr Val Ala Asp Asp 3090 3095 3100	9312
cac agt ctg gcc cgg gcc gca tcc ata tcc gaa ggc gat tcc ccg aca	9360

ttg att ttg gac gcc gct gaa aac aga ccc ctg tca gtc tcg acg gac 10080
 Leu Ile Leu Asp Ala Ala Glu Asn Arg Pro Leu Ser Val Ser Thr Asp
 3345 3350 3355 3360

 ccc aag ccc gtg gag gat cca tcg ccc gtg cag cat ata gag tcc ctc 10128
 Pro Lys Pro Val Glu Asp Pro Ser Pro Val Gln His Ile Glu Ser Leu
 3365 3370 3375

 cag atg gat ccg gag ccc gtg gag tcc gag ccc ctc ccg atg gac tcc 10176
 Gln Met Asp Pro Glu Pro Val Glu Ser Glu Pro Leu Pro Met Asp Ser
 3380 3385 3390

 gag ccc gtg gag gat ctg gaa cct gtg cag cat cta gag tcc ctc ccg 10224
 Glu Pro Val Glu Asp Leu Glu Pro Val Gln His Leu Glu Ser Leu Pro
 3395 3400 3405

 atg gac ccc gag ccc gtg gag gat ctg gaa cct gtg cag cat ctc gag 10272
 Met Asp Pro Glu Pro Val Glu Asp Leu Glu Pro Val Gln His Leu Glu
 3410 3415 3420

 ccc gtg cag gga tcc ccg ccc gtg cag gga ggg ccg gag tcc gtg gag 10320
 Pro Val Gln Gly Ser Pro Pro Val Gln Gly Gly Pro Glu Ser Val Glu
 3425 3430 3435 3440

 tca ggc ata gca tac acg cta tgg cag ttc ctt tca gga ctg ctg gat 10368
 Ser Gly Ile Ala Tyr Thr Leu Trp Gln Phe Leu Ser Gly Leu Leu Asp
 3445 3450 3455

 gcc ctg ggt ctt gcc gac ccg gat gtc gga tct gtc caa aaa acg tcc 10416
 Ala Leu Gly Leu Ala Asp Pro Asp Val Gly Ser Val Gln Lys Thr Ser
 3460 3465 3470

tga 10419
*

<210> 4
 <211> 3472
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 4
 Met Pro Ala Pro Pro Gly Glu Gly Ser Leu Gly Gly Val Ala Ile Ser
 1 5 10 15
 Asp Asp Gly Arg Tyr Met Tyr Ala Ile Gly Arg Asp Leu Leu Thr Val
 20 25 30
 Tyr Arg Tyr Thr Met Asn Pro Pro His Asp Ile Ala Ser Ala Ala Leu
 35 40 45
 Gly Ala Gln Ser Phe Ser Leu Pro Gly Gly Ile Ser Pro Ala Pro Gly
 50 55 60
 Ala Pro Thr Gly Leu Asp Ile Ser Asp Asp Gly Arg His Leu Tyr Val
 65 70 75 80
 Pro Asp Glu Asn Gly Val Val Tyr Arg Phe Asp Leu Glu Ser Pro Tyr
 85 90 95
 Arg Leu Asp Gly Gly Thr Phe Gly Ser Ser Val Tyr Val Gly Ser Asp
 100 105 110
 Val Ala Ala Pro Arg Gly Val Tyr Val Ala Pro Gly Gly Ser Leu Met
 115 120 125

Leu Val Ser Asp Ser Ala Asp Gly Thr Ile His Arg Tyr Glu Leu Ala
 130 135 140
 Ser Pro Tyr Glu Pro Ala Gly Ala Ala Asn Arg Gly Ser Phe Asp Val
 145 150 155 160
 Ser Asp Met Asp Gly Ser Pro Val Gly Ala Gly Phe Ala Gly Gly Leu
 165 170 175
 His Met Tyr Val Ala Gly Asn Asp Thr Gly Arg Val Tyr Gln Tyr Pro
 180 185 190
 Ala Gly Thr His Gln Ile Gln Glu Ala Ala Ala Gly Pro Arg Leu Leu
 195 200 205
 Ser Ala Val Leu Asp Lys Asp Gly Thr Leu Arg Ala Ala Phe Asp Gly
 210 215 220
 Thr Val Asp Ala Gly Ser Val Gln Pro Gly Met Ile Thr Ile Arg Asp
 225 230 235 240
 Gly His Gly Ser Asn Thr Gly Ile Pro Leu Leu Leu Ala Gly Gly Ala
 245 250 255
 Ala Asp Ser Asp Val Met Thr Phe Val Val Pro Glu Lys Asp Arg Ala
 260 265 270
 Glu Ala Ala Ala Tyr Gly Asp Gln Ser Leu His Val Pro Ala Ala Ala
 275 280 285
 Leu Ala Gly Thr Gly Gly Gly Pro Phe Val Pro Asp Phe Ser Gly Gly
 290 295 300
 Ser Leu Leu Ala Ser Leu Tyr Arg His Glu Arg Pro Phe Gln Gly Glu
 305 310 315 320
 Glu Met Ala Arg Thr Glu Arg Ser Asp Arg Tyr Ala Leu Thr Val Thr
 325 330 335
 Ala Gly Gly Ser Gln Met His Val Gly Gly Ala Gly Gly Asn Ile Thr
 340 345 350
 Trp Tyr Asp Leu Gly Thr Pro His Asp Ile Thr Thr Gly Val Arg Ala
 355 360 365
 Gly Ser Asp Ile Leu Pro Ala Tyr Pro Ser Ala Gly Arg Asn Val Val
 370 375 380
 Pro Ser Ile Thr Gly Ile Ala Phe Ser Asp Asp Gly Met Arg Leu Phe
 385 390 395 400
 Ala Ala Asn Arg Gly Asp Arg Ile Pro Met Tyr Gln Leu Asp Ser Pro
 405 410 415
 Tyr Asp Ile Gly Ser Ala Ser Leu Glu Gly Thr Leu Phe Thr Gly Phe
 420 425 430
 Gln Ser Gly Ile Ala Phe Ser Asp Asp Gly Thr Arg Met Phe Ala Ala
 435 440 445
 Leu Leu Thr Glu Asn Ala Ile Arg Gln Tyr Asp Leu Glu Gly Pro Tyr
 450 455 460
 Asp Ile Arg Gly Ala Gly Asn Ala Gly Gln Tyr Asp Leu Asp Ile Pro
 465 470 475 480
 Leu His Pro Gly Leu Leu Phe Leu Leu Thr Ser Gly Val His Phe Ser
 485 490 495
 Pro Asp Gly Thr Arg Met Phe Val Gly Glu Gly Ile Ser Asp Ala Glu
 500 505 510
 Asp Ala Asn Ala Asn Arg Asp Val Asn Val Asn Leu Trp His Arg Phe
 515 520 525
 Asp Leu Ser Thr Pro Phe Asp Val Leu Thr Ala Glu Arg Val Asp Thr
 530 535 540
 Tyr Glu Tyr Ser Thr Gly Pro Ala Gly Asp Leu Glu Asp Leu Ser Leu
 545 550 555 560
 Ser Pro Asp Gly Arg Arg Leu Tyr Thr Leu Ser Ser Glu Arg Val Ser
 565 570 575
 Ser Ser Glu Tyr Thr Ile Thr Arg Ala Gln Tyr Trp Leu Pro Glu Pro
 580 585 590

Tyr Asp Val Thr Pro Pro Tyr His Val Pro Ser Phe Asn Ala Ser Gln
 595 600 605
 Gly Gly Asn Leu Ala Asp Pro Tyr Gly Met Ala Phe Ser Pro Asp Gly
 610 615 620
 Thr Arg Leu Leu Val Thr Gly His Gly Gln Thr Asn Ala Lys Leu Phe
 625 630 635 640
 His Leu Asn Pro Pro Phe Asp Val Gly Thr Ala Val Phe His Asp His
 645 650 655
 Gly Arg Phe Arg Pro Gly Gly Pro Ala Ser Glu Ile Glu Ala Ser Gly
 660 665 670
 Ile Ser Leu Ser Ala Asp Gly Ser Arg Met Phe Leu Ser Asp Arg Gly
 675 680 685
 Arg Gly Ala Ile Ser Gln Tyr Thr Leu Val Ala Pro Phe Asp Val Glu
 690 695 700
 Phe Ala Ser Asp Val Ser Ala Asp Gly Gln Leu Asp Val Gly Ala Gln
 705 710 715 720
 Asp Ala Leu Pro Gly Gly Leu Ala Phe Ser Pro Gly Gly Thr Arg Leu
 725 730 735
 Phe Met Val Gly Gly Met Asp Arg Ser Val His Met Tyr Ser Leu Asn
 740 745 750
 Thr Pro Phe Asp Leu Gly Gly Ala Glu His Ala Ala Ser Phe Gly Val
 755 760 765
 Gly Asp Arg Val Ser Asp Pro Leu Gly Ile Ala Phe Gly Asn Gly Gly
 770 775 780
 Thr Lys Met Leu Ile Ala Asp Thr Thr Gly Phe Val His Gly Tyr Asp
 785 790 795 800
 Leu Gly Ala Pro Tyr Asp Ile Ser Gly Pro Ala Tyr Ser Gly Ile Phe
 805 810 815
 Asp Ala Gly Gly Ser Ile Arg Asp Val Ala Val Gly Gly Gly Ser Met
 820 825 830
 Phe Ile Leu Glu Gly Glu Thr Asp Arg Val Tyr Glu His Arg Pro Gly
 835 840 845
 Ile Tyr Pro Val Val Ser Ala Leu Asp Gly Pro Ala Leu Val Ser Ala
 850 855 860
 Ala Ala Asp Ala Arg Val Gly Ala Ala Glu Val Leu Phe Asp Arg Ala
 865 870 875 880
 Val Asp Val Gly Gly Ile Asp Pro Gly Gly Val Arg Ile Val Asp Ala
 885 890 895
 Ala Gly Pro Leu Pro Gly Val Val Ile Ser Asp Ala Val Ile Pro Gly
 900 905 910
 Glu Asp Pro Gly Val Ala Arg Phe Ser Leu Ser Asp Ala Glu Val Leu
 915 920 925
 Ala Val Ser Gly Tyr Ala Glu Pro Ser Leu Val Phe Gly Arg His Ala
 930 935 940
 Val Pro Gly Ala Ala Gly Gly Thr Phe Pro Ser Gln Ile Gly Asn Ala
 945 950 955 960
 Thr Glu Leu Val Gly Ser Ile Pro Asn Pro Thr Leu Asp Phe Gly Thr
 965 970 975
 Thr Leu Thr Gly Ala Ala Phe Ser Ala Asp Gly Thr Val Val Phe Leu
 980 985 990
 Ser Asp Gly Pro Thr Gly Arg Val Tyr Pro Tyr Ser Leu Asn Ile Pro
 995 1000 1005
 Phe Asp Ile Ser Ser Ala Ala Pro Gly Gly Phe Val Ile Val Pro Val
 1010 1015 1020
 Gly Val Ser Asp Ile Ala Phe Ser Ala Asp Gly Arg Asn Met Leu Val
 1025 1030 1035 1040
 Ala Asp Glu Thr Gly Gly Ile His Arg Tyr Leu Ala Arg Ser Pro Tyr
 1045 1050 1055

Glu Ile Gly Thr Asp Phe Ile Lys Ser Ser Leu Gly Glu Phe Val Glu
 1060 1065 1070
 Thr Phe Ser Ala Ala Pro Arg Val Gln Asp Leu Ala Gly Ile Ala Phe
 1075 1080 1085
 Ser His Asp Gly Met Ile Met Leu Ala Ala Gly Gly Ser Gly Ser Val
 1090 1095 1100
 His Arg Tyr Ser Leu Pro Ser Pro Tyr Ala Val Ser Gly Ala Lys Tyr
 1105 1110 1115 1120
 Glu Glu Thr Ala Met Ile Gly Gly Ser Pro Ser Gly Leu Glu Phe Ser
 1125 1130 1135
 Ser Asp Gly Leu Arg Met Phe Val Pro Asp Ala Gly Ser Glu Thr Ala
 1140 1145 1150
 Ala Val Tyr Gly Leu Ala Ala Pro Tyr Gly Ile Gly Glu Ala Glu Pro
 1155 1160 1165
 Leu Pro Pro Leu Phe Leu Gly Val Gly Ala Glu Glu Ala Thr Leu Ser
 1170 1175 1180
 Pro Asp Gly Arg His Ile Leu Val Pro Gly Arg Pro Gly Leu Ser Gln
 1185 1190 1195 1200
 Tyr Ser Leu Phe Ser Thr Asn Leu Glu Leu Cys Ala Glu Pro Arg Gly
 1205 1210 1215
 Ile Asp Gly Gly Ser Cys Glu Asp Gly Ile Tyr Ala Phe Glu Ser Pro
 1220 1225 1230
 Gly Arg Gly Glu Gly Val Ser Leu Ala Ala Ser Ile Thr Ala Ala Asp
 1235 1240 1245
 Gly Pro Gly Ile Gly Glu Leu His Gly Phe Ala Gly Pro Pro Met Pro
 1250 1255 1260
 Ala Pro Val Met Glu Gln Val Thr Leu Asp Ser Arg Glu Gly Thr Leu
 1265 1270 1275 1280
 Arg Val Arg Leu Asp Arg Thr Val Asp Val Asp Thr Val Arg Pro Tyr
 1285 1290 1295
 Lys Met Trp Val Glu Asp Ser Asp Gly Ser Gln Thr Thr Leu Ala Asn
 1300 1305 1310
 Ser Thr Leu Leu Asn Ala Glu Asn Ser Asn Ile Leu Leu Phe Arg Leu
 1315 1320 1325
 Asp Asp Ala Ala Ala Gly Lys Ile Ser Gly Tyr Thr Ser Pro Val Phe
 1330 1335 1340
 Arg Thr Trp Ser Ser Pro Phe Leu Gly Thr Asp Gly Ala Thr Arg Pro
 1345 1350 1355 1360
 His Thr Leu Gly Phe Gly Asp Val Arg Leu Ala Asp Ile Tyr Asp Ala
 1365 1370 1375
 Ser Gly Asp Val Pro Ser Pro Ser Gly Ile Glu Phe Ser Asp Asp Gly
 1380 1385 1390
 Met Arg Met Phe Val Thr Gly Ile Gly Thr Pro Gly Ile Asn Ile Phe
 1395 1400 1405
 Thr Leu Ser Ala Pro Phe Asp Ile Thr Leu Pro Lys His Ser Gly Ser
 1410 1415 1420
 Thr Asn Ile Gly Gly Leu Ser Val Ser Asp Leu Ala Phe Ala Asn Asn
 1425 1430 1435 1440
 Gly Asn Ser Leu Thr Val Leu Asp Val Asp Gly Val Leu Arg Val Tyr
 1445 1450 1455
 Ala Leu Gly Asp Asp Tyr Asn Val Val Thr Gly Thr Thr Gln Lys Phe
 1460 1465 1470
 Arg Ile Thr Leu Asp Thr Thr Gln Gly Ile Pro Asn Ser Ile Tyr Thr
 1475 1480 1485
 Ser Pro Asp Gly Leu Ser Gln Phe Val Ala Tyr Asp Asp Arg Ile Asp
 1490 1495 1500
 Leu Tyr Val Leu Gly Ser Pro Asn Asp Ile Ser Ser Thr Thr Glu Ile
 1505 1510 1515 1520

Ile Pro Tyr Ser Leu Pro Arg Pro Asp Pro Pro Thr Gly Met Asp Phe
 1525 1530 1535
 Thr Pro Asp Gly Arg Arg Met Phe Leu Ser Thr Glu Asn Gly Ile Asp
 1540 1545 1550
 Gln Tyr Leu Leu Ser Glu Pro Phe Ala Val Thr Thr Ser Val Phe Leu
 1555 1560 1565
 Arg Thr Ile Pro Ile Asp Gly Gly Ala Glu Gly Ile Arg Phe Val Asp
 1570 1575 1580
 Asn Gly Arg Gly Leu Phe Val Pro Gly Ala Asp Gly Ile Ile Gln Arg
 1585 1590 1595 1600
 His Glu Leu Ile Tyr Pro Tyr Gly Ala Ser Thr Ser Leu Leu Glu Thr
 1605 1610 1615
 Val Arg Asp Gly Val Thr Asp Gly Gly Pro Gly Glu Asn Pro Ala Ala
 1620 1625 1630
 Gly Glu Ile Arg Leu Ala Gly Thr Phe Asn Ala Ser Asp Asn Val Gln
 1635 1640 1645
 Ser Pro Ser Gly Ile Glu Phe Ser Gly Asp Gly Thr Gly Met Phe Val
 1650 1655 1660
 Thr Gly Phe Gly Ala Ala Gly Val Asn Glu Phe Ser Leu Ser Ala Pro
 1665 1670 1675 1680
 Phe Asp Thr Thr Leu Pro Val His Val Glu Leu His Asp Ile Gly Gly
 1685 1690 1695
 Gln Pro Ala Val Asp Leu Ala Phe Ala Glu Asp Gly Arg Thr Leu Leu
 1700 1705 1710
 Leu Leu Ala Ala Asp Gly Thr Leu Asp Phe Tyr Ser Leu Ala Gly Asp
 1715 1720 1725
 Ala Tyr Asp Ile Gly Glu Ala Ser Arg Thr Phe Gln Val Pro Phe Glu
 1730 1735 1740
 Asp Ala Ala Gly Ala Val Pro Gly Ala Phe Tyr Gln Pro Pro Asp Gly
 1745 1750 1755 1760
 Ser Ser Ile Ile Ala Ala Phe Asp Gly Arg Ile Asp Gln Tyr Val Val
 1765 1770 1775
 Ile Pro Phe Glu Phe Val Ser Tyr Pro Leu Thr Arg Pro Gly Thr Pro
 1780 1785 1790
 Thr Gly Ile Asp Phe Ala Pro Asp Gly Arg Trp Met Phe Leu Ser Thr
 1795 1800 1805
 Glu Asn Gly Ile Asp Gln Tyr Leu Leu Ser Ile Pro Phe Asp Val Arg
 1810 1815 1820
 Ser Leu Thr Tyr Thr Gly Thr Ile Pro Val Asp Gly Val Glu Gly Met
 1825 1830 1835 1840
 Gln Phe Ala Asp Asn Gly Arg Ala Leu Phe Leu Ala Asp Ser Glu Gly
 1845 1850 1855
 Leu Ile Tyr Asn Tyr Asp Leu Glu Asp Pro Tyr Ala Leu Asp Gly Asn
 1860 1865 1870
 Thr Ile Ser Val Glu Phe Ser Phe Asp Gly Ser Val Met Tyr Val Leu
 1875 1880 1885
 Glu Tyr Asp Thr Lys Arg Val Val Ser Tyr Glu Leu Glu Phe Pro Phe
 1890 1895 1900
 Asp Val Ser Ser Arg Thr Arg Ala Asp Thr Leu Asp Ile Pro Gln Ile
 1905 1910 1915 1920
 Asp Ser Pro Arg His Val Ala Val Ser Met Pro Gly Asn His Leu Tyr
 1925 1930 1935
 Ile Thr Asn Ser Val Phe Gly Glu Asp Asp Thr Ile His Ser Tyr Gly
 1940 1945 1950
 Ile Ser Asn Asn Asp Ile Ser Ser Ala Ser Tyr Ile Gly Glu Glu Gly
 1955 1960 1965
 Ile Pro Glu Pro Val Ile Asn Gly Ile Asp Phe Ser Asn Asn Gly Arg
 1970 1975 1980

Arg Met Phe Leu Ile Gly Gly Asn Gly Phe Asp Tyr Gln Val Ile His
 1985 1990 1995 2000
 Asp Tyr Met Leu Gly Thr Arg Tyr Asp Ile Ser Ser Arg Ser Leu Leu
 2005 2010 2015
 Asp Thr Tyr Ala Ile Pro Gly Pro Val Val Phe Pro Ala Gly Leu Asp
 2020 2025 2030
 Phe Ser Phe Asp Arg Leu Ser Met Phe Ile Ile Ser Thr Ala Gly Ser
 2035 2040 2045
 Val Tyr Arg Tyr Gly Leu Asp Asp Pro Phe Ile Val Glu Thr Met Asp
 2050 2055 2060
 Tyr Gln Glu Ser Phe Arg Leu Pro Val Pro Ser Ala Ala Asp Asn Ser
 2065 2070 2075 2080
 Ile Ser Asp Leu Ala Phe Gly Ser Ser Gly Leu Asn Ala Val Ile Ser
 2085 2090 2095
 His Glu Gly Leu Asp Thr Leu Tyr Ser Phe Val Leu Asp Ile Pro Tyr
 2100 2105 2110
 Gly Ala Glu Leu Asp Ile Asp Arg Leu Glu Leu Pro Leu Val Gly Val
 2115 2120 2125
 Pro Thr Gly Phe Glu Phe Ser Asp Asn Gly Arg Gln Leu Tyr Ile Gly
 2130 2135 2140
 Ala Phe Arg Asp Ser Gln Ser Ser Pro Gly Thr Leu Pro Ala Gly Leu
 2145 2150 2155 2160
 Gln Arg Tyr Glu Leu Gly Ile Pro Tyr Asp Leu Ala Ser Ala Val Phe
 2165 2170 2175
 Ala Gln Ser Leu Gly Ile Phe Asp Phe Pro Pro Phe Asn Gly Met Arg
 2180 2185 2190
 Ala Asn Gly Ser Leu Ala Gly Leu His Val Pro Pro Asp Gly Ser Ile
 2195 2200 2205
 Leu Phe Arg Ala Gly Asn Ala Glu Arg Thr Val Ile Ser Tyr Asp Met
 2210 2215 2220
 Asp Ser His Asp Leu Asp Thr Leu Ser Phe Arg Glu Ser Phe Lys Pro
 2225 2230 2235 2240
 Asp Val Gly Gln Ser Thr Pro Asn Ile Arg Asp Met Asp Ile Ser Pro
 2245 2250 2255
 Asp Gly Met Phe Leu Tyr Leu Leu Gln Gly Asp Val Leu Asp Met Tyr
 2260 2265 2270
 Asn Leu Thr Asp Ser Tyr Ser Leu Asp Ala Pro Ala Tyr Ala Gly Thr
 2275 2280 2285
 Leu Asp Leu Glu Pro Glu Asp Val Ile Pro Arg Gly Ile Ser Phe Ser
 2290 2295 2300
 Arg Asp Gly Thr Ser Leu Phe Met Thr Gly Glu Asp Val Asp His Ile
 2305 2310 2315 2320
 His Glu Tyr Ala Leu Asn Glu Pro Trp Asp Ile Arg Asn Ala Ile Leu
 2325 2330 2335
 Ala Gly Ser Leu Ser Ile Ser Ala Val Asn Gly Ala Pro Arg Gly Leu
 2340 2345 2350
 Asp Ile Ser Glu Asp Gly Thr Thr Ala His Thr Met Arg Gly Arg Asp
 2355 2360 2365
 Phe Asp Thr Gly Pro Ala Ser Leu Val Asn His Ile Leu Pro Gly Gln
 2370 2375 2380
 Tyr Ser Leu Leu Thr Asp Ala Pro Ala Phe Ala Tyr Pro Val Glu Glu
 2385 2390 2395 2400
 Glu Gly Ala Pro Gly Asp Leu Ala Phe Ser Asp Asp Gly Met Arg Met
 2405 2410 2415
 Phe Val Ala Gly Val Asn Asn His Leu Arg Gln Tyr Asn Leu Leu Ser
 2420 2425 2430
 Pro Tyr Asp Thr Glu Asn Ala Glu His Phe Ile Ser Thr Asp Leu Leu
 2435 2440 2445

Thr Ala Asp Arg Gly Pro Thr Gly Leu Val Phe Ser Asp Glu Asn Asp
 2450 2455 2460
 Phe Phe Ser Thr Gly Ala Arg Ala Gln Phe Val Arg Gln Phe Thr Thr
 2465 2470 2475 2480
 Asn Arg Pro Tyr Asp Ala Ser Thr Ile Thr Leu Ser Asp Asn Gly Leu
 2485 2490 2495
 Tyr Lys Val Ser Val Asp Gly Leu Pro Ser Gly Ile Arg Phe Thr Pro
 2500 2505 2510
 Asp Gly Met Lys Met Phe Ile Ser Gly Gln Glu Thr Ala Met Ile Tyr
 2515 2520 2525
 Gln Tyr Ser Leu Pro Ser Pro Tyr Asp Thr Ser Gly Ala Val Arg Asp
 2530 2535 2540
 Arg Val Glu Ile Val Ala Gly Leu Phe Arg Asn Ala Gly Leu Ser Val
 2545 2550 2555 2560
 Gly Leu Asn Glu Pro Ser Pro Ser Gly Phe Asp Phe Ser Glu Asp Gly
 2565 2570 2575
 Met Glu Leu Tyr Val Thr Gly Ser Gly Leu Val His Arg Tyr Phe Leu
 2580 2585 2590
 Pro Ser Pro Tyr Gly Leu Glu Asp Ala Ala Tyr Gly Gly Ser Phe His
 2595 2600 2605
 Thr Phe Arg Glu Ser Thr Pro Leu Gly Val Val Val Arg Gly Asp Ala
 2610 2615 2620
 Met Phe Val Ala Gly Asp Ser Thr Asp Ser Ile Leu Lys Tyr Ser Leu
 2625 2630 2635 2640
 Asn Ala Gln Pro Val Gly Asn Ile Thr His Ala Asp Thr Arg Ala Gly
 2645 2650 2655
 Ile Ala Asp Arg Ala Glu Ile Val Phe Gly Ala Met Ala Asp Thr Arg
 2660 2665 2670
 Ala Glu Ile Leu Asp Gly Ala Asp Val Val His Lys Ser Val Lys Ile
 2675 2680 2685
 Asp Val Phe Pro Ile Ser Glu Gly Ile Thr Val Gly Arg Ala Leu Tyr
 2690 2695 2700
 Pro Glu Asp Ala Ala Ile Leu Asp Asp Gly Ala Asn Ala Thr His Asn
 2705 2710 2715 2720
 Arg Val Val Ile Ile Val His Asp Ile Thr Glu Gly Asp Ala Pro Ser
 2725 2730 2735
 Ile His Asp Glu Pro Ile Ala Val Gly Ile Tyr Ala Leu Gly Pro Met
 2740 2745 2750
 Asp Thr Ile Ala Val Val Asp Leu His Arg Leu Ala Val Ser Ala Ser
 2755 2760 2765
 Leu Ser Gly Gly Asp Ser Pro Ser Ala Ser Asp Ala Ser Gly Val Val
 2770 2775 2780
 Ala Glu Ser Arg Arg Asn Ala Val Asp Arg Pro Gly Val Glu Glu Arg
 2785 2790 2795 2800
 Ile Gly His Gly Val Ser Leu Glu Ala Ala Asp Arg Pro Ala Val Asp
 2805 2810 2815
 Asn Met Met Asp Thr Asp Ser Ala Gly Val Tyr Asp Arg Ser Pro Asp
 2820 2825 2830
 Asp Gly Pro Ala Val Ser Asp Arg Ser Ala Leu Gly Leu Ala Arg Met
 2835 2840 2845
 Ala Ala Asp Arg Pro Ala Val Asp Asp Met Met Asp Thr Asp Ser Ala
 2850 2855 2860
 Gly Val Tyr Asp Arg Ser Pro Asp Asp Gly Pro Ala Ile Ser Asp Arg
 2865 2870 2875 2880
 Ser Ala Leu Gly Leu Ala Arg Met Ala Ala Asp Arg Pro Ala Val Asp
 2885 2890 2895
 Asp Met Met Asp Thr Gly Ser Ala Gly Val Tyr Asp Arg Ser Pro Asp
 2900 2905 2910

Asp Gly Pro Ala Ile Ser Asp Arg Ser Ala Leu Gly Leu Ala Arg Met
 2915 2920 2925
 Ala Ala Asp Arg Pro Ala Val Asp Asp Met Met Asp Thr Gly Ser Glu
 2930 2935 2940
 Ser Thr Ser Arg Leu Gly Pro Val Asp Arg Pro Glu Ile Val Glu Arg
 2945 2950 2955 2960
 His Ser Leu Ala Ala Ser Val Tyr Leu Ser Gly Gly Asp Ser Pro Ser
 2965 2970 2975
 Val Ala Asp Gly His Asp Val Glu Ser Glu Gly Arg Arg Asp Gly Gly
 2980 2985 2990
 Asp Arg Pro Gly Ile Asp Glu Arg Ile Val Ile Lys Ile Ser Tyr Ser
 2995 3000 3005
 Arg Gly Ala Ala Asp Ala Pro Arg Val Glu Asp Ala Met Glu Thr Ser
 3010 3015 3020
 Gly Val Thr Ala Tyr Ser Arg Gly Ala Ala Asp Ala Pro Arg Val Glu
 3025 3030 3035 3040
 Asp Ala Met Glu Thr Ser Gly Val Thr Val Pro Arg Arg Ser Thr Met
 3045 3050 3055
 Asp Ala Pro Thr Val Ala Asp Asp His Ser Leu Ala Arg Thr Ala Ser
 3060 3065 3070
 Ile Ser Glu Gly Asp Ser Pro Thr Phe Ala Glu Ala Arg Arg Ala Asp
 3075 3080 3085
 Thr Val Gly Asp Ile Asp Glu Val Asp Ala Pro Thr Val Ala Asp Asp
 3090 3095 3100
 His Ser Leu Ala Arg Ala Ala Ser Ile Ser Glu Gly Asp Ser Pro Thr
 3105 3110 3115 3120
 Phe Ala Glu Val Arg Arg Ala Asp Thr Val Gly Asp Ile Asp Glu Val
 3125 3130 3135
 Asp Ala Pro Ala Val Ala Glu Arg Leu Leu Ala Val Leu Gly Leu Gln
 3140 3145 3150
 Ala Pro Asp Ser Pro Gly Val Trp Asp Thr Val Gly Ile Asp His Ser
 3155 3160 3165
 Glu Ile Ser Gly Asp Pro Val Pro Glu Pro Arg Val Val Pro Arg Gly
 3170 3175 3180
 Gly Gly Gly Gly Gly Gly Gly Ser Ser Asn Arg Gly Leu Glu Pro His
 3185 3190 3195 3200
 Gly Gly Gly Tyr Glu Ile Asp Phe Glu Phe Arg Ile Asp Gly Arg Leu
 3205 3210 3215
 Val Leu Phe Asn Gly Thr Asp Val Leu Ala Glu Ser Gly Lys Asp Leu
 3220 3225 3230
 Leu Ile Arg Pro Val Phe Arg Pro Glu Gly Ser Phe Asn Ile Phe Asp
 3235 3240 3245
 Met Glu Val Leu Phe Thr Ala Pro Gly Gly Glu Ile Ser Thr Ala Tyr
 3250 3255 3260
 Tyr Asn Arg Ala Gly Ile Leu Met Gly Ile Asp Cys Gly Glu Leu Ile
 3265 3270 3275 3280
 Met Thr Asp Thr Thr Tyr Ser Cys Asp Met Leu Asp Ile Phe Gly Asp
 3285 3290 3295
 Glu Ile Tyr His Val Glu Arg Leu Asp Ala Phe Asn Gly Met Val Ile
 3300 3305 3310
 Ser Leu Asp Gly Pro Leu Asp Gly Thr Val Ser Val Ser Leu Arg Asp
 3315 3320 3325
 Asn His Gly Ile Pro Leu Ala Gln His Arg Leu His Lys Tyr Glu Ile
 3330 3335 3340
 Leu Ile Leu Asp Ala Ala Glu Asn Arg Pro Leu Ser Val Ser Thr Asp
 3345 3350 3355 3360
 Pro Lys Pro Val Glu Asp Pro Ser Pro Val Gln His Ile Glu Ser Leu
 3365 3370 3375

-47-

Gln Met Asp Pro Glu Pro Val Glu Ser Glu Pro Leu Pro Met Asp Ser
 3380 3385 3390
 Glu Pro Val Glu Asp Leu Glu Pro Val Gln His Leu Glu Ser Leu Pro
 3395 3400 3405
 Met Asp Pro Glu Pro Val Glu Asp Leu Glu Pro Val Gln His Leu Glu
 3410 3415 3420
 Pro Val Gln Gly Ser Pro Pro Val Gln Gly Gly Pro Glu Ser Val Glu
 3425 3430 3435 3440
 Ser Gly Ile Ala Tyr Thr Leu Trp Gln Phe Leu Ser Gly Leu Leu Asp
 3445 3450 3455
 Ala Leu Gly Leu Ala Asp Pro Asp Val Gly Ser Val Gln Lys Thr Ser
 3460 3465 3470

<210> 5
 <211> 819
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1) ... (810)

<400> 5
 atg cat ggg atc gag ggc ggc cgg gga gat atg tcg gag aat ttt gtg 48
 Met His Gly Ile Glu Gly Gly Arg Gly Asp Met Ser Glu Asn Phe Val
 1 5 10 15
 gcg ttt tgc gtg gcg tgc gcc agg gga gtc aca aag gac gag atg aag 96
 Ala Phe Cys Val Ala Cys Ala Arg Gly Val Thr Lys Asp Glu Met Lys
 20 25 30
 tat gta gac ggg agg gtc ttc cac aaa gag tgc cat gca agg cac ggc 144
 Tyr Val Asp Gly Arg Val Phe His Lys Glu Cys His Ala Arg His Gly
 35 40 45
 ggg cag atc cgc ttc ccc aac cca gag gtc gag cag cgc gtg gcc gag 192
 Gly Gln Ile Arg Phe Pro Asn Pro Glu Val Glu Gln Arg Val Ala Glu
 50 55 60
 ctg aag gtg gac ctg ata cag atg aga aac cag ctg gcc gag atg aac 240
 Leu Lys Val Asp Leu Ile Gln Met Arg Asn Gln Leu Ala Glu Met Asn
 65 70 75 80
 agg gcg tcg ggg gac gga ggg gtg cat tcc agc gcc acc tct gcg gcc 288
 Arg Ala Ser Gly Asp Gly Gly Val His Ser Ser Ala Thr Ser Ala Ala
 85 90 95
 gag gcc gag cag cac agg gcc gag cta aag gta cag ctg gtg cag atg 336
 Glu Ala Glu Gln His Arg Ala Glu Leu Lys Val Gln Leu Val Gln Met
 100 105 110
 aga aac cag ctg gcc gag atg aac agg aag gcc ccc gga aag ccg gca 384
 Arg Asn Gln Leu Ala Glu Met Asn Arg Lys Ala Pro Gly Lys Pro Ala
 115 120 125
 cgg aaa aag gcc gca ggc aag act gca cgg aga aag agc ggc aag aag 432
 Arg Lys Lys Ala Ala Gly Lys Thr Ala Arg Arg Lys Ser Gly Lys Lys
 130 135 140

acg gtg cgc agg aag acc ggc aag agg act gcc ggt aag aag gcc ggg Thr Val Arg Arg Lys Thr Gly Lys Arg Thr Ala Gly Lys Lys Ala Gly 145 150 155 160	480
gcg cgg agg aag act acg gtc aag agg acg gcg cgg agg aag acc acg Ala Arg Arg Lys Thr Thr Val Lys Arg Thr Ala Arg Arg Lys Thr Thr 165 170 175	528
gca aag aag gca gcc ggc aga aag gcc ggg gcg cgc aga aag gcc aca Ala Lys Lys Ala Ala Gly Arg Lys Ala Gly Ala Arg Arg Lys Ala Thr 180 185 190	576
gtc aag agg acg gtg cac aaa aag att gga gtg cgg agg aag act acg Val Lys Arg Thr Val His Lys Lys Ile Gly Val Arg Arg Lys Thr Thr 195 200 205	624
gca agg agg acg gcc ggt aag agt acg gtg cgc agg aag agc aca gtc Ala Arg Arg Thr Ala Gly Lys Ser Thr Val Arg Arg Lys Ser Thr Val 210 215 220	672
aag agg acg gtg cac agg aag acc ggc aag aag gca gta gta cgc agg Lys Arg Thr Val His Arg Lys Thr Gly Lys Lys Ala Val Val Arg Arg 225 230 235 240	720
aag agc aca gtc aag agg acg gca cgg agg ccg gcc ggc aga aag acc Lys Ser Thr Val Lys Arg Thr Ala Arg Arg Pro Ala Gly Arg Lys Thr 245 250 255	768
ccc gga agg gcc gcg cgc agg gcc ggc gca aag agg cgc tag Pro Gly Arg Ala Ala Arg Arg Ala Gly Ala Lys Arg Arg *	810
260 265	
cctgctgat	819
<210> 6	
<211> 269	
<212> PRT	
<213> Cenarchaeum symbiosum	
<400> 6	
Met His Gly Ile Glu Gly Gly Arg Gly Asp Met Ser Glu Asn Phe Val 1 5 10 15	
Ala Phe Cys Val Ala Cys Ala Arg Gly Val Thr Lys Asp Glu Met Lys 20 25 30	
Tyr Val Asp Gly Arg Val Phe His Lys Glu Cys His Ala Arg His Gly 35 40 45	
Gly Gln Ile Arg Phe Pro Asn Pro Glu Val Glu Gln Arg Val Ala Glu 50 55 60	
Leu Lys Val Asp Leu Ile Gln Met Arg Asn Gln Leu Ala Glu Met Asn 65 70 75 80	
Arg Ala Ser Gly Asp Gly Gly Val His Ser Ser Ala Thr Ser Ala Ala 85 90 95	
Glu Ala Glu Gln His Arg Ala Glu Leu Lys Val Gln Leu Val Gln Met 100 105 110	
Arg Asn Gln Leu Ala Glu Met Asn Arg Lys Ala Pro Gly Lys Pro Ala 115 120 125	
Arg Lys Lys Ala Ala Gly Lys Thr Ala Arg Arg Lys Ser Gly Lys Lys	

130 135 140
 Thr Val Arg Arg Lys Thr Gly Lys Arg Thr Ala Gly Lys Lys Ala Gly
 145 150 155 160
 Ala Arg Arg Lys Thr Thr Val Lys Arg Thr Ala Arg Arg Lys Thr Thr
 165 170 175
 Ala Lys Lys Ala Ala Gly Arg Lys Ala Gly Ala Arg Arg Lys Ala Thr
 180 185 190
 Val Lys Arg Thr Val His Lys Lys Ile Gly Val Arg Arg Lys Thr Thr
 195 200 205
 Ala Arg Arg Thr Ala Gly Lys Ser Thr Val Arg Arg Lys Ser Thr Val
 210 215 220
 Lys Arg Thr Val His Arg Lys Thr Gly Lys Lys Ala Val Val Arg Arg
 225 230 235 240
 Lys Ser Thr Val Lys Arg Thr Ala Arg Arg Pro Ala Gly Arg Lys Thr
 245 250 255
 Pro Gly Arg Ala Ala Arg Arg Ala Gly Ala Lys Arg Arg
 260 265

<210> 7
 <211> 1569
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)... (1569)

<400> 7
 atg cag tcg ctt gga cgg cta gac gag gcg tgc gcg gag ata tcg cgc 48
 Met Gln Ser Leu Gly Arg Leu Asp Glu Ala Cys Ala Glu Ile Ser Arg
 1 5 10 15

 agc ctg ctt gaa tac gag tcc ccc acc gcc ggt gat gtc cgg acg gag 96
 Ser Leu Leu Glu Tyr Glu Ser Pro Thr Ala Gly Asp Val Arg Thr Glu
 20 25 30

 atc aga agg gca tgc aca aag tac tcg ctc cgg agg atc cca aag aac 144
 Ile Arg Arg Ala Cys Thr Lys Tyr Ser Leu Arg Arg Ile Pro Lys Asn
 35 40 45

 cgc gag ata ctg gcc acc gcc agg ggt cag gac ttt gac agg ctg cgc 192
 Arg Glu Ile Leu Ala Thr Ala Arg Gly Gln Asp Phe Asp Arg Leu Arg
 50 55 60

 ccc ctg ctg ctc aaa aag ccc gta aag acc gca tcc ggg gtg gcc gtg 240
 Pro Leu Leu Leu Lys Lys Pro Val Lys Thr Ala Ser Gly Val Ala Val
 65 70 75 80

 ata gca gtc atg ccc atg ccg tac gcg tgc ccc cac ggc aga tgc aca 288
 Ile Ala Val Met Pro Met Pro Tyr Ala Cys Pro His Gly Arg Cys Thr
 85 90 95

 tac tgc ccc ggc ggg gag gcg tcg aac aca ccc aac agc tat acc ggc 336
 Tyr Cys Pro Gly Gly Glu Ala Ser Asn Thr Pro Asn Ser Tyr Thr Gly
 100 105 110

 ggc gag ccc ata gcg gcg ggc gcc atg aac agc ggg tac gac ccg gaa 384
 Gly Glu Pro Ile Ala Ala Gly Ala Met Asn Ser Gly Tyr Asp Pro Glu

115	120	125	
gag cag gtc cgc gcg ggt ctg gcc cgg ctg cgc gcg cac ggc cac gat Glu Gln Val Arg Ala Gly Leu Ala Arg Leu Arg Ala His Gly His Asp 130 135 140			432
gta gcc aag ctg gag ata gta ata gtg ggc ggc aca ttc ctg ttc atg Val Ala Lys Leu Glu Ile Val Ile Val Gly Gly Thr Phe Leu Phe Met 145 150 155 160			480
ccg cag gag tac cag gag tgg ttc gtc aag tcc tgt tat gac gcg ctc Pro Gln Glu Tyr Gln Glu Trp Phe Val Lys Ser Cys Tyr Asp Ala Leu 165 170 175			528
aac ggg tcc gct tcc gcg ggg atg gag gag gcc aag cac cga aat gaa Asn Gly Ser Ala Ser Ala Gly Met Glu Glu Ala Lys His Arg Asn Glu 180 185 190			576
act gcc gtg cac aga aac gtg ggc ctc acc ata gag acc aag ccg gac Thr Ala Val His Arg Asn Val Gly Leu Thr Ile Glu Thr Lys Pro Asp 195 200 205			624
tat tgc agg aca gag cat gtg gac gcg atg ctc ggc ttt ggg gcc acg Tyr Cys Arg Thr Glu His Val Asp Ala Met Leu Gly Phe Gly Ala Thr 210 215 220			672
cgc gtg gag ata ggc gtg cag agc ctc cgg gag gag gtc tac ttg agg Arg Val Glu Ile Gly Val Gln Ser Leu Arg Glu Glu Val Tyr Leu Arg 225 230 235 240			720
gtc aac cgg ggg cac ggc tac cag gat gtg aca gag tcg ttt gcc gcc Val Asn Arg Gly His Gly Tyr Gln Asp Val Thr Glu Ser Phe Ala Ala 245 250 255			768
gcc agg gat gca ggc tac aag gtg gct gcc cac atg atg cca gga ctc Ala Arg Asp Ala Gly Tyr Lys Val Ala Ala His Met Met Pro Gly Leu 260 265 270			816
ccg ggg gcc acc ccg gaa ggc gac atc gag gat ctg cgc atg ctg ttt Pro Gly Ala Thr Pro Glu Gly Asp Ile Glu Asp Leu Arg Met Leu Phe 275 280 285			864
gag gat ccc gcg ctc agg ccg gac atg ctc aag gtg tac ccc gcg cta Glu Asp Pro Ala Leu Arg Pro Asp Met Leu Lys Val Tyr Pro Ala Leu 290 295 300			912
gta gta agg ggc acc ccc atg tat gag gag tat tcg agg ggc gag tat Val Val Arg Gly Thr Pro Met Tyr Glu Glu Tyr Ser Arg Gly Glu Tyr 305 310 315 320			960
tcc ccg tat acg gaa gag gag gtc atc cgg gtg ctc tcc gag gcc aag Ser Pro Tyr Thr Glu Glu Glu Val Ile Arg Val Leu Ser Glu Ala Lys 325 330 335			1008
gcg cgc gtg ccc agg tgg gcg agg ata atg cgc gtg cag cgc gag ata Ala Arg Val Pro Arg Trp Ala Arg Ile Met Arg Val Gln Arg Glu Ile 340 345 350			1056

cac ccc gac gag ata gtg gcc ggg ccg agg agc ggc aac ctc cgc cag 1104
 His Pro Asp Glu Ile Val Ala Gly Pro Arg Ser Gly Asn Leu Arg Gln
 355 360 365

ctg gtg cac aag agg ctc caa gag cag ggc cgc cga tgc cgc tgc ata 1152
 Leu Val His Lys Arg Leu Gln Glu Gln Gly Arg Arg Cys Arg Cys Ile
 370 375 380

cgg tgc agg gag gcg ggg ctc gcg ggg agg acc gtg ccg cag aag ctc 1200
 Arg Cys Arg Glu Ala Gly Leu Ala Gly Arg Thr Val Pro Gln Lys Leu
 385 390 395 400

cgt att gac agg gcg gac tat tcg gcc tcg ggg ggg aga gaa tcg ttt 1248
 Arg Ile Asp Arg Ala Asp Tyr Ser Ala Ser Gly Gly Arg Glu Ser Phe
 405 410 415

atc tcg ctt gta gac ggg gat gat gcc atc tat ggc ttt gtg cgc ctg 1296
 Ile Ser Leu Val Asp Gly Asp Asp Ala Ile Tyr Gly Phe Val Arg Leu
 420 425 430

cgc aag ccc tcc gga gca gca cac agg ccg gag gtc aca ccg gaa tcc 1344
 Arg Lys Pro Ser Gly Ala Ala His Arg Pro Glu Val Thr Pro Glu Ser
 435 440 445

tgc ata ata cgc gag ctg cac gta tac ggc agg tcg ctt ggc ctc ggc 1392
 Cys Ile Ile Arg Glu Leu His Val Tyr Gly Arg Ser Leu Gly Leu Gly
 450 455 460

gag agg ggc ggc ata cag cac tcg ggt cta ggc aga agg ctc gtc tca 1440
 Glu Arg Gly Gly Ile Gln His Ser Gly Leu Gly Arg Arg Leu Val Ser
 465 470 475 480

gaa gca gag tct gcc gcc cgt gag ctt ggc gcg ggc agg ctc ctt gtg 1488
 Glu Ala Glu Ser Ala Ala Arg Glu Leu Gly Ala Gly Arg Leu Leu Val
 485 490 495

ata agc gcc gtc ggg aca agg ggt tac tat cgc agg ctc gga tat tca 1536
 Ile Ser Ala Val Gly Thr Arg Gly Tyr Tyr Arg Arg Leu Gly Tyr Ser
 500 505 510

cgc acg ggc ccc tac atg ggg aag gtg ctc tga 1569
 Arg Thr Gly Pro Tyr Met Gly Lys Val Leu *
 515 520

<210> 8

<211> 522

<212> PRT

<213> Cenarchaeum symbiosum

<400> 8

Met Gln Ser Leu Gly Arg Leu Asp Glu Ala Cys Ala Glu Ile Ser Arg
 1 5 10 15
 Ser Leu Leu Glu Tyr Glu Ser Pro Thr Ala Gly Asp Val Arg Thr Glu
 20 25 30
 Ile Arg Arg Ala Cys Thr Lys Tyr Ser Leu Arg Arg Ile Pro Lys Asn
 35 40 45
 Arg Glu Ile Leu Ala Thr Ala Arg Gly Gln Asp Phe Asp Arg Leu Arg
 50 55 60

Pro Leu Leu Leu Lys Lys Pro Val Lys Thr Ala Ser Gly Val Ala Val
 65 70 75 80
 Ile Ala Val Met Pro Met Pro Tyr Ala Cys Pro His Gly Arg Cys Thr
 85 90 95
 Tyr Cys Pro Gly Gly Glu Ala Ser Asn Thr Pro Asn Ser Tyr Thr Gly
 100 105 110
 Gly Glu Pro Ile Ala Ala Gly Ala Met Asn Ser Gly Tyr Asp Pro Glu
 115 120 125
 Glu Gln Val Arg Ala Gly Leu Ala Arg Leu Arg Ala His Gly His Asp
 130 135 140
 Val Ala Lys Leu Glu Ile Val Ile Val Gly Gly Thr Phe Leu Phe Met
 145 150 155 160
 Pro Gln Glu Tyr Gln Glu Trp Phe Val Lys Ser Cys Tyr Asp Ala Leu
 165 170 175
 Asn Gly Ser Ala Ser Ala Gly Met Glu Glu Ala Lys His Arg Asn Glu
 180 185 190
 Thr Ala Val His Arg Asn Val Gly Leu Thr Ile Glu Thr Lys Pro Asp
 195 200 205
 Tyr Cys Arg Thr Glu His Val Asp Ala Met Leu Gly Phe Gly Ala Thr
 210 215 220
 Arg Val Glu Ile Gly Val Gln Ser Leu Arg Glu Glu Val Tyr Leu Arg
 225 230 235 240
 Val Asn Arg Gly His Gly Tyr Gln Asp Val Thr Glu Ser Phe Ala Ala
 245 250 255
 Ala Arg Asp Ala Gly Tyr Lys Val Ala Ala His Met Met Pro Gly Leu
 260 265 270
 Pro Gly Ala Thr Pro Glu Gly Asp Ile Glu Asp Leu Arg Met Leu Phe
 275 280 285
 Glu Asp Pro Ala Leu Arg Pro Asp Met Leu Lys Val Tyr Pro Ala Leu
 290 295 300
 Val Val Arg Gly Thr Pro Met Tyr Glu Glu Tyr Ser Arg Gly Glu Tyr
 305 310 315 320
 Ser Pro Tyr Thr Glu Glu Glu Val Ile Arg Val Leu Ser Glu Ala Lys
 325 330 335
 Ala Arg Val Pro Arg Trp Ala Arg Ile Met Arg Val Gln Arg Glu Ile
 340 345 350
 His Pro Asp Glu Ile Val Ala Gly Pro Arg Ser Gly Asn Leu Arg Gln
 355 360 365
 Leu Val His Lys Arg Leu Gln Glu Gln Gly Arg Arg Cys Arg Cys Ile
 370 375 380
 Arg Cys Arg Glu Ala Gly Leu Ala Gly Arg Thr Val Pro Gln Lys Leu
 385 390 395 400
 Arg Ile Asp Arg Ala Asp Tyr Ser Ala Ser Gly Gly Arg Glu Ser Phe
 405 410 415
 Ile Ser Leu Val Asp Gly Asp Asp Ala Ile Tyr Gly Phe Val Arg Leu
 420 425 430
 Arg Lys Pro Ser Gly Ala Ala His Arg Pro Glu Val Thr Pro Glu Ser
 435 440 445
 Cys Ile Ile Arg Glu Leu His Val Tyr Gly Arg Ser Leu Gly Leu Gly
 450 455 460
 Glu Arg Gly Gly Ile Gln His Ser Gly Leu Gly Arg Arg Leu Val Ser
 465 470 475 480
 Glu Ala Glu Ser Ala Ala Arg Glu Leu Gly Ala Gly Arg Leu Leu Val
 485 490 495
 Ile Ser Ala Val Gly Thr Arg Gly Tyr Tyr Arg Arg Leu Gly Tyr Ser
 500 505 510
 Arg Thr Gly Pro Tyr Met Gly Lys Val Leu
 515 520

<210> 9
 <211> 1575
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)...(1575)

<400> 9
 atg gag acg ata ggc cgc ggc acc tgg ata gac aag ctg gcg cat gaa 48
 Met Glu Thr Ile Gly Arg Gly Thr Trp Ile Asp Lys Leu Ala His Glu
 1 5 10 15
 ctg gta gag cgc gaa gag gcc ctc ggc cgg gat aca gag atg ata aac 96
 Leu Val Glu Arg Glu Glu Ala Leu Gly Arg Asp Thr Glu Met Ile Asn
 20 25 30
 gtc gag agc ggc ctt ggc gcg tcc ggg ata ccc cac atg ggg agc ctc 144
 Val Glu Ser Gly Leu Gly Ala Ser Gly Ile Pro His Met Gly Ser Leu
 35 40 45
 ggg gat gca gtc agg gcg tac ggc gtg ggg ctc gcc gtc ggc gac atg 192
 Gly Asp Ala Val Arg Ala Tyr Gly Val Gly Leu Ala Val Gly Asp Met
 50 55 60
 ggg cac agc ttc cgg ctc ata gcg tac ttt gac gac ctc gac ggg ctc 240
 Gly His Ser Phe Arg Leu Ile Ala Tyr Phe Asp Asp Leu Asp Gly Leu
 65 70 75 80
 cgc aag gtc ccc gag ggc atg cca tcc tcg cta gaa gag cac ata gcc 288
 Arg Lys Val Pro Glu Gly Met Pro Ser Ser Leu Glu Glu His Ile Ala
 85 90 95
 cgt ccc gtc tcg gcg ata ccc gac ccc tac ggg tgc cac gat tcc tac 336
 Arg Pro Val Ser Ala Ile Pro Asp Pro Tyr Gly Cys His Asp Ser Tyr
 100 105 110
 ggc atg cac atg agc ggc ctg ctg cta gag ggg ctc gac gca ctg ggc 384
 Gly Met His Met Ser Gly Leu Leu Leu Glu Gly Leu Asp Ala Leu Gly
 115 120 125
 ata gag tat gac ttt agg cgg gca agg gac acg tac cgc gac ggc ctg 432
 Ile Glu Tyr Asp Phe Arg Arg Ala Arg Asp Thr Tyr Arg Asp Gly Leu
 130 135 140
 ctc gca gaa cag atc cac agg ata cta tcg aac agc tcg gta ata ggg 480
 Leu Ala Glu Gln Ile His Arg Ile Leu Ser Asn Ser Ser Val Ile Gly
 145 150 155 160
 gag aag ata gcc gag atg gtg ggc cag gaa aag ttt cgc agc agc ctg 528
 Glu Lys Ile Ala Glu Met Val Gly Gln Glu Lys Phe Arg Ser Ser Leu
 165 170 175
 ccg tac ttt gca gtc tgt gaa cag tgc ggg aag atg tac acg gcc gag 576
 Pro Tyr Phe Ala Val Cys Glu Gln Cys Gly Lys Met Tyr Thr Ala Glu
 180 185 190

tcc gtt gaa tac ctg gca gac agc cgc aag gtg cgg tac agg tgc ggc	624
Ser Val Glu Tyr Leu Ala Asp Ser Arg Lys Val Arg Tyr Arg Cys Gly	
195 200 205	
gac gcc gag gta ggc gga aga aag atc gcc ggc tgc ggg cac gag ggc	672
Asp Ala Glu Val Gly Gly Arg Lys Ile Ala Gly Cys Gly His Glu Gly	
210 215 220	
gag gcg gac acg ggc gga gcc ggc ggc aag ctc gcc tgg aag gtg gag	720
Glu Ala Asp Thr Gly Gly Ala Gly Gly Lys Leu Ala Trp Lys Val Glu	
225 230 235 240	
ttt gcc gca agg tgg cag gcg ttt gat gta cgc ttt gag gca tac ggc	768
Phe Ala Ala Arg Trp Gln Ala Phe Asp Val Arg Phe Glu Ala Tyr Gly	
245 250 255	
aag gac atc atg gac tct gta agg ata aac gac tgg gtc tcc gac gag	816
Lys Asp Ile Met Asp Ser Val Arg Ile Asn Asp Trp Val Ser Asp Glu	
260 265 270	
ata cta tcc agc ccg cac ccc cac cat aca agg tac gag atg ttc ctc	864
Ile Leu Ser Ser Pro His Pro His His Thr Arg Tyr Glu Met Phe Leu	
275 280 285	
gac aag ggc ggc aaa aag ata tca aag tcg tca gga aac gtg gtc acg	912
Asp Lys Gly Gly Lys Lys Ile Ser Lys Ser Ser Gly Asn Val Val Thr	
290 295 300	
ccg cag aaa tgg ctc agg tac ggc acc ccc cag tcg ata ctg ctc ctc	960
Pro Gln Lys Trp Leu Arg Tyr Gly Thr Pro Gln Ser Ile Leu Leu Leu	
305 310 315 320	
atg tac aag cgc atc acg ggg gcg cgg gag ctt ggc ctc gag gat gtg	1008
Met Tyr Lys Arg Ile Thr Gly Ala Arg Glu Leu Gly Leu Glu Asp Val	
325 330 335	
cca tcc ctg atg gac gag tac ggc gat ctt cag cgc gag tac ttt gcg	1056
Pro Ser Leu Met Asp Glu Tyr Gly Asp Leu Gln Arg Glu Tyr Phe Ala	
340 345 350	
gga ggg ggc agg ggc ggg aaa gcc cgc gag gcc aag aac agg ggg cta	1104
Gly Gly Gly Arg Gly Gly Lys Ala Arg Glu Ala Lys Asn Arg Gly Leu	
355 360 365	
ttc gag tat acg aac ctg ctg gag gca cag gag ggg ccg cgg ccg cat	1152
Phe Glu Tyr Thr Asn Leu Leu Glu Ala Gln Glu Gly Pro Arg Pro His	
370 375 380	
gcg ggc tac cgg ctg cta gtc gag ctc tcc agg ctg ttc agg gag aat	1200
Ala Gly Tyr Arg Leu Leu Val Glu Leu Ser Arg Leu Phe Arg Glu Asn	
385 390 395 400	
agg acc gag cgc gtc aca aaa aag ctc gtc gag tac ggg gta att gac	1248
Arg Thr Glu Arg Val Thr Lys Lys Leu Val Glu Tyr Gly Val Ile Asp	
405 410 415	
ggg ccc tcg ccc ggg atc gag cgg ctc ata gca ctg gcc gga aac tat	1296

Gly Pro Ser Pro Gly Ile Glu Arg Leu Ile Ala Leu Ala Gly Asn Tyr
 420 425 430

gca gac gac atg tat tct gcc gag aga aca gag gtg gag ctt gac ggg 1344
 Ala Asp Asp Met Tyr Ser Ala Glu Arg Thr Glu Val Glu Leu Asp Gly
 435 440 445

gcc aca agg ggg gcc ctc tcg gag ctg gca gaa atg ctc ggt tcc gcc 1392
 Ala Thr Arg Gly Ala Leu Ser Glu Leu Ala Glu Met Leu Gly Ser Ala
 450 455 460

ccg gag ggc gga ctg cag gat gtc ata tac ggc gtg gcc aag tcc cac 1440
 Pro Glu Gly Gly Leu Gln Asp Val Ile Tyr Gly Val Ala Lys Ser His
 465 470 475 480

ggg gtg ccc ccg cgc gac ttt ttc aag gcg ctg tac agg ata ata ctg 1488
 Gly Val Pro Pro Arg Asp Phe Phe Lys Ala Leu Tyr Arg Ile Ile Leu
 485 490 495

gat gca tcc agc ggg ccg agg ata ggc ccc ttc ata gag gac ata ggc 1536
 Asp Ala Ser Ser Gly Pro Arg Ile Gly Pro Phe Ile Glu Asp Ile Gly
 500 505 510

agg gag aag gtg gca ggt atg ata cgg ggg cgc ctc tga 1575
 Arg Glu Lys Val Ala Gly Met Ile Arg Gly Arg Leu *
 515 520

<210> 10

<211> 524

<212> PRT

<213> Cenarchaeum symbiosum

<400> 10

Met Glu Thr Ile Gly Arg Gly Thr Trp Ile Asp Lys Leu Ala His Glu
 1 5 10 15

Leu Val Glu Arg Glu Glu Ala Leu Gly Arg Asp Thr Glu Met Ile Asn
 20 25 30

Val Glu Ser Gly Leu Gly Ala Ser Gly Ile Pro His Met Gly Ser Leu
 35 40 45

Gly Asp Ala Val Arg Ala Tyr Gly Val Gly Leu Ala Val Gly Asp Met
 50 55 60

Gly His Ser Phe Arg Leu Ile Ala Tyr Phe Asp Asp Leu Asp Gly Leu
 65 70 75 80

Arg Lys Val Pro Glu Gly Met Pro Ser Ser Leu Glu Glu His Ile Ala
 85 90 95

Arg Pro Val Ser Ala Ile Pro Asp Pro Tyr Gly Cys His Asp Ser Tyr
 100 105 110

Gly Met His Met Ser Gly Leu Leu Leu Glu Gly Leu Asp Ala Leu Gly
 115 120 125

Ile Glu Tyr Asp Phe Arg Arg Ala Arg Asp Thr Tyr Arg Asp Gly Leu
 130 135 140

Leu Ala Glu Gln Ile His Arg Ile Leu Ser Asn Ser Ser Val Ile Gly
 145 150 155 160

Glu Lys Ile Ala Glu Met Val Gly Gln Glu Lys Phe Arg Ser Ser Leu
 165 170 175

Pro Tyr Phe Ala Val Cys Glu Gln Cys Gly Lys Met Tyr Thr Ala Glu
 180 185 190

Ser Val Glu Tyr Leu Ala Asp Ser Arg Lys Val Arg Tyr Arg Cys Gly

195 200 205
 Asp Ala Glu Val Gly Gly Arg Lys Ile Ala Gly Cys Gly His Glu Gly
 210 215 220
 Glu Ala Asp Thr Gly Gly Ala Gly Gly Lys Leu Ala Trp Lys Val Glu
 225 230 235 240
 Phe Ala Ala Arg Trp Gln Ala Phe Asp Val Arg Phe Glu Ala Tyr Gly
 245 250 255
 Lys Asp Ile Met Asp Ser Val Arg Ile Asn Asp Trp Val Ser Asp Glu
 260 265 270
 Ile Leu Ser Ser Pro His Pro His Thr Arg Tyr Glu Met Phe Leu
 275 280 285
 Asp Lys Gly Gly Lys Lys Ile Ser Lys Ser Ser Gly Asn Val Val Thr
 290 295 300
 Pro Gln Lys Trp Leu Arg Tyr Gly Thr Pro Gln Ser Ile Leu Leu Leu
 305 310 315 320
 Met Tyr Lys Arg Ile Thr Gly Ala Arg Glu Leu Gly Leu Glu Asp Val
 325 330 335
 Pro Ser Leu Met Asp Glu Tyr Gly Asp Leu Gln Arg Glu Tyr Phe Ala
 340 345 350
 Gly Gly Gly Arg Gly Gly Lys Ala Arg Glu Ala Lys Asn Arg Gly Leu
 355 360 365
 Phe Glu Tyr Thr Asn Leu Leu Glu Ala Gln Glu Gly Pro Arg Pro His
 370 375 380
 Ala Gly Tyr Arg Leu Leu Val Glu Leu Ser Arg Leu Phe Arg Glu Asn
 385 390 395 400
 Arg Thr Glu Arg Val Thr Lys Lys Leu Val Glu Tyr Gly Val Ile Asp
 405 410 415
 Gly Pro Ser Pro Gly Ile Glu Arg Leu Ile Ala Leu Ala Gly Asn Tyr
 420 425 430
 Ala Asp Asp Met Tyr Ser Ala Glu Arg Thr Glu Val Glu Leu Asp Gly
 435 440 445
 Ala Thr Arg Gly Ala Leu Ser Glu Leu Ala Glu Met Leu Gly Ser Ala
 450 455 460
 Pro Glu Gly Gly Leu Gln Asp Val Ile Tyr Gly Val Ala Lys Ser His
 465 470 475 480
 Gly Val Pro Pro Arg Asp Phe Phe Lys Ala Leu Tyr Arg Ile Ile Leu
 485 490 495
 Asp Ala Ser Ser Gly Pro Arg Ile Gly Pro Phe Ile Glu Asp Ile Gly
 500 505 510
 Arg Glu Lys Val Ala Gly Met Ile Arg Gly Arg Leu
 515 520

<210> 11

<211> 885

<212> DNA

<213> Cenarchaeum sybiosum

<220>

<221> CDS

<222> (1)... (885)

<400> 11

atg gag tca gcc ggt gag cag gca cct ggt gtg gta ctt cac gac tat
 Met Glu Ser Ala Gly Glu Gln Ala Pro Gly Val Val Leu His Asp Tyr
 1 5 10 15

48

ctt tca aaa ttg caa cag tat tcg ggg agg gac aca att cta tat gcg
 Leu Ser Lys Leu Gln Gln Tyr Ser Gly Arg Asp Thr Ile Leu Tyr Ala

96

20	25	30	
acc aac tgg atg acg gac gaa ccg cat acg cct aat gaa gct ctc ata			144
Thr Asn Trp Met Thr Asp Glu Pro His Thr Pro Asn Glu Ala Leu Ile			
35	40	45	
aca aat ggt gac ctg tat gga ttt atg agg atg atg cgt gat tta aag			192
Thr Asn Gly Asp Leu Tyr Gly Phe Met Arg Met Met Arg Asp Leu Lys			
50	55	60	
act aaa aaa ttg gat ctg ata ctc cac agt cct gga ggt tct gcc gag			240
Thr Lys Lys Leu Asp Leu Ile Leu His Ser Pro Gly Gly Ser Ala Glu			
65	70	75	80
tct gca gaa tcg att gtc aca tac ctt cat gcg aaa tat gat gat att			288
Ser Ala Glu Ser Ile Val Thr Tyr Leu His Ala Lys Tyr Asp Asp Ile			
85	90	95	
cgg gtc atc ata ccg tat gcc gca atg tca gca gcc tcg atg ctt gct			336
Arg Val Ile Ile Pro Tyr Ala Ala Met Ser Ala Ala Ser Met Leu Ala			
100	105	110	
tgc gca tca aat tcc ctg gta atg ggc aaa cac tcg tct ata gga ccc			384
Cys Ala Ser Asn Ser Leu Val Met Gly Lys His Ser Ser Ile Gly Pro			
115	120	125	
gct gat ccc caa ttt att ttc cca acc aag att ggc atg caa ata atg			432
Ala Asp Pro Gln Phe Ile Phe Pro Thr Lys Ile Gly Met Gln Ile Met			
130	135	140	
tct gca cag ctt cta att gac gag ttg caa gaa gtg cag gtg gta tct			480
Ser Ala Gln Leu Leu Ile Asp Glu Leu Gln Glu Val Gln Val Val Ser			
145	150	155	160
gaa aaa cat ccg ggc agg ctt ggc gca tgg ctt cca ttg tta gga caa			528
Glu Lys His Pro Gly Arg Leu Gly Ala Trp Leu Pro Leu Leu Gly Gln			
165	170	175	
tat cct cct gga ctg gtt caa aaa tgc att agc agc cag aaa cta gct			576
Tyr Pro Pro Gly Leu Val Gln Lys Cys Ile Ser Ser Gln Lys Leu Ala			
180	185	190	
gaa gtg ctt gta caa aaa tgg ctg gaa gac cac atg ttt gct ggc gag			624
Glu Val Leu Val Gln Lys Trp Leu Glu Asp His Met Phe Ala Gly Glu			
195	200	205	
tct gat gcg gca gaa aaa tca aaa aaa ata tct gga atg tta gct tct			672
Ser Asp Ala Ala Glu Lys Ser Lys Lys Ile Ser Gly Met Leu Ala Ser			
210	215	220	
cct gga aaa tat tac agt cat ggg aga tac ata tcg cga gag gag tgt			720
Pro Gly Lys Tyr Tyr Ser His Gly Arg Tyr Ile Ser Arg Glu Glu Cys			
225	230	235	240
agg ggc atc ggt ttg aaa ata act gat cta gaa gcc gac caa gaa ttt			768
Arg Gly Ile Gly Leu Lys Ile Thr Asp Leu Glu Ala Asp Gln Glu Phe			
245	250	255	

cag gat ctg aca ttg tcg gta tct cat gca gcg gat atc ctg tct caa 816
 Gln Asp Leu Thr Leu Ser Val Ser His Ala Ala Asp Ile Leu Ser Gln
 260 265 270

ttt act cca atc aac aaa atc atc gcg aat cac ctc ggt aat tca gtt 864
 Phe Thr Pro Ile Asn Lys Ile Ile Ala Asn His Leu Gly Asn Ser Val
 275 280 285

atc agc aaa cca tca aca tag 885
 Ile Ser Lys Pro Ser Thr *
 290

<210> 12

<211> 294

<212> PRT

<213> Cenarchaeum sybiosum

<400> 12

Met Glu Ser Ala Gly Glu Gln Ala Pro Gly Val Val Leu His Asp Tyr
 1 5 10 15
 Leu Ser Lys Leu Gln Gln Tyr Ser Gly Arg Asp Thr Ile Leu Tyr Ala
 20 25 30
 Thr Asn Trp Met Thr Asp Glu Pro His Thr Pro Asn Glu Ala Leu Ile
 35 40 45
 Thr Asn Gly Asp Leu Tyr Gly Phe Met Arg Met Met Arg Asp Leu Lys
 50 55 60
 Thr Lys Lys Leu Asp Leu Ile Leu His Ser Pro Gly Gly Ser Ala Glu
 65 70 75 80
 Ser Ala Glu Ser Ile Val Thr Tyr Leu His Ala Lys Tyr Asp Asp Ile
 85 90 95
 Arg Val Ile Ile Pro Tyr Ala Ala Met Ser Ala Ala Ser Met Leu Ala
 100 105 110
 Cys Ala Ser Asn Ser Leu Val Met Gly Lys His Ser Ser Ile Gly Pro
 115 120 125
 Ala Asp Pro Gln Phe Ile Phe Pro Thr Lys Ile Gly Met Gln Ile Met
 130 135 140
 Ser Ala Gln Leu Leu Ile Asp Glu Leu Gln Glu Val Gln Val Val Ser
 145 150 155 160
 Glu Lys His Pro Gly Arg Leu Gly Ala Trp Leu Pro Leu Leu Gly Gln
 165 170 175
 Tyr Pro Pro Gly Leu Val Gln Lys Cys Ile Ser Ser Gln Lys Leu Ala
 180 185 190
 Glu Val Leu Val Gln Lys Trp Leu Glu Asp His Met Phe Ala Gly Glu
 195 200 205
 Ser Asp Ala Ala Glu Lys Ser Lys Lys Ile Ser Gly Met Leu Ala Ser
 210 215 220
 Pro Gly Lys Tyr Tyr Ser His Gly Arg Tyr Ile Ser Arg Glu Glu Cys
 225 230 235 240
 Arg Gly Ile Gly Leu Lys Ile Thr Asp Leu Glu Ala Asp Gln Glu Phe
 245 250 255
 Gln Asp Leu Thr Leu Ser Val Ser His Ala Ala Asp Ile Leu Ser Gln
 260 265 270
 Phe Thr Pro Ile Asn Lys Ile Ile Ala Asn His Leu Gly Asn Ser Val
 275 280 285
 Ile Ser Lys Pro Ser Thr
 290

<210> 13

<211> 1305
 <212> DNA
 <213> *Cenarchaem symbiosum*

<220>
 <221> CDS
 <222> (1) ... (1305)

<400> 13

gtg gat cta gag cgc gag tac agg gca aag acc agg ggc tcg gcg ggg	48
Met Asp Leu Glu Arg Glu Tyr Arg Ala Lys Thr Arg Gly Ser Ala Gly	
1 5 10 15	
ata ttt gcc cgg tcg aga agg tac cat gta ggg ggg gtc agc cac aac	96
Ile Phe Ala Arg Ser Arg Arg Tyr His Val Gly Gly Val Ser His Asn	
20 25 30	
ata agg tac tat gag ccg tac ccg ttt gtt aca agg tcg gcg cgc ggc	144
Ile Arg Tyr Tyr Glu Pro Tyr Pro Phe Val Thr Arg Ser Ala Arg Gly	
35 40 45	
aag cac ctt gtg gac gtc gac ggg aac aag tat acc gac tat tgg atg	192
Lys His Leu Val Asp Val Asp Gly Asn Lys Tyr Thr Asp Tyr Trp Met	
50 55 60	
ggg cac tgg agc ctg ata ctc ggc cac gcg ccg gcg caa gta agg tcg	240
Gly His Trp Ser Leu Ile Leu Gly His Ala Pro Ala Gln Val Arg Ser	
65 70 75 80	
gca gtg gag ggg cag ctg cgc cgc ggc tgg ata cac ggg acc gca aac	288
Ala Val Glu Gly Gln Leu Arg Arg Gly Trp Ile His Gly Thr Ala Asn	
85 90 95	
gag ccc acc atg cgg ctc tcg gag atc ata cgc ggg gcg gta aag gcg	336
Glu Pro Thr Met Arg Leu Ser Glu Ile Ile Arg Gly Ala Val Lys Ala	
100 105 110	
gca gag aag ata agg tat gtt aca tcc ggc acg gag gcc gtc atg tat	384
Ala Glu Lys Ile Arg Tyr Val Thr Ser Gly Thr Glu Ala Val Met Tyr	
115 120 125	
gcg gca agg atg gcg cgc gca cgc acg gga aaa aaa gtg ata gca aag	432
Ala Ala Arg Met Ala Arg Ala Arg Thr Gly Lys Lys Val Ile Ala Lys	
130 135 140	
gtc gac ggc ggc tgg cac gga tac gcg tcg ggg ctg cta aag tcg gtc	480
Val Asp Gly Gly Trp His Gly Tyr Ala Ser Gly Leu Leu Lys Ser Val	
145 150 155 160	
aac tgg ccg tac gat gtg ccc gag agc ggg ggg ctc gtc gac gag gag	528
Asn Trp Pro Tyr Asp Val Pro Glu Ser Gly Gly Leu Val Asp Glu Glu	
165 170 175	
cac acc gtg tcc atc ccg tac aac aat ctg gag gga tcc ctg gag gcg	576
His Thr Val Ser Ile Pro Tyr Asn Asn Leu Glu Gly Ser Leu Glu Ala	
180 185 190	
cta agg cgc gca ggg ggc gac ctt gca tgt gtc ata gtc gag ccg atg	624

Leu Arg Arg Ala Gly Gly Asp Leu Ala Cys Val Ile Val Glu Pro Met	
195 200 205	
ctt ggc ggc ggc ggc tgc ata ccg gca gaa ccg gac tat ctc cgc ggc	672
Leu Gly Gly Gly Gly Cys Ile Pro Ala Glu Pro Asp Tyr Leu Arg Gly	
210 215 220	
ata cag gag ttt gtg cat tcg aag ggt gca ctg ttc att ctc gac gag	720
Ile Gln Glu Phe Val His Ser Lys Gly Ala Leu Phe Ile Leu Asp Glu	
225 230 235 240	
ata gtc acg ggg ttc cgg ttc gac ttt ggc tgc gcg tac aag aaa atg	768
Ile Val Thr Gly Phe Arg Phe Asp Phe Gly Cys Ala Tyr Lys Lys Met	
245 250 255	
ggg ctg gac ccc gac gtg gtg gcg ctg gga aag ata gtc ggg ggc gga	816
Gly Leu Asp Pro Asp Val Val Ala Leu Gly Lys Ile Val Gly Gly Gly	
260 265 270	
ttc ccc ata ggt gtg gtg tgc ggc aag gac gag gtg atg tgc atc tcc	864
Phe Pro Ile Gly Val Val Cys Gly Lys Asp Glu Val Met Cys Ile Ser	
275 280 285	
gat acc ggc gcg cat gca aga acc gag agg gcg tac att ggc ggc ggc	912
Asp Thr Gly Ala His Ala Arg Thr Glu Arg Ala Tyr Ile Gly Gly Gly	
290 295 300	
acc ttt tct gca aac ccc gcg acg atg act gcg ggt gcc gcg gca ctc	960
Thr Phe Ser Ala Asn Pro Ala Thr Met Thr Ala Gly Ala Ala Ala Leu	
305 310 315 320	
ggt gca ctc agg gag aga agg ggc aca cta tac ccc aga ata aac tcc	1008
Gly Ala Leu Arg Glu Arg Arg Gly Thr Leu Tyr Pro Arg Ile Asn Ser	
325 330 335	
atg ggg gac gac gca agg gcg cgg ctg tcg agg ata ttc gac ggc agg	1056
Met Gly Asp Asp Ala Arg Ala Arg Leu Ser Arg Ile Phe Asp Gly Arg	
340 345 350	
gtt gca gtg acc ggc agg ggc tcg ctg ttc atg acg cac ttt aca ccg	1104
Val Ala Val Thr Gly Arg Gly Ser Leu Phe Met Thr His Phe Thr Pro	
355 360 365	
gat ggg gcc cgc agg ata tcc agc gcg gca gat gct gcc gcc tgc gat	1152
Asp Gly Ala Arg Arg Ile Ser Ser Ala Ala Asp Ala Ala Cys Asp	
370 375 380	
gtg cat ctg ctg cac agg tac cac ctg gac atg att aca agg gac ggc	1200
Val His Leu Leu His Arg Tyr His Leu Asp Met Ile Thr Arg Asp Gly	
385 390 395 400	
ata ttc ttt ctg cca ggc aag ctg ggg gcc ata tct gcc gcc cac tca	1248
Ile Phe Phe Leu Pro Gly Lys Leu Gly Ala Ile Ser Ala Ala His Ser	
405 410 415	
agg gcg gac ctt ggg gcc atg tat tcg gcg tct gag cgc ttt gcg ggg	1296
Arg Ala Asp Leu Gly Ala Met Tyr Ser Ala Ser Glu Arg Phe Ala Gly	
420 425 430	

gga ctg tga
Gly Leu *

1305

<210> 14
<211> 434
<212> PRT
<213> Cenarchaem symbiosum

<400> 14
Met Asp Leu Glu Arg Glu Tyr Arg Ala Lys Thr Arg Gly Ser Ala Gly
1 5 10 15
Ile Phe Ala Arg Ser Arg Arg Tyr His Val Gly Gly Val Ser His Asn
20 25 30
Ile Arg Tyr Tyr Glu Pro Tyr Pro Phe Val Thr Arg Ser Ala Arg Gly
35 40 45
Lys His Leu Val Asp Val Asp Gly Asn Lys Tyr Thr Asp Tyr Trp Met
50 55 60
Gly His Trp Ser Leu Ile Leu Gly His Ala Pro Ala Gln Val Arg Ser
65 70 75 80
Ala Val Glu Gly Gln Leu Arg Arg Gly Trp Ile His Gly Thr Ala Asn
85 90 95
Glu Pro Thr Met Arg Leu Ser Glu Ile Ile Arg Gly Ala Val Lys Ala
100 105 110
Ala Glu Lys Ile Arg Tyr Val Thr Ser Gly Thr Glu Ala Val Met Tyr
115 120 125
Ala Ala Arg Met Ala Arg Ala Arg Thr Gly Lys Lys Val Ile Ala Lys
130 135 140
Val Asp Gly Gly Trp His Gly Tyr Ala Ser Gly Leu Leu Lys Ser Val
145 150 155 160
Asn Trp Pro Tyr Asp Val Pro Glu Ser Gly Gly Leu Val Asp Glu Glu
165 170 175
His Thr Val Ser Ile Pro Tyr Asn Asn Leu Glu Gly Ser Leu Glu Ala
180 185 190
Leu Arg Arg Ala Gly Gly Asp Leu Ala Cys Val Ile Val Glu Pro Met
195 200 205
Leu Gly Gly Gly Gly Cys Ile Pro Ala Glu Pro Asp Tyr Leu Arg Gly
210 215 220
Ile Gln Glu Phe Val His Ser Lys Gly Ala Leu Phe Ile Leu Asp Glu
225 230 235 240
Ile Val Thr Gly Phe Arg Phe Asp Phe Gly Cys Ala Tyr Lys Lys Met
245 250 255
Gly Leu Asp Pro Asp Val Val Ala Leu Gly Lys Ile Val Gly Gly Gly
260 265 270
Phe Pro Ile Gly Val Val Cys Gly Lys Asp Glu Val Met Cys Ile Ser
275 280 285
Asp Thr Gly Ala His Ala Arg Thr Glu Arg Ala Tyr Ile Gly Gly Gly
290 295 300
Thr Phe Ser Ala Asn Pro Ala Thr Met Thr Ala Gly Ala Ala Ala Leu
305 310 315 320
Gly Ala Leu Arg Glu Arg Arg Gly Thr Leu Tyr Pro Arg Ile Asn Ser
325 330 335
Met Gly Asp Asp Ala Arg Ala Arg Leu Ser Arg Ile Phe Asp Gly Arg
340 345 350
Val Ala Val Thr Gly Arg Gly Ser Leu Phe Met Thr His Phe Thr Pro
355 360 365
Asp Gly Ala Arg Arg Ile Ser Ser Ala Ala Asp Ala Ala Cys Asp
370 375 380

Val His Leu Leu His Arg Tyr His Leu Asp Met Ile Thr Arg Asp Gly
 385 390 395 400
 Ile Phe Phe Leu Pro Gly Lys Leu Gly Ala Ile Ser Ala Ala His Ser
 405 410 415
 Arg Ala Asp Leu Gly Ala Met Tyr Ser Ala Ser Glu Arg Phe Ala Gly
 420 425 430
 Gly Leu

<210> 15

<211> 816

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)... (816)

<400> 15

atg ata ctc ttc ggc aag agc gac ccc tcc gac ctg ctc cgc cag gcc	48
Met Ile Leu Phe Gly Lys Ser Asp Pro Ser Asp Leu Leu Arg Gln Ala	
1 5 10 15	
gat ctt ttg tgc agt ggg aac aag tac aag gcg gca gtg ggc ctg tac	96
Asp Leu Leu Cys Ser Gly Asn Lys Tyr Lys Ala Ala Val Gly Leu Tyr	
20 25 30	
agc agg ata ctc aag gac gac ccg cag aac agg atg gtc ctg cag aga	144
Ser Arg Ile Leu Lys Asp Asp Pro Gln Asn Arg Met Val Leu Gln Arg	
35 40 45	
aag ggc ctc gcc ctc aac agg ata aga agg tac tct gat gcc ata acg	192
Lys Gly Leu Ala Leu Asn Arg Ile Arg Arg Tyr Ser Asp Ala Ile Thr	
50 55 60	
tgc ttt gat ctg ctg ctc gag ctg gat gat ggc gac gcg cct gca tac	240
Cys Phe Asp Leu Leu Leu Glu Leu Asp Asp Gly Asp Ala Pro Ala Tyr	
65 70 75 80	
aac aac aag gcc ata gcc cag gcc gag ctg ggc gat acg gca tcc gcc	288
Asn Asn Lys Ala Ile Ala Gln Ala Glu Leu Gly Asp Thr Ala Ser Ala	
85 90 95	
ctg gag aac tat ggc agg gcc atc gaa gcc agc ccc agg tac gcg ccg	336
Leu Glu Asn Tyr Gly Arg Ala Ile Glu Ala Ser Pro Arg Tyr Ala Pro	
100 105 110	
gcg tac ttt aac agg gcc gtc ctg ctc gac agg ctc ggc gag cac gaa	384
Ala Tyr Phe Asn Arg Ala Val Leu Leu Asp Arg Leu Gly Glu His Glu	
115 120 125	
gac gcg ctg ccg gac ctc gac aag gcg aca agg ctg gac agg gac aag	432
Asp Ala Leu Pro Asp Leu Asp Lys Ala Thr Arg Leu Asp Arg Asp Lys	
130 135 140	
gcc aac ccg agg ttc tac aag ggg ata gtc ctg gga aag atg ggc cgg	480
Ala Asn Pro Arg Phe Tyr Lys Gly Ile Val Leu Gly Lys Met Gly Arg	
145 150 155 160	

cat gca gag gcg ctg tcc tgc ttc aag gag gtg tgc agg gcg gac cac 528
 His Ala Glu Ala Leu Ser Cys Phe Lys Glu Val Cys Arg Ala Asp His
 165 170 175

ggc cac gcc gac tca cag ttc cac gtg gcg ata gag gta gcc gag ctc 576
 Gly His Ala Asp Ser Gln Phe His Val Ala Ile Glu Val Ala Glu Leu
 180 185 190

ggc aaa cac gcc gaa gcc ctc ggt gag ctt gcg gca ctg ccc gca gag 624
 Gly Lys His Ala Glu Ala Leu Gly Glu Leu Ala Ala Leu Pro Ala Glu
 195 200 205

tac cgc gag aac gca aac gtt ctc tac gcc cgg gcg cgc agc ctc gcc 672
 Tyr Arg Glu Asn Ala Asn Val Leu Tyr Ala Arg Ala Arg Ser Leu Ala
 210 215 220

ggc ctg gac agg tac gac gag tcc att gca cac ctg caa aag gcc gcc 720
 Gly Leu Asp Arg Tyr Asp Glu Ser Ile Ala His Leu Gln Lys Ala Ala
 225 230 235 240

aga aag gac tcc aag aca ata aaa aag tgg gcc cgc gcc gag aag gcc 768
 Arg Lys Asp Ser Lys Thr Ile Lys Lys Trp Ala Arg Ala Glu Lys Ala
 245 250 255

ttt gat cat ata cgg gat gat ccc agg ttc aaa aag ata gcc ggg taa 816
 Phe Asp His Ile Arg Asp Asp Pro Arg Phe Lys Lys Ile Ala Gly *
 260 265 270

<210> 16

<211> 271

<212> PRT

<213> Cenarchaeum symbiosum

<400> 16

Met Ile Leu Phe Gly Lys Ser Asp Pro Ser Asp Leu Leu Arg Gln Ala
 1 5 10 15
 Asp Leu Leu Cys Ser Gly Asn Lys Tyr Lys Ala Ala Val Gly Leu Tyr
 20 25 30
 Ser Arg Ile Leu Lys Asp Asp Pro Gln Asn Arg Met Val Leu Gln Arg
 35 40 45
 Lys Gly Leu Ala Leu Asn Arg Ile Arg Arg Tyr Ser Asp Ala Ile Thr
 50 55 60
 Cys Phe Asp Leu Leu Leu Glu Leu Asp Asp Gly Asp Ala Pro Ala Tyr
 65 70 75 80
 Asn Asn Lys Ala Ile Ala Gln Ala Glu Leu Gly Asp Thr Ala Ser Ala
 85 90 95
 Leu Glu Asn Tyr Gly Arg Ala Ile Glu Ala Ser Pro Arg Tyr Ala Pro
 100 105 110
 Ala Tyr Phe Asn Arg Ala Val Leu Leu Asp Arg Leu Gly Glu His Glu
 115 120 125
 Asp Ala Leu Pro Asp Leu Asp Lys Ala Thr Arg Leu Asp Arg Asp Lys
 130 135 140
 Ala Asn Pro Arg Phe Tyr Lys Gly Ile Val Leu Gly Lys Met Gly Arg
 145 150 155 160
 His Ala Glu Ala Leu Ser Cys Phe Lys Glu Val Cys Arg Ala Asp His
 165 170 175
 Gly His Ala Asp Ser Gln Phe His Val Ala Ile Glu Val Ala Glu Leu
 180 185 190

Gly Lys His Ala Glu Ala Leu Gly Glu Leu Ala Ala Leu Pro Ala Glu
 195 200 205
 Tyr Arg Glu Asn Ala Asn Val Leu Tyr Ala Arg Ala Arg Ser Leu Ala
 210 215 220
 Gly Leu Asp Arg Tyr Asp Glu Ser Ile Ala His Leu Gln Lys Ala Ala
 225 230 235 240
 Arg Lys Asp Ser Lys Thr Ile Lys Lys Trp Ala Arg Ala Glu Lys Ala
 245 250 255
 Phe Asp His Ile Arg Asp Asp Pro Arg Phe Lys Lys Ile Ala Gly
 260 265 270

<210> 17

<211> 696

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1) ... (696)

<400> 17

gtg act gac aag aca agg atc atc gtc ctg cgc aac gcc atg act gaa	48
Met Thr Asp Lys Thr Arg Ile Ile Val Leu Arg Asn Ala Met Thr Glu	
1 5 10 15	
cag tcc gcc cgg gcc atg atc gag gca aaa aag acg ggg cca ttc agg	96
Gln Ser Ala Arg Ala Met Ile Glu Ala Lys Lys Thr Gly Pro Phe Arg	
20 25 30	
gcc atg atg agg gcg ccc cca aag gag gac gtc cat gta cat tcc gta	144
Ala Met Met Arg Ala Pro Pro Lys Glu Asp Val His Val His Ser Val	
35 40 45	
agg ctc gtc cac gag gcg ctc atc cgc gtc tcc gcc cgg tac tcg gcc	192
Arg Leu Val His Glu Ala Leu Ile Arg Val Ser Ala Arg Tyr Ser Ala	
50 55 60	
gac ttt ttc aga agg gcc gtg cac ccg atc aag gtg gat cag aac gtg	240
Asp Phe Phe Arg Arg Ala Val His Pro Ile Lys Val Asp Gln Asn Val	
65 70 75 80	
atc gag gtg gtg ctg ggc gac ggc gtc ttc ccg ata agg tca aag tcg	288
Ile Glu Val Val Leu Gly Asp Gly Val Phe Pro Ile Arg Ser Lys Ser	
85 90 95	
cgc ata cgc aag acc ctg tcc gcc ggg cgc ggc aag aac agg gtc gat	336
Arg Ile Arg Lys Thr Leu Ser Ala Gly Arg Gly Lys Asn Arg Val Asp	
100 105 110	
ctg gaa ctc gag gag cac gta tac gcg gaa tca gag ggc gtg atg tgc	384
Leu Glu Leu Glu Glu His Val Tyr Ala Glu Ser Glu Gly Val Met Cys	
115 120 125	
ctt gac cgg cac ggc ggg gag acc ggc ttt ccc tac aag acg ggg acc	432
Leu Asp Arg His Gly Gly Glu Thr Gly Phe Pro Tyr Lys Thr Gly Thr	
130 135 140	
ggc gcg gtc gag ccg tac ccg cgg cgc atg ctt gat tcg tcg gag aat	480

-65-

Gly Ala Val Glu Pro Tyr Pro Arg Arg Met Leu Asp Ser Ser Glu Asn
 145 150 155 160
 gtg cgg cgc ccg gag ata gac acc ggg gtg gcg ctg gaa aaa ctc cgg 528
 Val Arg Arg Pro Glu Ile Asp Thr Gly Val Ala Leu Glu Lys Leu Arg
 165 170 175
 gta aag ctc cgc ggg ccc ccg cct gac ggc atg cgc gac ctc cgg gag 576
 Val Lys Leu Arg Gly Pro Pro Pro Asp Gly Met Arg Asp Leu Arg Glu
 180 185 190
 gag ttt gca gtc aga tcg gtc gaa gaa gtg tat gcc cct gtc tac gag 624
 Glu Phe Ala Val Arg Ser Val Glu Glu Val Tyr Ala Pro Val Tyr Glu
 195 200 205
 tcg cgg ctt gtg ggg ccc aaa aaa aag gtc cgg ata atg cgg ata gac 672
 Ser Arg Leu Val Gly Pro Lys Lys Lys Val Arg Ile Met Arg Ile Asp
 210 215 220
 gcg gca aga aaa aag atg ctg tag 696
 Ala Ala Arg Lys Lys Met Leu *
 225 230

<210> 18
 <211> 231
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 18
 Met Thr Asp Lys Thr Arg Ile Ile Val Leu Arg Asn Ala Met Thr Glu
 1 5 10 15
 Gln Ser Ala Arg Ala Met Ile Glu Ala Lys Lys Thr Gly Pro Phe Arg
 20 25 30
 Ala Met Met Arg Ala Pro Pro Lys Glu Asp Val His Val His Ser Val
 35 40 45
 Arg Leu Val His Glu Ala Leu Ile Arg Val Ser Ala Arg Tyr Ser Ala
 50 55 60
 Asp Phe Phe Arg Arg Ala Val His Pro Ile Lys Val Asp Gln Asn Val
 65 70 75 80
 Ile Glu Val Val Leu Gly Asp Gly Val Phe Pro Ile Arg Ser Lys Ser
 85 90 95
 Arg Ile Arg Lys Thr Leu Ser Ala Gly Arg Gly Lys Asn Arg Val Asp
 100 105 110
 Leu Glu Leu Glu Glu His Val Tyr Ala Glu Ser Glu Gly Val Met Cys
 115 120 125
 Leu Asp Arg His Gly Gly Glu Thr Gly Phe Pro Tyr Lys Thr Gly Thr
 130 135 140
 Gly Ala Val Glu Pro Tyr Pro Arg Arg Met Leu Asp Ser Ser Glu Asn
 145 150 155 160
 Val Arg Arg Pro Glu Ile Asp Thr Gly Val Ala Leu Glu Lys Leu Arg
 165 170 175
 Val Lys Leu Arg Gly Pro Pro Pro Asp Gly Met Arg Asp Leu Arg Glu
 180 185 190
 Glu Phe Ala Val Arg Ser Val Glu Glu Val Tyr Ala Pro Val Tyr Glu
 195 200 205
 Ser Arg Leu Val Gly Pro Lys Lys Lys Val Arg Ile Met Arg Ile Asp
 210 215 220
 Ala Ala Arg Lys Lys Met Leu

225

230

<210> 19
 <211> 378
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)...(378)

<400> 19

atg agg tca gaa gag agg ccg ggt cac att gaa aag ttc cta aag agg	48
Met Arg Ser Glu Glu Arg Pro Gly His Ile Glu Lys Phe Leu Lys Arg	
1 5 10 15	
gcg gac aag gcg atc gac agc gcg gtc gag cag ggc gtc aag agg gcc	96
Ala Asp Lys Ala Ile Asp Ser Ala Val Glu Gln Gly Val Lys Arg Ala	
20 25 30	
gac gag ata cta gac gat gca gtc gag ctc ggc aag att acg gtg ggc	144
Asp Glu Ile Leu Asp Asp Ala Val Glu Leu Gly Lys Ile Thr Val Gly	
35 40 45	
gag gcg cag agg agg agc gat gtg ctg ctc aaa cag gcc gag cgg gag	192
Glu Ala Gln Arg Arg Ser Asp Val Leu Leu Lys Gln Ala Glu Arg Glu	
50 55 60	
agc agg cgg ctc aag tcc aag ggc gcc aaa aag ctc gaa aag ggc ata	240
Ser Arg Arg Leu Lys Ser Lys Gly Ala Lys Lys Leu Glu Lys Gly Ile	
65 70 75 80	
ggc gcc gca aaa aag atg gca gca ggc aag ggc gac gcg ctc gag acg	288
Gly Ala Ala Lys Lys Met Ala Ala Gly Lys Gly Asp Ala Leu Glu Thr	
85 90 95	
ctc gca aag ctc ggc gag ctc aga aag gcg ggg atc ata acg gag aaa	336
Leu Ala Lys Leu Gly Glu Leu Arg Lys Ala Gly Ile Ile Thr Glu Lys	
100 105 110	
gag ttt cgc gcc aaa aag aaa aag ctc ctc gca gag atc tga	378
Glu Phe Arg Ala Lys Lys Lys Lys Leu Leu Ala Glu Ile *	
115 120 125	

<210> 20
 <211> 125
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 20

Met Arg Ser Glu Glu Arg Pro Gly His Ile Glu Lys Phe Leu Lys Arg	
1 5 10 15	
Ala Asp Lys Ala Ile Asp Ser Ala Val Glu Gln Gly Val Lys Arg Ala	
20 25 30	
Asp Glu Ile Leu Asp Asp Ala Val Glu Leu Gly Lys Ile Thr Val Gly	
35 40 45	
Glu Ala Gln Arg Arg Ser Asp Val Leu Leu Lys Gln Ala Glu Arg Glu	
50 55 60	

Ser Arg Arg Leu Lys Ser Lys Gly Ala Lys Lys Leu Glu Lys Gly Ile
 65 70 75 80
 Gly Ala Ala Lys Lys Met Ala Ala Gly Lys Gly Asp Ala Leu Glu Thr
 85 90 95
 Leu Ala Lys Leu Gly Glu Leu Arg Lys Ala Gly Ile Ile Thr Glu Lys
 100 105 110
 Glu Phe Arg Ala Lys Lys Lys Lys Leu Leu Ala Glu Ile
 115 120 125

<210> 21
 <211> 600
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1)...(600)

<400> 21
 atg tcc cag acg ggg gcc ccg ggc ggg cat gcc tgc acg cca tac acg 48
 Met Ser Gln Thr Gly Ala Pro Gly Gly His Ala Cys Thr Pro Tyr Thr
 1 5 10 15
 cac gat cac gcc tcg atc gag ctc aag gac gcg tgg gcc tcg tcg agg 96
 His Asp His Ala Ser Ile Glu Leu Lys Asp Ala Trp Ala Ser Ser Arg
 20 25 30
 aac gtc cgc gag atg tac ttt gtg acc gcc acg ttc tcg tcc gag agc 144
 Asn Val Arg Glu Met Tyr Phe Val Thr Ala Thr Phe Ser Ser Glu Ser
 35 40 45
 cag ccg tac ttt gca ccg cag gcc aac cac tac ctg ctg gca agg ttc 192
 Gln Pro Tyr Phe Ala Pro Gln Ala Asn His Tyr Leu Leu Ala Arg Phe
 50 55 60
 aag gac gcc ccc aga atg atc aag gcg gtg ggc cgg ggg gag ggc gca 240
 Lys Asp Ala Pro Arg Met Ile Lys Ala Val Gly Arg Gly Glu Gly Ala
 65 70 75 80
 tcc tat gtg ttt agc atg gac gag gac ata ttc gag agg gag tcc ccc 288
 Ser Tyr Val Phe Ser Met Asp Glu Asp Ile Phe Glu Arg Glu Ser Pro
 85 90 95
 ggg gtg agc tat gta tcg gtg tac tat ctg gag tac ggc gat tcc gag 336
 Gly Val Ser Tyr Val Ser Val Tyr Tyr Leu Glu Tyr Gly Asp Ser Glu
 100 105 110
 gag gac ata tgc gag gtg gcg tcc gtg gtg ggg aga aag gag aag ata 384
 Glu Asp Ile Cys Glu Val Ala Ser Val Val Gly Arg Lys Glu Lys Ile
 115 120 125
 ggc agg gcg gga ata ggg cgc atg gac gtc tgc tcg agg gtg ccg cca 432
 Gly Arg Ala Gly Ile Gly Arg Met Asp Val Cys Ser Arg Val Pro Pro
 130 135 140
 aag ttt gcc ttt ccg tac agc ggg aac ata ata gtc ctc gag gtc tcc 480
 Lys Phe Ala Phe Pro Tyr Ser Gly Asn Ile Ile Val Leu Glu Val Ser
 145 150 155 160

agc gag aag agc tac cag agc gtc aac aag tac tgc gag aag acg cgg 528
 Ser Glu Lys Ser Tyr Gln Ser Val Asn Lys Tyr Cys Glu Lys Thr Arg
 165 170 175

cgc gag gtc atc cgc aag ggg ata acg atg acc aac ctt gtg agc ctg 576
 Arg Glu Val Ile Arg Lys Gly Ile Thr Met Thr Asn Leu Val Ser Leu
 180 185 190

tcc ata ctg gag cgg cta aag tag 600
 Ser Ile Leu Glu Arg Leu Lys *
 195

<210> 22
 <211> 199
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 22
 Met Ser Gln Thr Gly Ala Pro Gly Gly His Ala Cys Thr Pro Tyr Thr
 1 5 10 15
 His Asp His Ala Ser Ile Glu Leu Lys Asp Ala Trp Ala Ser Ser Arg
 20 25 30
 Asn Val Arg Glu Met Tyr Phe Val Thr Ala Thr Phe Ser Ser Glu Ser
 35 40 45
 Gln Pro Tyr Phe Ala Pro Gln Ala Asn His Tyr Leu Leu Ala Arg Phe
 50 55 60
 Lys Asp Ala Pro Arg Met Ile Lys Ala Val Gly Arg Gly Glu Gly Ala
 65 70 75 80
 Ser Tyr Val Phe Ser Met Asp Glu Asp Ile Phe Glu Arg Glu Ser Pro
 85 90 95
 Gly Val Ser Tyr Val Ser Val Tyr Tyr Leu Glu Tyr Gly Asp Ser Glu
 100 105 110
 Glu Asp Ile Cys Glu Val Ala Ser Val Val Gly Arg Lys Glu Lys Ile
 115 120 125
 Gly Arg Ala Gly Ile Gly Arg Met Asp Val Cys Ser Arg Val Pro Pro
 130 135 140
 Lys Phe Ala Phe Pro Tyr Ser Gly Asn Ile Ile Val Leu Glu Val Ser
 145 150 155 160
 Ser Glu Lys Ser Tyr Gln Ser Val Asn Lys Tyr Cys Glu Lys Thr Arg
 165 170 175
 Arg Glu Val Ile Arg Lys Gly Ile Thr Met Thr Asn Leu Val Ser Leu
 180 185 190
 Ser Ile Leu Glu Arg Leu Lys
 195

<210> 23
 <211> 810
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)... (810)

<400> 23
 ttg gct cgg cgc tac aag ccc cgg ata aag cag gtc cta cgc gag gtg 48
 Met Ala Arg Arg Tyr Lys Pro Arg Ile Lys Gln Val Leu Arg Glu Val

1	5	10	15	
ccc ctc aag aac gtg cac gtg tgg aag gac gcg cag gca agg agg ctg				96
Pro Leu Lys Asn Val His Val Trp Lys Asp Ala Gln Ala Arg Arg Leu				
20	25	30		
gac agg tcc agg gtg agg gag att gca aag tcg atc agg tcc gag ggc				144
Asp Arg Ser Arg Val Arg Glu Ile Ala Lys Ser Ile Arg Ser Glu Gly				
35	40	45		
ctg cag aac ccg ccc gta ata cag agg ggc ggc agg ggg ctg tac ctg				192
Leu Gln Asn Pro Pro Val Ile Gln Arg Gly Gly Arg Gly Leu Tyr Leu				
50	55	60		
ctc ata tcg ggg aac cac agg ctt gcg gcc cta aag cat ctg ggc gca				240
Leu Ile Ser Gly Asn His Arg Leu Ala Ala Leu Lys His Leu Gly Ala				
65	70	75	80	
aaa aag tcc aag ttt ctt gtg ata acc aag gat acg gag tac ggc ctg				288
Lys Lys Ser Lys Phe Leu Val Ile Thr Lys Asp Thr Glu Tyr Gly Leu				
85	90	95		
gag gac gca aag gcg gca tcg gtc gtg gag aac ctg cac cgg atg cag				336
Glu Asp Ala Lys Ala Ala Ser Val Val Glu Asn Leu His Arg Met Gln				
100	105	110		
atg agc ccc cgg gag ctc gcc gac gcg tgc agg ttt ctc gcc gag cag				384
Met Ser Pro Arg Glu Leu Ala Asp Ala Cys Arg Phe Leu Ala Glu Gln				
115	120	125		
atg acc cgc gcc gag gcc gca agg aag ctc ggc atg tcg atg ccc acg				432
Met Thr Arg Ala Glu Ala Ala Arg Lys Leu Gly Met Ser Met Pro Thr				
130	135	140		
ttc aaa aag tac cac ggc ttt gcg ggc gtg ccg gag aag atc aag gcg				480
Phe Lys Lys Tyr His Gly Phe Ala Gly Val Pro Glu Lys Ile Lys Ala				
145	150	155	160	
cta gtc ccc ggg acc ata tcc cgg gac gag gcg aca aag ctg tac cag				528
Leu Val Pro Gly Thr Ile Ser Arg Asp Glu Ala Thr Lys Leu Tyr Gln				
165	170	175		
gcc gtc ccg acc gtc tcc cag gcg ctc aag gtg gcg ctg aac ata tca				576
Ala Val Pro Thr Val Ser Gln Ala Leu Lys Val Ala Leu Asn Ile Ser				
180	185	190		
agg ctt gat cgg ccg tcg agg cgg atc tac ctg agg ctg cta gcc cag				624
Arg Leu Asp Arg Pro Ser Arg Arg Ile Tyr Leu Arg Leu Leu Ala Gln				
195	200	205		
agc ccc cgc tcg ggc cac agg atc ctg cta aag agg gtg cgc aag acg				672
Ser Pro Arg Ser Gly His Arg Ile Leu Leu Lys Arg Val Arg Lys Thr				
210	215	220		
ggc gtc agg aag aag atc ccc ata gag ctc ggc aag aac ggc gca aga				720
Gly Val Arg Lys Lys Ile Pro Ile Glu Leu Gly Lys Asn Gly Ala Arg				
225	230	235	240	

aag ctt gcc cgg gtg gcc gag cgc gag ggc acc gac gag acc cgg ctt 768
 Lys Leu Ala Arg Val Ala Glu Arg Glu Gly Thr Asp Glu Thr Arg Leu
 245 250 255

gcc aac agg ata gtc cgg gag tac ctg agg aag cag cga tga 810
 Ala Asn Arg Ile Val Arg Glu Tyr Leu Arg Lys Gln Arg *
 260 265

<210> 24
 <211> 269
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 24
 Met Ala Arg Arg Tyr Lys Pro Arg Ile Lys Gln Val Leu Arg Glu Val
 1 5 10 15
 Pro Leu Lys Asn Val His Val Trp Lys Asp Ala Gln Ala Arg Arg Leu
 20 25 30
 Asp Arg Ser Arg Val Arg Glu Ile Ala Lys Ser Ile Arg Ser Glu Gly
 35 40 45
 Leu Gln Asn Pro Pro Val Ile Gln Arg Gly Gly Arg Gly Leu Tyr Leu
 50 55 60
 Leu Ile Ser Gly Asn His Arg Leu Ala Ala Leu Lys His Leu Gly Ala
 65 70 75 80
 Lys Lys Ser Lys Phe Leu Val Ile Thr Lys Asp Thr Glu Tyr Gly Leu
 85 90 95
 Glu Asp Ala Lys Ala Ala Ser Val Val Glu Asn Leu His Arg Met Gln
 100 105 110
 Met Ser Pro Arg Glu Leu Ala Asp Ala Cys Arg Phe Leu Ala Glu Gln
 115 120 125
 Met Thr Arg Ala Glu Ala Ala Arg Lys Leu Gly Met Ser Met Pro Thr
 130 135 140
 Phe Lys Lys Tyr His Gly Phe Ala Gly Val Pro Glu Lys Ile Lys Ala
 145 150 155 160
 Leu Val Pro Gly Thr Ile Ser Arg Asp Glu Ala Thr Lys Leu Tyr Gln
 165 170 175
 Ala Val Pro Thr Val Ser Gln Ala Leu Lys Val Ala Leu Asn Ile Ser
 180 185 190
 Arg Leu Asp Arg Pro Ser Arg Arg Ile Tyr Leu Arg Leu Leu Ala Gln
 195 200 205
 Ser Pro Arg Ser Gly His Arg Ile Leu Leu Lys Arg Val Arg Lys Thr
 210 215 220
 Gly Val Arg Lys Lys Ile Pro Ile Glu Leu Gly Lys Asn Gly Ala Arg
 225 230 235 240
 Lys Leu Ala Arg Val Ala Glu Arg Glu Gly Thr Asp Glu Thr Arg Leu
 245 250 255
 Ala Asn Arg Ile Val Arg Glu Tyr Leu Arg Lys Gln Arg
 260 265

<210> 25
 <211> 837
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)...(837)

<400> 25
 ttg tta act gtg ttt ggt aag ttt atc aca aca att agg tta gat aga 48
 Met Leu Thr Val Phe Gly Lys Phe Ile Thr Thr Ile Arg Leu Asp Arg
 1 5 10 15

gct gtt ccc ccg cag gcc ccc gtg cac gta ctc tat cgc gca gcc ccc 96
 Ala Val Pro Pro Gln Ala Pro Val His Val Leu Tyr Arg Ala Ala Pro
 20 25 30

cgg ggg aca gcc gga acc ggg ggc tgc cgg ggc ggg atc ccg ggc gtc 144
 Arg Gly Thr Ala Gly Thr Gly Gly Cys Arg Gly Gly Ile Pro Gly Val
 35 40 45

gat aga ata aat acg cgc ggg gcc gcg gtg cga tcg ccc gtg ctg ata 192
 Asp Arg Ile Asn Thr Arg Gly Ala Ala Val Arg Ser Pro Val Leu Ile
 50 55 60

ata aac tgc aaa aac tat gag gag gcc gcc ggc ggc agg atc cgc ggg 240
 Ile Asn Cys Lys Asn Tyr Glu Glu Ala Ala Gly Gly Arg Ile Arg Gly
 65 70 75 80

ctg gca gat gcc gcg gcc ggg gct gcc gcc agg tac ggc gtc agg ata 288
 Leu Ala Asp Ala Ala Ala Gly Ala Ala Ala Arg Tyr Gly Val Arg Ile
 85 90 95

gcg ata gcc ccg ccg cag cac ctg ctg ggc att ata gca ggc cgg gat 336
 Ala Ile Ala Pro Pro Gln His Leu Leu Gly Ile Ile Ala Gly Arg Asp
 100 105 110

ctt ggc gtg ctg gcc cag cat gtc gac gac aag ggg acg ggg agc acc 384
 Leu Gly Val Leu Ala Gln His Val Asp Asp Lys Gly Thr Gly Ser Thr
 115 120 125

aca ggg tat gtc gtc ccg gag ctg cta aaa cag tcg ggg gtc tcc ggg 432
 Thr Gly Tyr Val Val Pro Glu Leu Leu Lys Gln Ser Gly Val Ser Gly
 130 135 140

gcc ata atc aac cac agc gag cac cgc gta ccc gcg gac cag gtg gcg 480
 Ala Ile Ile Asn His Ser Glu His Arg Val Pro Ala Asp Gln Val Ala
 145 150 155 160

ggc ctg gta cca agg ctc agg ggc ctt ggc atg gtc tcg gtg gtc tgc 528
 Gly Leu Val Pro Arg Leu Arg Gly Leu Gly Met Val Ser Val Val Cys
 165 170 175

gtc agg gat ccc gcc gag gcc gcc gat ctc tcc cgg tat tgc ccc gac 576
 Val Arg Asp Pro Ala Glu Ala Ala Asp Leu Ser Arg Tyr Cys Pro Asp
 180 185 190

tac ata gcg ata gag cct ccc gag ctg ata ggt tcc ggc agg tcc gtc 624
 Tyr Ile Ala Ile Glu Pro Pro Glu Leu Ile Gly Ser Gly Arg Ser Val
 195 200 205

tcg aca gag agg ccc cag gtc ata caa gag gcc gca gag gcc atc agg 672
 Ser Thr Glu Arg Pro Gln Val Ile Gln Glu Ala Ala Glu Ala Ile Arg
 210 215 220

ggg gct ggc ggc gta aag ctg ctc tgc ggg gcg ggc ata acc tcc ggg 720

Gly Ala Gly Gly Val Lys Leu Leu Cys Gly Ala Gly Ile Thr Ser Gly
 225 230 235 240

gcg gac gtg cgc agg gcc ctc gag ctt ggc tcc gag ggc att ctt gtg 768
 Ala Asp Val Arg Arg Ala Leu Glu Leu Gly Ser Glu Gly Ile Leu Val
 245 250 255

gca agc ggg gtc gta aag tcg gca gac ccc gca ggg gcc atc ggg gag 816
 Ala Ser Gly Val Val Lys Ser Ala Asp Pro Ala Gly Ala Ile Gly Glu
 260 265 270

ctt gcc cgg gcc atg tcc tga 837
 Leu Ala Arg Ala Met Ser *
 275

<210> 26

<211> 278

<212> PRT

<213> Cenarchaeum symbiosum

<400> 26

Met Leu Thr Val Phe Gly Lys Phe Ile Thr Thr Ile Arg Leu Asp Arg
 1 5 10 15
 Ala Val Pro Pro Gln Ala Pro Val His Val Leu Tyr Arg Ala Ala Pro
 20 25 30
 Arg Gly Thr Ala Gly Thr Gly Gly Cys Arg Gly Gly Ile Pro Gly Val
 35 40 45
 Asp Arg Ile Asn Thr Arg Gly Ala Ala Val Arg Ser Pro Val Leu Ile
 50 55 60
 Ile Asn Cys Lys Asn Tyr Glu Glu Ala Ala Gly Gly Arg Ile Arg Gly
 65 70 75 80
 Leu Ala Asp Ala Ala Ala Gly Ala Ala Ala Arg Tyr Gly Val Arg Ile
 85 90 95
 Ala Ile Ala Pro Pro Gln His Leu Leu Gly Ile Ile Ala Gly Arg Asp
 100 105 110
 Leu Gly Val Leu Ala Gln His Val Asp Asp Lys Gly Thr Gly Ser Thr
 115 120 125
 Thr Gly Tyr Val Val Pro Glu Leu Leu Lys Gln Ser Gly Val Ser Gly
 130 135 140
 Ala Ile Ile Asn His Ser Glu His Arg Val Pro Ala Asp Gln Val Ala
 145 150 155 160
 Gly Leu Val Pro Arg Leu Arg Gly Leu Gly Met Val Ser Val Val Cys
 165 170 175
 Val Arg Asp Pro Ala Glu Ala Ala Asp Leu Ser Arg Tyr Cys Pro Asp
 180 185 190
 Tyr Ile Ala Ile Glu Pro Pro Glu Leu Ile Gly Ser Gly Arg Ser Val
 195 200 205
 Ser Thr Glu Arg Pro Gln Val Ile Gln Glu Ala Ala Glu Ala Ile Arg
 210 215 220
 Gly Ala Gly Gly Val Lys Leu Leu Cys Gly Ala Gly Ile Thr Ser Gly
 225 230 235 240
 Ala Asp Val Arg Arg Ala Leu Glu Leu Gly Ser Glu Gly Ile Leu Val
 245 250 255
 Ala Ser Gly Val Val Lys Ser Ala Asp Pro Ala Gly Ala Ile Gly Glu
 260 265 270
 Leu Ala Arg Ala Met Ser
 275

<210> 27
 <211> 549
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)...(549)

<400> 27
 atg ctg gat cca agg aaa cgg ccc agg gtg gtc aac gtt gtg agt acc 48
 Met Leu Asp Pro Arg Lys Arg Pro Arg Val Val Asn Val Val Ser Thr
 1 5 10 15

gcc gac ctg ggc cgg agg gtg ggc gca aaa aag atg gcc gcc atg cca 96
 Ala Asp Leu Gly Arg Arg Val Gly Ala Lys Lys Met Ala Ala Met Pro
 20 25 30

tgc tgc atg tac gac gag gcg gta tac ggc ggc agg tgc ggc tat atc 144
 Cys Cys Met Tyr Asp Glu Ala Val Tyr Gly Gly Arg Cys Gly Tyr Ile
 35 40 45

aaa aca ccc ggc atg cgg ggg cgc gtg acg gtg ttt ctc tcg ggc aag 192
 Lys Thr Pro Gly Met Arg Gly Arg Val Thr Val Phe Leu Ser Gly Lys
 50 55 60

atg ata tcc gtc ggc gcc agc tcc gtg agg gca tcg ttt gcg cag ctg 240
 Met Ile Ser Val Gly Ala Ser Ser Val Arg Ala Ser Phe Ala Gln Leu
 65 70 75 80

cac gag gcc cgg ctg cac ctg ttc cgg aac ggg gcg gcg gcc ggc ggc 288
 His Glu Ala Arg Leu His Leu Phe Arg Asn Gly Ala Ala Ala Gly Gly
 85 90 95

tgt aca agg ccc gtc gta cgc aat atg gtg gcg aca gtg gat gca gga 336
 Cys Thr Arg Pro Val Val Arg Asn Met Val Ala Thr Val Asp Ala Gly
 100 105 110

cgg act gtt ccc ata gac agg ata tcg tcg cgg ata ccc ggc gcg gtg 384
 Arg Thr Val Pro Ile Asp Arg Ile Ser Ser Arg Ile Pro Gly Ala Val
 115 120 125

tac gac ccg ggg tcg ttt ccc ggc atg ata cta aag ggg ctg ggc agc 432
 Tyr Asp Pro Gly Ser Phe Pro Gly Met Ile Leu Lys Gly Leu Gly Ser
 130 135 140

tgc agc ttc ctt gtg ttt gcg tcg gga aag gtg gtg ata gcg ggc gcc 480
 Cys Ser Phe Leu Val Phe Ala Ser Gly Lys Val Val Ile Ala Gly Ala
 145 150 155 160

cgg tcg cca ggc gag cta tac agg tcg tcg ttt gac ctg ctg gcg cgc 528
 Arg Ser Pro Gly Glu Leu Tyr Arg Ser Ser Phe Asp Leu Leu Ala Arg
 165 170 175

ctc aac ggc gcg ggc gcc tag 549
 Leu Asn Gly Ala Gly Ala *
 180

<210> 28
 <211> 182
 <212> PRT
 <213> *Cenarchaeum symbiosum*

<400> 28
 Met Leu Asp Pro Arg Lys Arg Pro Arg Val Val Asn Val Val Ser Thr
 1 5 10 15
 Ala Asp Leu Gly Arg Arg Val Gly Ala Lys Lys Met Ala Ala Met Pro
 20 25 30
 Cys Cys Met Tyr Asp Glu Ala Val Tyr Gly Gly Arg Cys Gly Tyr Ile
 35 40 45
 Lys Thr Pro Gly Met Arg Gly Arg Val Thr Val Phe Leu Ser Gly Lys
 50 55 60
 Met Ile Ser Val Gly Ala Ser Ser Val Arg Ala Ser Phe Ala Gln Leu
 65 70 75 80
 His Glu Ala Arg Leu His Leu Phe Arg Asn Gly Ala Ala Ala Gly Gly
 85 90 95
 Cys Thr Arg Pro Val Val Arg Asn Met Val Ala Thr Val Asp Ala Gly
 100 105 110
 Arg Thr Val Pro Ile Asp Arg Ile Ser Ser Arg Ile Pro Gly Ala Val
 115 120 125
 Tyr Asp Pro Gly Ser Phe Pro Gly Met Ile Leu Lys Gly Leu Gly Ser
 130 135 140
 Cys Ser Phe Leu Val Phe Ala Ser Gly Lys Val Val Ile Ala Gly Ala
 145 150 155 160
 Arg Ser Pro Gly Glu Leu Tyr Arg Ser Ser Phe Asp Leu Leu Ala Arg
 165 170 175
 Leu Asn Gly Ala Gly Ala
 180

<210> 29
 <211> 2535
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1)...(2535)

<400> 29
 gtg acg gtg caa gat gcc gta gag ata ccc ccg tgg ctg ctg gta tct 48
 Met Thr Val Gln Asp Ala Val Glu Ile Pro Pro Ser Leu Leu Val Ser
 1 5 10 15
 gca aca tac gac agc cag gca ggg gcg gtc gtc ctc aag ttt tac gag 96
 Ala Thr Tyr Asp Ser Gln Ala Gly Ala Val Val Leu Lys Phe Tyr Glu
 20 25 30
 ccg gaa tca caa aag atc gta cac tgg acg gac aat acg ggg cac aag 144
 Pro Glu Ser Gln Lys Ile Val His Trp Thr Asp Asn Thr Gly His Lys
 35 40 45
 ccc tac tgc tat acg agg cag ccc ccc tcc gag ctt ggg gag ctt gaa 192
 Pro Tyr Cys Tyr Thr Arg Gln Pro Pro Ser Glu Leu Gly Glu Leu Glu
 50 55 60
 ggc agg gag gat gtg cta gga acg gag cag gtc atg cgg cac gac ctg 240

Gly	Arg	Glu	Asp	Val	Leu	Gly	Thr	Glu	Gln	Val	Met	Arg	His	Asp	Leu	
65					70					75					80	
ata	gcc	gac	aag	gat	gtg	ccc	gtc	acc	aag	ata	act	gtg	gcc	gac	ccc	288
Ile	Ala	Asp	Lys	Asp	Val	Pro	Val	Thr	Lys	Ile	Thr	Val	Ala	Asp	Pro	
				85					90					95		
ctt	gcc	ata	ggc	ggg	acc	aac	tcg	gag	aag	agc	atc	cgc	aac	atc	atg	336
Leu	Ala	Ile	Gly	Gly	Thr	Asn	Ser	Glu	Lys	Ser	Ile	Arg	Asn	Ile	Met	
			100					105					110			
gac	acg	tgg	gaa	tcc	gac	ata	aag	tac	tat	gag	aac	tat	ctg	tac	gac	384
Asp	Thr	Trp	Glu	Ser	Asp	Ile	Lys	Tyr	Tyr	Glu	Asn	Tyr	Leu	Tyr	Asp	
		115					120					125				
aag	agc	ctg	gtc	gtg	ggc	agg	tac	tat	tcg	gta	tcc	ggc	ggc	aag	gta	432
Lys	Ser	Leu	Val	Val	Gly	Arg	Tyr	Tyr	Ser	Val	Ser	Gly	Gly	Lys	Val	
		130				135					140					
atc	ccg	cat	gac	atg	ccc	ata	tcc	gac	gag	gta	aag	ctg	gcc	ctc	aag	480
Ile	Pro	His	Asp	Met	Pro	Ile	Ser	Asp	Glu	Val	Lys	Leu	Ala	Leu	Lys	
145					150					155					160	
agc	ctc	ctc	tgg	gac	aag	gtt	gta	gac	gag	ggc	atg	gcg	gac	aga	aaa	528
Ser	Leu	Leu	Trp	Asp	Lys	Val	Val	Asp	Glu	Gly	Met	Ala	Asp	Arg	Lys	
				165					170					175		
gag	ttc	cgc	gag	ttc	ata	gcg	ggg	tgg	gcg	gac	ctg	ctc	aac	cag	ccc	576
Glu	Phe	Arg	Glu	Phe	Ile	Ala	Gly	Trp	Ala	Asp	Leu	Leu	Asn	Gln	Pro	
			180					185					190			
ata	ccc	agg	ata	cgg	cgc	ctc	agc	ttt	gat	atc	gag	gtg	gat	tca	gag	624
Ile	Pro	Arg	Ile	Arg	Arg	Leu	Ser	Phe	Asp	Ile	Glu	Val	Asp	Ser	Glu	
		195					200					205				
gag	ggc	agg	atc	ccc	gac	ccc	aag	ata	tcc	gac	agg	agg	gtt	acg	gcg	672
Glu	Gly	Arg	Ile	Pro	Asp	Pro	Lys	Ile	Ser	Asp	Arg	Arg	Val	Thr	Ala	
		210				215					220					
gtg	ggg	ttt	gcc	gcc	acc	gac	ggc	cta	aaa	cag	gta	ttc	gtc	ctg	agg	720
Val	Gly	Phe	Ala	Ala	Thr	Asp	Gly	Leu	Lys	Gln	Val	Phe	Val	Leu	Arg	
225					230					235					240	
agc	ggc	gca	gaa	gag	ggc	gag	aac	ggc	gtg	acc	ccc	ggt	gtc	gag	gtg	768
Ser	Gly	Ala	Glu	Glu	Gly	Glu	Asn	Gly	Val	Thr	Pro	Gly	Val	Glu	Val	
				245					250					255		
gta	ttc	tac	gac	aag	gaa	gct	gac	atg	atc	cgc	gac	gcg	cta	tcg	gta	816
Val	Phe	Tyr	Asp	Lys	Glu	Ala	Asp	Met	Ile	Arg	Asp	Ala	Leu	Ser	Val	
			260					265					270			
ata	ggc	tcg	tac	ccg	ttt	gtt	ctg	acg	tac	aac	ggc	gac	gac	ttt	gac	864
Ile	Gly	Ser	Tyr	Pro	Phe	Val	Leu	Thr	Tyr	Asn	Gly	Asp	Asp	Phe	Asp	
		275					280					285				
atg	ccg	tac	atg	ctc	aac	agg	gca	cgg	cgc	ctc	gga	gta	tct	gac	tct	912
Met	Pro	Tyr	Met	Leu	Asn	Arg	Ala	Arg	Arg	Leu	Gly	Val	Ser	Asp	Ser	
		290				295					300					

gac att cct ttg tac atg atg cgg gat tct gcc acg ctc cgg cac gga	960
Asp Ile Pro Leu Tyr Met Met Arg Asp Ser Ala Thr Leu Arg His Gly	
305 310 315 320	
gtc cac ctg gac ctg tac agg acc ttc tcg aac agg tca ttc cag ctg	1008
Val His Leu Asp Leu Tyr Arg Thr Phe Ser Asn Arg Ser Phe Gln Leu	
325 330 335	
tac gcc ttt gcg gca aag tac acg gac tat tcc ctt aac agc gtc aca	1056
Tyr Ala Phe Ala Ala Lys Tyr Thr Asp Tyr Ser Leu Asn Ser Val Thr	
340 345 350	
aag gcg atg ctc ggc gag ggc aag gtc gac tat ggg gtc aaa ctg ggg	1104
Lys Ala Met Leu Gly Glu Gly Lys Val Asp Tyr Gly Val Lys Leu Gly	
355 360 365	
gat ctc acc tta tac cag act gca aac tat tgc tat cac gac gcg cgc	1152
Asp Leu Thr Leu Tyr Gln Thr Ala Asn Tyr Cys Tyr His Asp Ala Arg	
370 375 380	
ctg acg ctc gag ctt agc acc ttt ggc aac gag ata ctc atg gac ctg	1200
Leu Thr Leu Glu Leu Ser Thr Phe Gly Asn Glu Ile Leu Met Asp Leu	
385 390 395 400	
ctg gtg gtg acc agc aga ata gcc cgg atg ccc atc gat gac atg tcc	1248
Leu Val Val Thr Ser Arg Ile Ala Arg Met Pro Ile Asp Asp Met Ser	
405 410 415	
cgc atg ggc gtc tcg cag tgg ata cgc agc ctg ctg tac tat gag cac	1296
Arg Met Gly Val Ser Gln Trp Ile Arg Ser Leu Leu Tyr Tyr Glu His	
420 425 430	
aga cag cga aac gcg ctc ata ccg cgg agg gac gag ctg gag ggc agg	1344
Arg Gln Arg Asn Ala Leu Ile Pro Arg Arg Asp Glu Leu Glu Gly Arg	
435 440 445	
tcg cgc gag gtg agc aac gac gcg gta ata aag gat aaa aag ttc cgc	1392
Ser Arg Glu Val Ser Asn Asp Ala Val Ile Lys Asp Lys Lys Phe Arg	
450 455 460	
ggg ggc ctt gtc gtc gag cct gaa gag ggc ata cac ttt gat gtt acg	1440
Gly Gly Leu Val Val Glu Pro Glu Glu Gly Ile His Phe Asp Val Thr	
465 470 475 480	
gtg atg gac ttt gcg agc ctg tat ccc agt atc ata aag gtg agg aac	1488
Val Met Asp Phe Ala Ser Leu Tyr Pro Ser Ile Ile Lys Val Arg Asn	
485 490 495	
ctc tcg tac gag acc gtc cgg tgc gtg cat gca gaa tgc aaa aag aac	1536
Leu Ser Tyr Glu Thr Val Arg Cys Val His Ala Glu Cys Lys Lys Asn	
500 505 510	
acc atc ccc gat acc aac cac tgg gta tgt aca aaa aac aac ggc ctg	1584
Thr Ile Pro Asp Thr Asn His Trp Val Cys Thr Lys Asn Asn Gly Leu	
515 520 525	
aca tcg atg ata atc ggc tcg ctg cgg gac ctg cgc gtc aac tat tac	1632

Thr Ser Met Ile Ile Gly Ser Leu Arg Asp Leu Arg Val Asn Tyr Tyr	
530 535 540	
aag agc ctc tca aag agc aca tcc att acg gag gag cag cgg cag cag	1680
Lys Ser Leu Ser Lys Ser Thr Ser Ile Thr Glu Glu Gln Arg Gln Gln	
545 550 555 560	
tat acc gta atc agc cag gcc ctc aag gtc gtg ctc aac gca agc tac	1728
Tyr Thr Val Ile Ser Gln Ala Leu Lys Val Val Leu Asn Ala Ser Tyr	
565 570 575	
ggc gtg atg ggc gcc gag ata ttc ccg ctg tac ttt tta ccc gcg gca	1776
Gly Val Met Gly Ala Glu Ile Phe Pro Leu Tyr Phe Leu Pro Ala Ala	
580 585 590	
gag gcc acc act gct gtc ggg cgc tat atc atc atg cag acg ata tcg	1824
Glu Ala Thr Thr Ala Val Gly Arg Tyr Ile Ile Met Gln Thr Ile Ser	
595 600 605	
cac tgc gag cag atg gga gtg agg gtg ctg tac ggg gac acc gat tct	1872
His Cys Glu Gln Met Gly Val Arg Val Leu Tyr Gly Asp Thr Asp Ser	
610 615 620	
ctg ttc ata aag gat ccc gaa gag agg cag atc cac gag ata gtc gag	1920
Leu Phe Ile Lys Asp Pro Glu Glu Arg Gln Ile His Glu Ile Val Glu	
625 630 635 640	
cat gca aag aag gag cac ggt gtg gag ctc gaa gtg gac aaa gag tac	1968
His Ala Lys Lys Glu His Gly Val Glu Leu Glu Val Asp Lys Glu Tyr	
645 650 655	
agg tat gtc gtg cta tcc aac agg aaa aaa aac tat ttc ggg gtg acc	2016
Arg Tyr Val Val Leu Ser Asn Arg Lys Lys Asn Tyr Phe Gly Val Thr	
660 665 670	
cgg gca ggc aag gtc gac gtc aag ggg ctg acg ggc aaa aag tcg cac	2064
Arg Ala Gly Lys Val Asp Val Lys Gly Leu Thr Gly Lys Lys Ser His	
675 680 685	
acg ccc ccg ttc ata aag gag ctc ttc tac tcg ctg ctc gac ata ctc	2112
Thr Pro Pro Phe Ile Lys Glu Leu Phe Tyr Ser Leu Leu Asp Ile Leu	
690 695 700	
tca gga gtc gag agc gag gac gag ttc gag tca gcc aag atg agg atc	2160
Ser Gly Val Glu Ser Glu Asp Glu Phe Glu Ser Ala Lys Met Arg Ile	
705 710 715 720	
tca aag gcg atc gcc gcg tgc ggc aag agg ctc gag gag agg cag atc	2208
Ser Lys Ala Ile Ala Ala Cys Gly Lys Arg Leu Glu Glu Arg Gln Ile	
725 730 735	
ccc ctc gtg gac ctg gcg ttc aat gtg atg ata agc aag gcg ccc tcc	2256
Pro Leu Val Asp Leu Ala Phe Asn Val Met Ile Ser Lys Ala Pro Ser	
740 745 750	
gaa tat gtc aag acc gtc ccg cag cac ata cgg gcg gca agg ctg ctg	2304
Glu Tyr Val Lys Thr Val Pro Gln His Ile Arg Ala Ala Arg Leu Leu	
755 760 765	

gag aac gca agg gag gtc aaa aag ggc gac ata ata tcg tac gta aag 2352
 Glu Asn Ala Arg Glu Val Lys Lys Gly Asp Ile Ile Ser Tyr Val Lys
 770 775 780

 gtg atg aac aag acc ggc gtc aag ccg gtg gag atg gcc cgg gca ggc 2400
 Val Met Asn Lys Thr Gly Val Lys Pro Val Glu Met Ala Arg Ala Gly
 785 790 795 800

 gag gtg gac acg tca aag tac ctc gag ttc atg gag tcg acg ctc gac 2448
 Glu Val Asp Thr Ser Lys Tyr Leu Glu Phe Met Glu Ser Thr Leu Asp
 805 810 815

 cag ctc acc tcg tcc atg ggc ctt gac ttt gac gag ata ctc ggc aag 2496
 Gln Leu Thr Ser Ser Met Gly Leu Asp Phe Asp Glu Ile Leu Gly Lys
 820 825 830

 cca aag cag acc ggc atg gag cag ttc ttt ttc aaa tga 2535
 Pro Lys Gln Thr Gly Met Glu Gln Phe Phe Phe Lys *
 835 840

<210> 30
 <211> 844
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 30
 Met Thr Val Gln Asp Ala Val Glu Ile Pro Pro Ser Leu Leu Val Ser
 1 5 10 15
 Ala Thr Tyr Asp Ser Gln Ala Gly Ala Val Val Leu Lys Phe Tyr Glu
 20 25 30
 Pro Glu Ser Gln Lys Ile Val His Trp Thr Asp Asn Thr Gly His Lys
 35 40 45
 Pro Tyr Cys Tyr Thr Arg Gln Pro Pro Ser Glu Leu Gly Glu Leu Glu
 50 55 60
 Gly Arg Glu Asp Val Leu Gly Thr Glu Gln Val Met Arg His Asp Leu
 65 70 75 80
 Ile Ala Asp Lys Asp Val Pro Val Thr Lys Ile Thr Val Ala Asp Pro
 85 90 95
 Leu Ala Ile Gly Gly Thr Asn Ser Glu Lys Ser Ile Arg Asn Ile Met
 100 105 110
 Asp Thr Trp Glu Ser Asp Ile Lys Tyr Tyr Glu Asn Tyr Leu Tyr Asp
 115 120 125
 Lys Ser Leu Val Val Gly Arg Tyr Tyr Ser Val Ser Gly Gly Lys Val
 130 135 140
 Ile Pro His Asp Met Pro Ile Ser Asp Glu Val Lys Leu Ala Leu Lys
 145 150 155 160
 Ser Leu Leu Trp Asp Lys Val Val Asp Glu Gly Met Ala Asp Arg Lys
 165 170 175
 Glu Phe Arg Glu Phe Ile Ala Gly Trp Ala Asp Leu Leu Asn Gln Pro
 180 185 190
 Ile Pro Arg Ile Arg Arg Leu Ser Phe Asp Ile Glu Val Asp Ser Glu
 195 200 205
 Glu Gly Arg Ile Pro Asp Pro Lys Ile Ser Asp Arg Arg Val Thr Ala
 210 215 220
 Val Gly Phe Ala Ala Thr Asp Gly Leu Lys Gln Val Phe Val Leu Arg
 225 230 235 240
 Ser Gly Ala Glu Glu Gly Glu Asn Gly Val Thr Pro Gly Val Glu Val

245 250 255
 Val Phe Tyr Asp Lys Glu Ala Asp Met Ile Arg Asp Ala Leu Ser Val
 260 265 270
 Ile Gly Ser Tyr Pro Phe Val Leu Thr Tyr Asn Gly Asp Asp Phe Asp
 275 280 285
 Met Pro Tyr Met Leu Asn Arg Ala Arg Arg Leu Gly Val Ser Asp Ser
 290 295 300
 Asp Ile Pro Leu Tyr Met Met Arg Asp Ser Ala Thr Leu Arg His Gly
 305 310 315 320
 Val His Leu Asp Leu Tyr Arg Thr Phe Ser Asn Arg Ser Phe Gln Leu
 325 330 335
 Tyr Ala Phe Ala Ala Lys Tyr Thr Asp Tyr Ser Leu Asn Ser Val Thr
 340 345 350
 Lys Ala Met Leu Gly Glu Gly Lys Val Asp Tyr Gly Val Lys Leu Gly
 355 360 365
 Asp Leu Thr Leu Tyr Gln Thr Ala Asn Tyr Cys Tyr His Asp Ala Arg
 370 375 380
 Leu Thr Leu Glu Leu Ser Thr Phe Gly Asn Glu Ile Leu Met Asp Leu
 385 390 395 400
 Leu Val Val Thr Ser Arg Ile Ala Arg Met Pro Ile Asp Asp Met Ser
 405 410 415
 Arg Met Gly Val Ser Gln Trp Ile Arg Ser Leu Leu Tyr Tyr Glu His
 420 425 430
 Arg Gln Arg Asn Ala Leu Ile Pro Arg Arg Asp Glu Leu Glu Gly Arg
 435 440 445
 Ser Arg Glu Val Ser Asn Asp Ala Val Ile Lys Asp Lys Lys Phe Arg
 450 455 460
 Gly Gly Leu Val Val Glu Pro Glu Glu Gly Ile His Phe Asp Val Thr
 465 470 475 480
 Val Met Asp Phe Ala Ser Leu Tyr Pro Ser Ile Ile Lys Val Arg Asn
 485 490 495
 Leu Ser Tyr Glu Thr Val Arg Cys Val His Ala Glu Cys Lys Lys Asn
 500 505 510
 Thr Ile Pro Asp Thr Asn His Trp Val Cys Thr Lys Asn Asn Gly Leu
 515 520 525
 Thr Ser Met Ile Ile Gly Ser Leu Arg Asp Leu Arg Val Asn Tyr Tyr
 530 535 540
 Lys Ser Leu Ser Lys Ser Thr Ser Ile Thr Glu Glu Gln Arg Gln Gln
 545 550 555 560
 Tyr Thr Val Ile Ser Gln Ala Leu Lys Val Val Leu Asn Ala Ser Tyr
 565 570 575
 Gly Val Met Gly Ala Glu Ile Phe Pro Leu Tyr Phe Leu Pro Ala Ala
 580 585 590
 Glu Ala Thr Thr Ala Val Gly Arg Tyr Ile Ile Met Gln Thr Ile Ser
 595 600 605
 His Cys Glu Gln Met Gly Val Arg Val Leu Tyr Gly Asp Thr Asp Ser
 610 615 620
 Leu Phe Ile Lys Asp Pro Glu Glu Arg Gln Ile His Glu Ile Val Glu
 625 630 635 640
 His Ala Lys Lys Glu His Gly Val Glu Leu Glu Val Asp Lys Glu Tyr
 645 650 655
 Arg Tyr Val Val Leu Ser Asn Arg Lys Lys Asn Tyr Phe Gly Val Thr
 660 665 670
 Arg Ala Gly Lys Val Asp Val Lys Gly Leu Thr Gly Lys Lys Ser His
 675 680 685
 Thr Pro Pro Phe Ile Lys Glu Leu Phe Tyr Ser Leu Leu Asp Ile Leu
 690 695 700
 Ser Gly Val Glu Ser Glu Asp Glu Phe Glu Ser Ala Lys Met Arg Ile

-80-

705 710 715 720
 Ser Lys Ala Ile Ala Ala Cys Gly Lys Arg Leu Glu Glu Arg Gln Ile
 725 730 735
 Pro Leu Val Asp Leu Ala Phe Asn Val Met Ile Ser Lys Ala Pro Ser
 740 745 750
 Glu Tyr Val Lys Thr Val Pro Gln His Ile Arg Ala Ala Arg Leu Leu
 755 760 765
 Glu Asn Ala Arg Glu Val Lys Lys Gly Asp Ile Ile Ser Tyr Val Lys
 770 775 780
 Val Met Asn Lys Thr Gly Val Lys Pro Val Glu Met Ala Arg Ala Gly
 785 790 795 800
 Glu Val Asp Thr Ser Lys Tyr Leu Glu Phe Met Glu Ser Thr Leu Asp
 805 810 815
 Gln Leu Thr Ser Ser Met Gly Leu Asp Phe Asp Glu Ile Leu Gly Lys
 820 825 830
 Pro Lys Gln Thr Gly Met Glu Gln Phe Phe Phe Lys
 835 840

<210> 31
 <211> 555
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1)...(555)

<400> 31
 atg ccg ggc ggg ggc agg ctg ccc gtg agc ggc ttt gag cgc cct acc 48
 Met Pro Gly Gly Gly Arg Leu Pro Val Ser Gly Phe Glu Arg Pro Thr
 1 5 10 15

 tgg gat gaa tat ttc atg ctg cag gcg gag ctt gca aag ctc cga tcc 96
 Trp Asp Glu Tyr Phe Met Leu Gln Ala Glu Leu Ala Lys Leu Arg Ser
 20 25 30

 aac tgt ata gtc cgc aag gtg ggg gcc gta ata gtg agg gac cac cgg 144
 Asn Cys Ile Val Arg Lys Val Gly Ala Val Ile Val Arg Asp His Arg
 35 40 45

 cag ctc gcc aca ggg tat aac ggg acg cct cct ggc gtc aag aac tgc 192
 Gln Leu Ala Thr Gly Tyr Asn Gly Thr Pro Pro Gly Val Lys Asn Cys
 50 55 60

 tac gag ggc ggc tgc gag agg tgt gcc gag cgc atc gag ggc agg atc 240
 Tyr Glu Gly Gly Cys Glu Arg Cys Ala Glu Arg Ile Glu Gly Arg Ile
 65 70 75 80

 aag tca ggc gag gcc ctg gac cgg tgc ctg tgc aac cat gca gag gcc 288
 Lys Ser Gly Glu Ala Leu Asp Arg Cys Leu Cys Asn His Ala Glu Ala
 85 90 95

 aac gct ata atg cac tgt gcg ata ctc ggg ata ggc gcg ggg ggc ggg 336
 Asn Ala Ile Met His Cys Ala Ile Leu Gly Ile Gly Ala Gly Gly Gly
 100 105 110

 ggg gcc acc atg tac acc acg ttc tcg ccg tgt ctg gag tgt acc aag 384
 Gly Ala Thr Met Tyr Thr Thr Phe Ser Pro Cys Leu Glu Cys Thr Lys

115	120	125	
atg gcc gta acg ata ggg atc agg cgg ttt gtc tgc ctt gat acc tac			432
Met Ala Val Thr Ile Gly Ile Arg Arg Phe Val Cys Leu Asp Thr Tyr			
130	135	140	
ccc gag aac acc tcc cgg ctg gta aaa gag aca tcc tcc gag ata acc			480
Pro Glu Asn Thr Ser Arg Leu Val Lys Glu Thr Ser Ser Glu Ile Thr			
145	150	155	160
atg atg gac aag gaa aag atc tcg tac tgg gcg tca agg atg ccc gga			528
Met Met Asp Lys Glu Lys Ile Ser Tyr Trp Ala Ser Arg Met Pro Gly			
	165	170	175
ggc agc aag gag gtg ccg gtg cgg tga			555
Gly Ser Lys Glu Val Pro Val Arg *			
180			

<210> 32

<211> 184

<212> PRT

<213> Cenarchaeum symbiosum

<400> 32

Met	Pro	Gly	Gly	Gly	Arg	Leu	Pro	Val	Ser	Gly	Phe	Glu	Arg	Pro	Thr
1				5					10					15	
Trp	Asp	Glu	Tyr	Phe	Met	Leu	Gln	Ala	Glu	Leu	Ala	Lys	Leu	Arg	Ser
		20						25					30		
Asn	Cys	Ile	Val	Arg	Lys	Val	Gly	Ala	Val	Ile	Val	Arg	Asp	His	Arg
		35					40					45			
Gln	Leu	Ala	Thr	Gly	Tyr	Asn	Gly	Thr	Pro	Pro	Gly	Val	Lys	Asn	Cys
	50					55					60				
Tyr	Glu	Gly	Gly	Cys	Glu	Arg	Cys	Ala	Glu	Arg	Ile	Glu	Gly	Arg	Ile
65				70					75					80	
Lys	Ser	Gly	Glu	Ala	Leu	Asp	Arg	Cys	Leu	Cys	Asn	His	Ala	Glu	Ala
			85					90					95		
Asn	Ala	Ile	Met	His	Cys	Ala	Ile	Leu	Gly	Ile	Gly	Ala	Gly	Gly	Gly
		100						105					110		
Gly	Ala	Thr	Met	Tyr	Thr	Thr	Phe	Ser	Pro	Cys	Leu	Glu	Cys	Thr	Lys
	115					120					125				
Met	Ala	Val	Thr	Ile	Gly	Ile	Arg	Arg	Phe	Val	Cys	Leu	Asp	Thr	Tyr
	130				135					140					
Pro	Glu	Asn	Thr	Ser	Arg	Leu	Val	Lys	Glu	Thr	Ser	Ser	Glu	Ile	Thr
145				150					155					160	
Met	Met	Asp	Lys	Glu	Lys	Ile	Ser	Tyr	Trp	Ala	Ser	Arg	Met	Pro	Gly
			165					170					175		
Gly	Ser	Lys	Glu	Val	Pro	Val	Arg								
			180												

<210> 33

<211> 1509

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(1509)

<400> 33																
gtg	gag	act	ggg	cac	ata	acg	ggc	agg	tac	atc	gag	ccc	ggg	gcc	gtc	48
Met	Glu	Thr	Gly	His	Ile	Thr	Gly	Arg	Tyr	Ile	Glu	Pro	Gly	Ala	Val	
1				5					10					15		
gag	agg	cgc	gac	tac	cag	gtg	ggc	ctg	gcg	gaa	cag	gcc	ata	cgg	gag	96
Glu	Arg	Arg	Asp	Tyr	Gln	Val	Gly	Leu	Ala	Glu	Gln	Ala	Ile	Arg	Glu	
			20					25					30			
aac	tgt	atc	gtg	gtg	ctc	ccg	acg	ggc	ctc	ggc	aag	act	gcc	gtc	gcc	144
Asn	Cys	Ile	Val	Val	Leu	Pro	Thr	Gly	Leu	Gly	Lys	Thr	Ala	Val	Ala	
		35					40					45				
ctc	cag	gtg	atc	gcc	cac	tat	ctc	gac	gag	ggc	cgc	ggg	gcg	ctc	ttc	192
Leu	Gln	Val	Ile	Ala	His	Tyr	Leu	Asp	Glu	Gly	Arg	Gly	Ala	Leu	Phe	
		50				55					60					
ctt	gcc	cct	aca	agg	gtc	ctg	gta	aac	cag	cac	cgc	cag	ttc	ctg	ggc	240
Leu	Ala	Pro	Thr	Arg	Val	Leu	Val	Asn	Gln	His	Arg	Gln	Phe	Leu	Gly	
	65				70				75					80		
agg	gcc	ctt	acc	ata	tcc	gat	att	aca	ctg	gtc	acg	gga	gag	gac	acc	288
Arg	Ala	Leu	Thr	Ile	Ser	Asp	Ile	Thr	Leu	Val	Thr	Gly	Glu	Asp	Thr	
			85					90						95		
att	ccc	cgg	cgc	aaa	aag	gcg	tgg	gga	ggc	agc	gtg	atc	tgc	gcc	acg	336
Ile	Pro	Arg	Arg	Lys	Lys	Ala	Trp	Gly	Gly	Ser	Val	Ile	Cys	Ala	Thr	
		100					105						110			
ccc	gag	ata	gca	aga	aat	gat	ata	gag	cgc	ggc	ctg	gtc	ccg	ctc	gaa	384
Pro	Glu	Ile	Ala	Arg	Asn	Asp	Ile	Glu	Arg	Gly	Leu	Val	Pro	Leu	Glu	
		115				120						125				
cag	ttc	ggc	ctg	gtc	ata	ttc	gac	gag	gcc	cac	agg	gcg	gtg	ggc	gac	432
Gln	Phe	Gly	Leu	Val	Ile	Phe	Asp	Glu	Ala	His	Arg	Ala	Val	Gly	Asp	
	130					135					140					
tat	gcc	tat	tct	tcc	ata	gcg	cgg	gcg	gta	ggg	gat	aac	tcc	agg	atg	480
Tyr	Ala	Tyr	Ser	Ser	Ile	Ala	Arg	Ala	Val	Gly	Asp	Asn	Ser	Arg	Met	
145					150					155				160		
gtg	ggc	atg	act	gcg	acg	ctt	ccc	agc	gag	agg	gag	aag	gca	gac	gag	528
Val	Gly	Met	Thr	Ala	Thr	Leu	Pro	Ser	Glu	Arg	Glu	Lys	Ala	Asp	Glu	
				165					170					175		
ata	atg	ggc	acc	ctg	ctc	tcc	agg	agc	ata	gcc	cag	agg	aca	gaa	gac	576
Ile	Met	Gly	Thr	Leu	Leu	Ser	Arg	Ser	Ile	Ala	Gln	Arg	Thr	Glu	Asp	
			180					185					190			
gac	ccg	gac	gta	aag	ccc	tat	gta	cag	gag	act	gcc	acc	gag	tgg	ata	624
Asp	Pro	Asp	Val	Lys	Pro	Tyr	Val	Gln	Glu	Thr	Ala	Thr	Glu	Trp	Ile	
		195				200						205				
aag	gtg	gat	ctt	ccc	ccc	gag	atg	aag	gag	ata	cag	agg	ctc	ctc	aag	672
Lys	Val	Asp	Leu	Pro	Pro	Glu	Met	Lys	Glu	Ile	Gln	Arg	Leu	Leu	Lys	
	210					215					220					
ctg	gcc	ctc	gac	gag	agg	tat	tcc	tcc	ctc	aag	agg	tgc	ggg	tac	gat	720

Leu	Ala	Leu	Asp	Glu	Arg	Tyr	Ser	Ser	Leu	Lys	Arg	Cys	Gly	Tyr	Asp		
225					230					235					240		
ctt	ggc	tcg	aac	agg	tcg	ctc	tcg	gcg	ctg	ctc	cgg	ctg	cgc	atg	gtg		768
Leu	Gly	Ser	Asn	Arg	Ser	Leu	Ser	Ala	Leu	Leu	Arg	Leu	Arg	Met	Val		
				245					250					255			
gtg	ctt	ggc	ggc	aac	agg	cgc	gcg	gcc	aag	ccg	ctg	ttc	act	gcg	ata		816
Val	Leu	Gly	Gly	Asn	Arg	Arg	Ala	Ala	Lys	Pro	Leu	Phe	Thr	Ala	Ile		
				260				265					270				
cgc	ata	acg	tac	gcg	cta	aac	ata	ttc	gag	gcg	cac	ggg	gtc	acg	ccc		864
Arg	Ile	Thr	Tyr	Ala	Leu	Asn	Ile	Phe	Glu	Ala	His	Gly	Val	Thr	Pro		
				275			280					285					
ttt	cta	aag	ttc	tgc	gag	agg	acc	tcc	aag	aaa	aag	ggc	gtc	ggc	gtg		912
Phe	Leu	Lys	Phe	Cys	Glu	Arg	Thr	Ser	Lys	Lys	Lys	Gly	Val	Gly	Val		
				290		295					300						
gcg	gag	ctg	ttc	gaa	cag	gac	cgg	aac	ttt	aca	ggg	gcc	atc	gcg	cgc		960
Ala	Glu	Leu	Phe	Glu	Gln	Asp	Arg	Asn	Phe	Thr	Gly	Ala	Ile	Ala	Arg		
305					310					315					320		
gca	aag	gcc	gcg	cag	gcg	gca	ggc	atg	gag	cat	ccc	aag	ata	cca	aag		1008
Ala	Lys	Ala	Ala	Gln	Ala	Ala	Gly	Met	Glu	His	Pro	Lys	Ile	Pro	Lys		
				325				330						335			
ctc	gag	gat	gcc	gtc	cgc	ggg	gcc	cgg	gga	aag	gcg	ctg	gtc	ttt	acg		1056
Leu	Glu	Asp	Ala	Val	Arg	Gly	Ala	Arg	Gly	Lys	Ala	Leu	Val	Phe	Thr		
				340				345					350				
agc	tat	cgt	gat	tct	gtc	gac	ctc	ata	cac	tca	aga	ctc	aag	gcg	gcc		1104
Ser	Tyr	Arg	Asp	Ser	Val	Asp	Leu	Ile	His	Ser	Arg	Leu	Lys	Ala	Ala		
				355			360					365					
ggg	ata	aac	tcg	ggc	atc	ctg	ata	gga	aag	gcg	gga	gaa	aag	ggc	cta		1152
Gly	Ile	Asn	Ser	Gly	Ile	Leu	Ile	Gly	Lys	Ala	Gly	Glu	Lys	Gly	Leu		
				370		375				380							
aag	cag	aga	aaa	cag	gtg	gag	act	gtg	gca	aag	ttc	cgt	gac	ggc	ggg		1200
Lys	Gln	Arg	Lys	Gln	Val	Glu	Thr	Val	Ala	Lys	Phe	Arg	Asp	Gly	Gly		
385					390					395				400			
tac	gac	gtg	ctg	gta	tcg	acg	agg	gtc	ggc	gag	gag	ggg	ctc	gac	ata		1248
Tyr	Asp	Val	Leu	Val	Ser	Thr	Arg	Val	Gly	Glu	Glu	Gly	Leu	Asp	Ile		
				405					410					415			
tcg	gag	gtc	aac	ctg	gtg	ata	ttc	tat	gac	aat	gtg	cca	agc	tcg	atc		1296
Ser	Glu	Val	Asn	Leu	Val	Ile	Phe	Tyr	Asp								

att ggt cgg cgc aag atg agc gcc gcc aag ggc atg ggt gag agg atg 1440
 Ile Gly Arg Arg Lys Met Ser Ala Ala Lys Gly Met Gly Glu Arg Met
 465 470 475 480

aac cgg tcg ctg gcg gca ggc ggg gct gct gcc aag gcc gct cca aag 1488
 Asn Arg Ser Leu Ala Ala Gly Gly Ala Ala Lys Ala Ala Pro Lys
 485 490 495

gga ctc gag ggg tac ttt tag 1509
 Gly Leu Glu Gly Tyr Phe *
 500

<210> 34
 <211> 502
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 34
 Met Glu Thr Gly His Ile Thr Gly Arg Tyr Ile Glu Pro Gly Ala Val
 1 5 10 15
 Glu Arg Arg Asp Tyr Gln Val Gly Leu Ala Glu Gln Ala Ile Arg Glu
 20 25 30
 Asn Cys Ile Val Val Leu Pro Thr Gly Leu Gly Lys Thr Ala Val Ala
 35 40 45
 Leu Gln Val Ile Ala His Tyr Leu Asp Glu Gly Arg Gly Ala Leu Phe
 50 55 60
 Leu Ala Pro Thr Arg Val Leu Val Asn Gln His Arg Gln Phe Leu Gly
 65 70 75 80
 Arg Ala Leu Thr Ile Ser Asp Ile Thr Leu Val Thr Gly Glu Asp Thr
 85 90 95
 Ile Pro Arg Arg Lys Lys Ala Trp Gly Gly Ser Val Ile Cys Ala Thr
 100 105 110
 Pro Glu Ile Ala Arg Asn Asp Ile Glu Arg Gly Leu Val Pro Leu Glu
 115 120 125
 Gln Phe Gly Leu Val Ile Phe Asp Glu Ala His Arg Ala Val Gly Asp
 130 135 140
 Tyr Ala Tyr Ser Ser Ile Ala Arg Ala Val Gly Asp Asn Ser Arg Met
 145 150 155 160
 Val Gly Met Thr Ala Thr Leu Pro Ser Glu Arg Glu Lys Ala Asp Glu
 165 170 175
 Ile Met Gly Thr Leu Leu Ser Arg Ser Ile Ala Gln Arg Thr Glu Asp
 180 185 190
 Asp Pro Asp Val Lys Pro Tyr Val Gln Glu Thr Ala Thr Glu Trp Ile
 195 200 205
 Lys Val Asp Leu Pro Pro Glu Met Lys Glu Ile Gln Arg Leu Leu Lys
 210 215 220
 Leu Ala Leu Asp Glu Arg Tyr Ser Ser Leu Lys Arg Cys Gly Tyr Asp
 225 230 235 240
 Leu Gly Ser Asn Arg Ser Leu Ser Ala Leu Leu Arg Leu Arg Met Val
 245 250 255
 Val Leu Gly Gly Asn Arg Arg Ala Ala Lys Pro Leu Phe Thr Ala Ile
 260 265 270
 Arg Ile Thr Tyr Ala Leu Asn Ile Phe Glu Ala His Gly Val Thr Pro
 275 280 285
 Phe Leu Lys Phe Cys Glu Arg Thr Ser Lys Lys Lys Gly Val Gly Val
 290 295 300
 Ala Glu Leu Phe Glu Gln Asp Arg Asn Phe Thr Gly Ala Ile Ala Arg

-85-

305 310 315 320
 Ala Lys Ala Ala Gln Ala Ala Gly Met Glu His Pro Lys Ile Pro Lys
 325 330 335
 Leu Glu Asp Ala Val Arg Gly Ala Arg Gly Lys Ala Leu Val Phe Thr
 340 345 350
 Ser Tyr Arg Asp Ser Val Asp Leu Ile His Ser Arg Leu Lys Ala Ala
 355 360 365
 Gly Ile Asn Ser Gly Ile Leu Ile Gly Lys Ala Gly Glu Lys Gly Leu
 370 375 380
 Lys Gln Arg Lys Gln Val Glu Thr Val Ala Lys Phe Arg Asp Gly Gly
 385 390 395 400
 Tyr Asp Val Leu Val Ser Thr Arg Val Gly Glu Glu Gly Leu Asp Ile
 405 410 415
 Ser Glu Val Asn Leu Val Ile Phe Tyr Asp Asn Val Pro Ser Ser Ile
 420 425 430
 Arg Tyr Val Gln Arg Arg Gly Arg Thr Gly Arg Lys Asp Ala Gly Arg
 435 440 445
 Leu Ile Val Leu Met Ala Lys Gly Thr Ile Asp Glu Ala Tyr Tyr Trp
 450 455 460
 Ile Gly Arg Arg Lys Met Ser Ala Ala Lys Gly Met Gly Glu Arg Met
 465 470 475 480
 Asn Arg Ser Leu Ala Ala Gly Gly Ala Ala Ala Lys Ala Ala Pro Lys
 485 490 495
 Gly Leu Glu Gly Tyr Phe
 500

<210> 35
 <211> 402
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1) ... (402)

<400> 35
 gtg tca tcg tac ttt acc ata aag acc gcc aac ctg gcc ctg ccc gac 48
 Met Ser Ser Tyr Phe Thr Ile Lys Thr Ala Asn Leu Ala Leu Pro Asp
 1 5 10 15

 gtg gtc aaa aag tac aac cac gtc ctg gca tgc aag agc gag gtg atg 96
 Val Val Lys Lys Tyr Asn His Val Leu Ala Cys Lys Ser Glu Val Met
 20 25 30

 agg gcc gag aag cag atc cag acg tcc atc tcc tcg tct agc ggg ctc 144
 Arg Ala Glu Lys Gln Ile Gln Thr Ser Ile Ser Ser Ser Ser Gly Leu
 35 40 45

 gac aag tac tcg gag ctc aag caa cag ttc aac tcc cgg ata acc gag 192
 Asp Lys Tyr Ser Glu Leu Lys Gln Gln Phe Asn Ser Arg Ile Thr Glu
 50 55 60

 ttc tac cgc tcg ata gaa gag ctg gaa aag acc ggt gcg gtg gtc aag 240
 Phe Tyr Arg Ser Ile Glu Glu Leu Glu Lys Thr Gly Ala Val Val Lys
 65 70 75 80

 agc ata gac gag ggc ctg ctg gac ttt ccc gca aag cgc ttt ggg gac 288
 Ser Ile Asp Glu Gly Leu Leu Asp Phe Pro Ala Lys Arg Phe Gly Asp

85	90	95	
gac atc tgg ctg tgc tgg aag aca ggc gag cgc gag atc aag ttc tgg			336
Asp Ile Trp Leu Cys Trp Lys Thr Gly Glu Arg Glu Ile Lys Phe Trp			
100	105	110	
cat gaa aag gac tct ggt ttt ggc gga aga aag ccc ata gag gta agt			384
His Glu Lys Asp Ser Gly Phe Gly Gly Arg Lys Pro Ile Glu Val Ser			
115	120	125	
gac gag tca cta gtg tag			402
Asp Glu Ser Leu Val *			
130			

<210> 36

<211> 133

<212> PRT

<213> Cenarchaeum symbiosum

<400> 36

Met Ser Ser Tyr Phe Thr Ile Lys Thr Ala Asn Leu Ala Leu Pro Asp			
1 5 10 15			
Val Val Lys Lys Tyr Asn His Val Leu Ala Cys Lys Ser Glu Val Met			
20 25 30			
Arg Ala Glu Lys Gln Ile Gln Thr Ser Ile Ser Ser Ser Ser Gly Leu			
35 40 45			
Asp Lys Tyr Ser Glu Leu Lys Gln Gln Phe Asn Ser Arg Ile Thr Glu			
50 55 60			
Phe Tyr Arg Ser Ile Glu Glu Leu Glu Lys Thr Gly Ala Val Val Lys			
65 70 75 80			
Ser Ile Asp Glu Gly Leu Leu Asp Phe Pro Ala Lys Arg Phe Gly Asp			
85 90 95			
Asp Ile Trp Leu Cys Trp Lys Thr Gly Glu Arg Glu Ile Lys Phe Trp			
100 105 110			
His Glu Lys Asp Ser Gly Phe Gly Gly Arg Lys Pro Ile Glu Val Ser			
115 120 125			
Asp Glu Ser Leu Val			
130			

<210> 37

<211> 879

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(879)

<400> 37

atg ctc tcc gcc tgg ttg cgc gta ata cgc gtc cgc ttc ctg ctc gcg			48
Met Leu Ser Ala Trp Leu Arg Val Ile Arg Val Arg Phe Leu Leu Ala			
1 5 10 15			
tcg gtg ata gcc gtc tcg gcg ggc ctc gcc ctc tcc tgg tgg cac ggc			96
Ser Val Ile Ala Val Ser Ala Gly Leu Ala Leu Ser Trp Trp His Gly			
20 25 30			
cac gaa ata gac gca ttc tcc gcc gcg ctc acc atg gcc ggc gtg gcc			144

His Glu Ile Asp Ala Phe Ser Ala Ala Leu Thr Met Ala Gly Val Ala	
35 40 45	
gcg ctc cac gca agc gtg gac atg ctc aac gat tat tcg gac tac aag	192
Ala Leu His Ala Ser Val Asp Met Leu Asn Asp Tyr Ser Asp Tyr Lys	
50 55 60	
cgc ggc ata gat acc ata acc aag agg acc ccg atg agc ggc gga aca	240
Arg Gly Ile Asp Thr Ile Thr Lys Arg Thr Pro Met Ser Gly Gly Thr	
65 70 75 80	
ggg gtg ctg cca gaa ggc ctg ctt acc ccc ggc cag gtg cac cgc gcc	288
Gly Val Leu Pro Glu Gly Leu Leu Thr Pro Gly Gln Val His Arg Ala	
85 90 95	
ggc atc ata tcg ctg gtc ctg ggc tct gct gtc ggc gcg tac ttt gtg	336
Gly Ile Ile Ser Leu Val Leu Gly Ser Ala Val Gly Ala Tyr Phe Val	
100 105 110	
gtc aca acg ggg ccc gtc ata gcc atg ata ctc ggc ttt gcc gta gtc	384
Val Thr Thr Gly Pro Val Ile Ala Met Ile Leu Gly Phe Ala Val Val	
115 120 125	
tcg ata tac ttt tac tcg acg agg att gta gac tcg ggc ctc tcc gag	432
Ser Ile Tyr Phe Tyr Ser Thr Arg Ile Val Asp Ser Gly Leu Ser Glu	
130 135 140	
gtc ttt gtg gcc gtc aag ggg gcg atg atc gtc ctt ggc gcc tac tac	480
Val Phe Val Ala Val Lys Gly Ala Met Ile Val Leu Gly Ala Tyr Tyr	
145 150 155 160	
ata cag gcg ccc gag ata acg cct gcc gcc gtt ctg gtg ggg gcg gcc	528
Ile Gln Ala Pro Glu Ile Thr Pro Ala Ala Val Leu Val Gly Ala Ala	
165 170 175	
gtg ggc gcc ctc tcg tcg gcg gtc ctc ttt gtg gcg tcg ttt cca gac	576
Val Gly Ala Leu Ser Ser Ala Val Leu Phe Val Ala Ser Phe Pro Asp	
180 185 190	
cac gat gcg gac aag tcc cgc ggc aga aag acg ctt gtt ata atc ctg	624
His Asp Ala Asp Lys Ser Arg Gly Arg Lys Thr Leu Val Ile Ile Leu	
195 200 205	
ggc aag gag agg gcc tcg cgg atc ctc tgg gtg ttc ccc gca gtg gca	672
Gly Lys Glu Arg Ala Ser Arg Ile Leu Trp Val Phe Pro Ala Val Ala	
210 215 220	
tac tcg tcc gtt ata acg ggg gtc atc ctg cag ttc ctg ccg gtg cat	720
Tyr Ser Ser Val Ile Thr Gly Val Ile Leu Gln Phe Leu Pro Val His	
225 230 235 240	
gca cta acc atg ctg ctt gca gcc ccc ctt gca gta att gcg gca aaa	768
Ala Leu Thr Met Leu Leu Ala Ala Pro Leu Ala Val Ile Ala Ala Lys	
245 250 255	
ggc ctt gcc agg gag tac ggc ggg gac ggg atc ata cgg gtc atg cgc	816
Gly Leu Ala Arg Glu Tyr Gly Gly Asp Gly Ile Ile Arg Val Met Arg	
260 265 270	

ggc acg ctg cgg ttt agc agg gtt gca ggc gcc ctg ctg gtg ttg ggc 864
 Gly Thr Leu Arg Phe Ser Arg Val Ala Gly Ala Leu Leu Val Leu Gly
 275 280 285

att ctg ttg ggc tga 879
 ile Leu Leu Gly *
 290

<210> 38
 <211> 292
 <212> PRT
 <213> *Cenarchaeum symbiosum*

<400> 38
 Met Leu Ser Ala Trp Leu Arg Val Ile Arg Val Arg Phe Leu Leu Ala
 1 5 10 15
 Ser Val Ile Ala Val Ser Ala Gly Leu Ala Leu Ser Trp Trp His Gly
 20 25 30
 His Glu Ile Asp Ala Phe Ser Ala Ala Leu Thr Met Ala Gly Val Ala
 35 40 45
 Ala Leu His Ala Ser Val Asp Met Leu Asn Asp Tyr Ser Asp Tyr Lys
 50 55 60
 Arg Gly Ile Asp Thr Ile Thr Lys Arg Thr Pro Met Ser Gly Gly Thr
 65 70 75 80
 Gly Val Leu Pro Glu Gly Leu Leu Thr Pro Gly Gln Val His Arg Ala
 85 90 95
 Gly Ile Ile Ser Leu Val Leu Gly Ser Ala Val Gly Ala Tyr Phe Val
 100 105 110
 Val Thr Thr Gly Pro Val Ile Ala Met Ile Leu Gly Phe Ala Val Val
 115 120 125
 Ser Ile Tyr Phe Tyr Ser Thr Arg Ile Val Asp Ser Gly Leu Ser Glu
 130 135 140
 Val Phe Val Ala Val Lys Gly Ala Met Ile Val Leu Gly Ala Tyr Tyr
 145 150 155 160
 Ile Gln Ala Pro Glu Ile Thr Pro Ala Ala Val Leu Val Gly Ala Ala
 165 170 175
 Val Gly Ala Leu Ser Ser Ala Val Leu Phe Val Ala Ser Phe Pro Asp
 180 185 190
 His Asp Ala Asp Lys Ser Arg Gly Arg Lys Thr Leu Val Ile Ile Leu
 195 200 205
 Gly Lys Glu Arg Ala Ser Arg Ile Leu Trp Val Phe Pro Ala Val Ala
 210 215 220
 Tyr Ser Ser Val Ile Thr Gly Val Ile Leu Gln Phe Leu Pro Val His
 225 230 235 240
 Ala Leu Thr Met Leu Leu Ala Ala Pro Leu Ala Val Ile Ala Ala Lys
 245 250 255
 Gly Leu Ala Arg Glu Tyr Gly Gly Asp Gly Ile Ile Arg Val Met Arg
 260 265 270
 Gly Thr Leu Arg Phe Ser Arg Val Ala Gly Ala Leu Leu Val Leu Gly
 275 280 285
 Ile Leu Leu Gly
 290

<210> 39
 <211> 1119
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>

<221> CDS

<222> (1)...(1119)

<400> 39

atg atc agc ggg cac gcc acg gcc gag ggt aca cgc agg ata gcc gag	48
Met Ile Ser Gly His Ala Thr Ala Glu Gly Thr Arg Arg Ile Ala Glu	
1 5 10 15	
atg tcg ggc gcc cat atc gac aac tac aag atg gtc gac ggg ctg cac	96
Met Ser Gly Ala His Ile Asp Asn Tyr Lys Met Val Asp Gly Leu His	
20 25 30	
ctc tcc aac gtg ggg atg ggc acc tac ctt ggc gac gcg gat gac gcc	144
Leu Ser Asn Val Gly Met Gly Thr Tyr Leu Gly Asp Ala Asp Asp Ala	
35 40 45	
acc gac agg gcc gtc acg gac gca gtc aag agg tcc gtc aaa aca ggc	192
Thr Asp Arg Ala Val Thr Asp Ala Val Lys Arg Ser Val Lys Thr Gly	
50 55 60	
ata aac gtc ata gat acg gcg ata aac tac cgc ctc cag agg gcc gag	240
Ile Asn Val Ile Asp Thr Ala Ile Asn Tyr Arg Leu Gln Arg Ala Glu	
65 70 75 80	
cgc tct gtc ggc agg gcc gtc acg gag ctc tca gaa gag ggg ctc gta	288
Arg Ser Val Gly Arg Ala Val Thr Glu Leu Ser Glu Glu Gly Leu Val	
85 90 95	
tca agg gac caa ata ttc ata tcg aca aag gcg ggc tat gta aca aac	336
Ser Arg Asp Gln Ile Phe Ile Ser Thr Lys Ala Gly Tyr Val Thr Asn	
100 105 110	
gac tcc gag gtc tcg ctt gac ttt tgg gag tat gtg aaa aaa gag tac	384
Asp Ser Glu Val Ser Leu Asp Phe Trp Glu Tyr Val Lys Lys Glu Tyr	
115 120 125	
gtc ggg ggc ggc gtg atc cag gca ggc gac ata tcc tcc gga tac cac	432
Val Gly Gly Gly Val Ile Gln Ala Gly Asp Ile Ser Ser Gly Tyr His	
130 135 140	
tgc atg aag ccc gcc tat cta gag gac cag ctg aag agg agc ctt gca	480
Cys Met Lys Pro Ala Tyr Leu Glu Asp Gln Leu Lys Arg Ser Leu Ala	
145 150 155 160	
aac atg ggc ctc gac tgt atc gac ctt gtc tac gtg cac aac ccc gtc	528
Asn Met Gly Leu Asp Cys Ile Asp Leu Val Tyr Val His Asn Pro Val	
165 170 175	
gag ggg cag atc aag gac cgc ccc ata ccg gag atc ctc gac tgt ata	576
Glu Gly Gln Ile Lys Asp Arg Pro Ile Pro Glu Ile Leu Asp Cys Ile	
180 185 190	
gga gag gcc ttt gcc atg tac gag aag gca agg gag gat ggc cgc atc	624
Gly Glu Ala Phe Ala Met Tyr Glu Lys Ala Arg Glu Asp Gly Arg Ile	
195 200 205	

-90-

aga tac tat ggg ctc gcc acg tgg gag tgc ttt cgt gtt gca ggg gac 672
 Arg Tyr Tyr Gly Leu Ala Thr Trp Glu Cys Phe Arg Val Ala Gly Asp
 210 215 220

aac ccg cag aat gtc cag ctc gaa gac gtt gta aag aag gcc aaa gac 720
 Asn Pro Gln Asn Val Gln Leu Glu Asp Val Val Lys Lys Ala Lys Asp
 225 230 235 240

gca ggc ggg gac aac cac gga ttc aag ttc ata cag ctg ccc ttc aac 768
 Ala Gly Gly Asp Asn His Gly Phe Lys Phe Ile Gln Leu Pro Phe Asn
 245 250 255

cag tac ttt gac cag gct tac atg cta aag aac cag acg gtg gac ggc 816
 Gln Tyr Phe Asp Gln Ala Tyr Met Leu Lys Asn Gln Thr Val Asp Gly
 260 265 270

aga aag ctg tcc ata ctg gat gcg gca gta tcc ctt ggc gtc ggt gtg 864
 Arg Lys Leu Ser Ile Leu Asp Ala Ala Val Ser Leu Gly Val Gly Val
 275 280 285

ttc acg agt gtc ccg ttc atg caa ggc aag ctg ctc gag cct ggc ctg 912
 Phe Thr Ser Val Pro Phe Met Gln Gly Lys Leu Leu Glu Pro Gly Leu
 290 295 300

ctg ccg gag ttt ggc ggg ctc tcc ccc gcc ctg cga tcc ctg cag ttt 960
 Leu Pro Glu Phe Gly Gly Leu Ser Pro Ala Leu Arg Ser Leu Gln Phe
 305 310 315 320

atc agg tct aca cca ggc gtg ctt gcc ccc ctg ccg ggg cac aac tca 1008
 Ile Arg Ser Thr Pro Gly Val Leu Ala Pro Leu Pro Gly His Asn Ser
 325 330 335

gct gcg cat aca gac gag aac ctc aag atc atg ggc gtg ccc ccc atc 1056
 Ala Ala His Thr Asp Glu Asn Leu Lys Ile Met Gly Val Pro Pro Ile
 340 345 350

ccg cct gac aag ttc ggg gag ctt gtg gcc agc ctc acc tcg tgg tcg 1104
 Pro Pro Asp Lys Phe Gly Glu Leu Val Ala Ser Leu Thr Ser Trp Ser
 355 360 365

ccc ggt cag aaa tag 1119
 Pro Gly Gln Lys *
 370

<210> 40

<211> 372

<212> PRT

<213> Cenarchaeum symbiosum

<400> 40

Met Ile Ser Gly His Ala Thr Ala Glu Gly Thr Arg Arg Ile Ala Glu
 1 5 10 15
 Met Ser Gly Ala His Ile Asp Asn Tyr Lys Met Val Asp Gly Leu His
 20 25 30
 Leu Ser Asn Val Gly Met Gly Thr Tyr Leu Gly Asp Ala Asp Asp Ala
 35 40 45
 Thr Asp Arg Ala Val Thr Asp Ala Val Lys Arg Ser Val Lys Thr Gly
 50 55 60

-91-

Ile Asn Val Ile Asp Thr Ala Ile Asn Tyr Arg Leu Gln Arg Ala Glu
 65 70 75 80
 Arg Ser Val Gly Arg Ala Val Thr Glu Leu Ser Glu Glu Gly Leu Val
 85 90 95
 Ser Arg Asp Gln Ile Phe Ile Ser Thr Lys Ala Gly Tyr Val Thr Asn
 100 105 110
 Asp Ser Glu Val Ser Leu Asp Phe Trp Glu Tyr Val Lys Lys Glu Tyr
 115 120 125
 Val Gly Gly Gly Val Ile Gln Ala Gly Asp Ile Ser Ser Gly Tyr His
 130 135 140
 Cys Met Lys Pro Ala Tyr Leu Glu Asp Gln Leu Lys Arg Ser Leu Ala
 145 150 155 160
 Asn Met Gly Leu Asp Cys Ile Asp Leu Val Tyr Val His Asn Pro Val
 165 170 175
 Glu Gly Gln Ile Lys Asp Arg Pro Ile Pro Glu Ile Leu Asp Cys Ile
 180 185 190
 Gly Glu Ala Phe Ala Met Tyr Glu Lys Ala Arg Glu Asp Gly Arg Ile
 195 200 205
 Arg Tyr Tyr Gly Leu Ala Thr Trp Glu Cys Phe Arg Val Ala Gly Asp
 210 215 220
 Asn Pro Gln Asn Val Gln Leu Glu Asp Val Val Lys Lys Ala Lys Asp
 225 230 235 240
 Ala Gly Gly Asp Asn His Gly Phe Lys Phe Ile Gln Leu Pro Phe Asn
 245 250 255
 Gln Tyr Phe Asp Gln Ala Tyr Met Leu Lys Asn Gln Thr Val Asp Gly
 260 265 270
 Arg Lys Leu Ser Ile Leu Asp Ala Ala Val Ser Leu Gly Val Gly Val
 275 280 285
 Phe Thr Ser Val Pro Phe Met Gln Gly Lys Leu Leu Glu Pro Gly Leu
 290 295 300
 Leu Pro Glu Phe Gly Gly Leu Ser Pro Ala Leu Arg Ser Leu Gln Phe
 305 310 315 320
 Ile Arg Ser Thr Pro Gly Val Leu Ala Pro Leu Pro Gly His Asn Ser
 325 330 335
 Ala Ala His Thr Asp Glu Asn Leu Lys Ile Met Gly Val Pro Pro Ile
 340 345 350
 Pro Pro Asp Lys Phe Gly Glu Leu Val Ala Ser Leu Thr Ser Trp Ser
 355 360 365
 Pro Gly Gln Lys
 370

<210> 41

<211> 1107

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(1107)

<400> 41

atg gca cgg ggg cct atc ttg agt gaa aag ttc cag ata ctg cag ggc 48
 Met Ala Arg Gly Pro Ile Leu Ser Glu Lys Phe Gln Ile Leu Gln Gly
 1 5 10 15

gac gcc cgg gag gtg ctg ccg cgg ctg gca aag aat aca gcc gag cgc 96
 Asp Ala Arg Glu Val Leu Pro Arg Leu Ala Lys Asn Thr Ala Glu Arg
 20 25 30

ggc agg tac aga ctg gcg gta aca tcc cct ccc tat tac ggg cac aga Gly Arg Tyr Arg Leu Ala Val Thr Ser Pro Pro Tyr Tyr Gly His Arg 35 40 45	144
aag tac ggg tcg gag ccc tcc gag ctg ggc cag gaa aag acg cca gac Lys Tyr Gly Ser Glu Pro Ser Glu Leu Gly Gln Glu Lys Thr Pro Asp 50 55 60	192
gag ttc atc gag gag ctg gca gga gta ttc aag agc tgc atg gac ctg Glu Phe Ile Glu Glu Leu Ala Gly Val Phe Lys Ser Cys Met Asp Leu 65 70 75 80	240
cta aca gac gac ggg agc ctc ttc ata gtg ata ggt gat acc agg agg Leu Thr Asp Asp Gly Ser Leu Phe Ile Val Ile Gly Asp Thr Arg Arg 85 90 95	288
cgg cgc cac aag ctg atg gtc ccg cac cgg ctc gcg cta agg ctg gtg Arg Arg His Lys Leu Met Val Pro His Arg Leu Ala Leu Arg Leu Val 100 105 110	336
gat ctt ggg tac cat ttc cag gag gat ata atc tgg tac aag cga aac Asp Leu Gly Tyr His Phe Gln Glu Asp Ile Ile Trp Tyr Lys Arg Asn 115 120 125	384
gcc atc tcg caa agc tcg cgg caa aac ctg acg cag gcg tac gag ttt Ala Ile Ser Gln Ser Ser Arg Gln Asn Leu Thr Gln Ala Tyr Glu Phe 130 135 140	432
gtt ctg gtc ctc tca aag tcg gat acc ccc gcc tat gac ata aac ccg Val Leu Val Leu Ser Lys Ser Asp Thr Pro Ala Tyr Asp Ile Asn Pro 145 150 155 160	480
ata cgc gtc cag ggc aac gag gcc ctg agc ggg ata aac agc aaa ccc Ile Arg Val Gln Gly Asn Glu Ala Leu Ser Gly Ile Asn Ser Lys Pro 165 170 175	528
gca aat gac cgg ctg cag ttc gcc ccc ggg aag agg gat ccc gag gca Ala Asn Asp Arg Leu Gln Phe Ala Pro Gly Lys Arg Asp Pro Glu Ala 180 185 190	576
ata ggg agg att gca gcc gtg ata cac ggc tca acg cct ggt acg ccg Ile Gly Arg Ile Ala Ala Val Ile His Gly Ser Thr Pro Gly Thr Pro 195 200 205	624
ttt gac gag ctg cca acc acc ggg gaa ata tca tgg gcc cac ggc tat Phe Asp Glu Leu Pro Thr Thr Gly Glu Ile Ser Trp Ala His Gly Tyr 210 215 220	672
gac ccc gaa aag tac tgc ccc acg tgc tat cgc aag ttc cgg agg cat Asp Pro Glu Lys Tyr Cys Pro Thr Cys Tyr Arg Lys Phe Arg Arg His 225 230 235 240	720
gcg acg cgc aag agg ata ggg ggc cac gag cac tat ccg ata ttt gcc Ala Thr Arg Lys Arg Ile Gly Gly His Glu His Tyr Pro Ile Phe Ala 245 250 255	768
gca tgc aac ccg cgg ggc aag aac ccg ggg aac gtc tgg gag ata tcc	816

Ala Cys Asn Pro Arg Gly Lys Asn Pro Gly Asn Val Trp Glu Ile Ser
 260 265 270

aca aag gcg cac cat gga aac gag cac ttt gcg gta ttc cca gaa gac 864
 Thr Lys Ala His His Gly Asn Glu His Phe Ala Val Phe Pro Glu Asp
 275 280 285

ctt gta tcc agg ata gta aag ttt gcc aca aaa gag ggc gat tac gtg 912
 Leu Val Ser Arg Ile Val Lys Phe Ala Thr Lys Glu Gly Asp Tyr Val
 290 295 300

ctg gac ccg ttt gca ggc agg ggg acc acg gga ata gtc tct gca tgc 960
 Leu Asp Pro Phe Ala Gly Arg Gly Thr Thr Gly Ile Val Ser Ala Cys
 305 310 315 320

ctc aag agg ggc ttt acc ggg ata gac ctg tat cct gcc aac gtg gca 1008
 Leu Lys Arg Gly Phe Thr Gly Ile Asp Leu Tyr Pro Ala Asn Val Ala
 325 330 335

agg gcc cgg cgc aac gtg cag gat tcc gcc gat tca cgg ctc tca aaa 1056
 Arg Ala Arg Arg Asn Val Gln Asp Ser Ala Asp Ser Arg Leu Ser Lys
 340 345 350

aag gtg ctc gac cag ata atg ccc gag agg cag ctg acc ggc tat ttc 1104
 Lys Val Leu Asp Gln Ile Met Pro Glu Arg Gln Leu Thr Gly Tyr Phe
 355 360 365

tga 1107
 *

<210> 42
 <211> 368
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 42

Met Ala Arg Gly Pro Ile Leu Ser Glu Lys Phe Gln Ile Leu Gln Gly
 1 5 10 15

Asp Ala Arg Glu Val Leu Pro Arg Leu Ala Lys Asn Thr Ala Glu Arg
 20 25 30

Gly Arg Tyr Arg Leu Ala Val Thr Ser Pro Pro Tyr Tyr Gly His Arg
 35 40 45

Lys Tyr Gly Ser Glu Pro Ser Glu Leu Gly Gln Glu Lys Thr Pro Asp
 50 55 60

Glu Phe Ile Glu Glu Leu Ala Gly Val Phe Lys Ser Cys Met Asp Leu
 65 70 75 80

Leu Thr Asp Asp Gly Ser Leu Phe Ile Val Ile Gly Asp Thr Arg Arg
 85 90 95

Arg Arg His Lys Leu Met Val Pro His Arg Leu Ala Leu Arg Leu Val
 100 105 110

Asp Leu Gly Tyr His Phe Gln Glu Asp Ile Ile Trp Tyr Lys Arg Asn
 115 120 125

Ala Ile Ser Gln Ser Ser Arg Gln Asn Leu Thr Gln Ala Tyr Glu Phe
 130 135 140

Val Leu Val Leu Ser Lys Ser Asp Thr Pro Ala Tyr Asp Ile Asn Pro
 145 150 155 160

Ile Arg Val Gln Gly Asn Glu Ala Leu Ser Gly Ile Asn Ser Lys Pro
 165 170 175

Ala Asn Asp Arg Leu Gln Phe Ala Pro Gly Lys Arg Asp Pro Glu Ala
 180 185 190
 Ile Gly Arg Ile Ala Ala Val Ile His Gly Ser Thr Pro Gly Thr Pro
 195 200 205
 Phe Asp Glu Leu Pro Thr Thr Gly Glu Ile Ser Trp Ala His Gly Tyr
 210 215 220
 Asp Pro Glu Lys Tyr Cys Pro Thr Cys Tyr Arg Lys Phe Arg Arg His
 225 230 235 240
 Ala Thr Arg Lys Arg Ile Gly Gly His Glu His Tyr Pro Ile Phe Ala
 245 250 255
 Ala Cys Asn Pro Arg Gly Lys Asn Pro Gly Asn Val Trp Glu Ile Ser
 260 265 270
 Thr Lys Ala His His Gly Asn Glu His Phe Ala Val Phe Pro Glu Asp
 275 280 285
 Leu Val Ser Arg Ile Val Lys Phe Ala Thr Lys Glu Gly Asp Tyr Val
 290 295 300
 Leu Asp Pro Phe Ala Gly Arg Gly Thr Thr Gly Ile Val Ser Ala Cys
 305 310 315 320
 Leu Lys Arg Gly Phe Thr Gly Ile Asp Leu Tyr Pro Ala Asn Val Ala
 325 330 335
 Arg Ala Arg Arg Asn Val Gln Asp Ser Ala Asp Ser Arg Leu Ser Lys
 340 345 350
 Lys Val Leu Asp Gln Ile Met Pro Glu Arg Gln Leu Thr Gly Tyr Phe
 355 360 365

<210> 43

<211> 933

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(933)

<400> 43

atg cct agt tac gca gaa ata gca aac gac gta ctt cga cta atg gag	48
Met Pro Ser Tyr Ala Glu Ile Ala Asn Asp Val Leu Arg Leu Met Glu	
1 5 10 15	
tca gtc ggt gag cag gca cct ggt gta gta ctt cac gac tat ctt tca	96
Ser Val Gly Glu Gln Ala Pro Gly Val Val Leu His Asp Tyr Leu Ser	
20 25 30	
aaa ttg caa cag tat tcg ggg agg gat aca ata ctg tat gcg acc aac	144
Lys Leu Gln Gln Tyr Ser Gly Arg Asp Thr Ile Leu Tyr Ala Thr Asn	
35 40 45	
tgg ata acg gac gaa gcg cat acg tct aat gaa gct ctc ata aca aat	192
Trp Ile Thr Asp Glu Ala His Thr Ser Asn Glu Ala Leu Ile Thr Asn	
50 55 60	
ggt gac ctg tat gga ttt atg agg atg atg cgt gat tta aag act aag	240
Gly Asp Leu Tyr Gly Phe Met Arg Met Met Arg Asp Leu Lys Thr Lys	
65 70 75 80	
aaa tta gat tta ata ctc cac agt ccg ggg ggc tcc gtc gag tcc acc	288
Lys Leu Asp Leu Ile Leu His Ser Pro Gly Gly Ser Val Glu Ser Thr	
85 90 95	

gaa gca atc gtc tca tac ata cgt gca aaa ttt aaa aat gtc cgg atc Glu Ala Ile Val Ser Tyr Ile Arg Ala Lys Phe Lys Asn Val Arg Ile 100 105 110	336
att atc cca tat gcc gcg atg tcg gca gct gcg atg ctt gca tgc tca Ile Ile Pro Tyr Ala Ala Met Ser Ala Ala Ala Met Leu Ala Cys Ser 115 120 125	384
tcg aat tgc ctg gta atg ggt aaa cac tca tcg ata ggt ccc acc gac Ser Asn Cys Leu Val Met Gly Lys His Ser Ser Ile Gly Pro Thr Asp 130 135 140	432
ccc caa ttt att att cca acc agg acc ggc atg cac ata atg tct gca Pro Gln Phe Ile Ile Pro Thr Arg Thr Gly Met His Ile Met Ser Ala 145 150 155 160	480
cag ttt cta att agc gag ttt caa gaa gca cag tcg gtg tca gaa aaa Gln Phe Leu Ile Ser Glu Phe Gln Glu Ala Gln Ser Val Ser Glu Lys 165 170 175	528
cac ccg ggg agg ctc ggc gca tgg ctt cca ctg tta ggg caa tat cct His Pro Gly Arg Leu Gly Ala Trp Leu Pro Leu Leu Gly Gln Tyr Pro 180 185 190	576
ccc ggg cta att caa aaa tgc att agc agc cag aag cta agt gtg gaa Pro Gly Leu Ile Gln Lys Cys Ile Ser Ser Gln Lys Leu Ser Val Glu 195 200 205	624
ctt gta caa aaa tgg ctg gct aga tac atg ttt gag aac gag tct gca Leu Val Gln Lys Trp Leu Ala Arg Tyr Met Phe Glu Asn Glu Ser Ala 210 215 220	672
gcg gta aaa aag tca aaa aaa ata tca gaa ata atg tct tcc tct aaa Ala Val Lys Lys Ser Lys Lys Ile Ser Glu Ile Met Ser Ser Ser Lys 225 230 235 240	720
aaa tat cac agt cat gga agg cgc ata tcg aga gaa gaa tgt aaa agg Lys Tyr His Ser His Gly Arg Arg Ile Ser Arg Glu Glu Cys Lys Arg 245 250 255	768
att ggc tta aaa gta act gat ctg gaa gat gaa caa gaa ttt caa gat Ile Gly Leu Lys Val Thr Asp Leu Glu Asp Glu Gln Glu Phe Gln Asp 260 265 270	816
ctg gtg ctg tca gta ttt cat gcg gca aat acc atg ttt cag tat act Leu Val Leu Ser Val Phe His Ala Ala Asn Thr Met Phe Gln Tyr Thr 275 280 285	864
cca gtc aac aaa att atc atg aat cac ctc ggt aat acc gtc gtt gag Pro Val Asn Lys Ile Ile Met Asn His Leu Gly Asn Thr Val Val Glu 290 295 300	912
aca ctg cca aca cca cgg taa Thr Leu Pro Thr Pro Arg * 305 310	933

-96-

<211> 310

<212> PRT

<213> *Cenarchaeum symbiosum*

<400> 44

```

Met Pro Ser Tyr Ala Glu Ile Ala Asn Asp Val Leu Arg Leu Met Glu
 1           5           10           15
Ser Val Gly Glu Gln Ala Pro Gly Val Val Leu His Asp Tyr Leu Ser
          20           25           30
Lys Leu Gln Gln Tyr Ser Gly Arg Asp Thr Ile Leu Tyr Ala Thr Asn
          35           40           45
Trp Ile Thr Asp Glu Ala His Thr Ser Asn Glu Ala Leu Ile Thr Asn
          50           55           60
Gly Asp Leu Tyr Gly Phe Met Arg Met Met Arg Asp Leu Lys Thr Lys
          65           70           75           80
Lys Leu Asp Leu Ile Leu His Ser Pro Gly Gly Ser Val Glu Ser Thr
          85           90           95
Glu Ala Ile Val Ser Tyr Ile Arg Ala Lys Phe Lys Asn Val Arg Ile
          100          105          110
Ile Ile Pro Tyr Ala Ala Met Ser Ala Ala Ala Met Leu Ala Cys Ser
          115          120          125
Ser Asn Cys Leu Val Met Gly Lys His Ser Ser Ile Gly Pro Thr Asp
          130          135          140
Pro Gln Phe Ile Ile Pro Thr Arg Thr Gly Met His Ile Met Ser Ala
          145          150          155          160
Gln Phe Leu Ile Ser Glu Phe Gln Glu Ala Gln Ser Val Ser Glu Lys
          165          170          175
His Pro Gly Arg Leu Gly Ala Trp Leu Pro Leu Leu Gly Gln Tyr Pro
          180          185          190
Pro Gly Leu Ile Gln Lys Cys Ile Ser Ser Gln Lys Leu Ser Val Glu
          195          200          205
Leu Val Gln Lys Trp Leu Ala Arg Tyr Met Phe Glu Asn Glu Ser Ala
          210          215          220
Ala Val Lys Lys Ser Lys Lys Ile Ser Glu Ile Met Ser Ser Ser Lys
          225          230          235          240
Lys Tyr His Ser His Gly Arg Arg Ile Ser Arg Glu Glu Cys Lys Arg
          245          250          255
Ile Gly Leu Lys Val Thr Asp Leu Glu Asp Glu Gln Glu Phe Gln Asp
          260          265          270
Leu Val Leu Ser Val Phe His Ala Ala Asn Thr Met Phe Gln Tyr Thr
          275          280          285
Pro Val Asn Lys Ile Ile Met Asn His Leu Gly Asn Thr Val Val Glu
          290          295          300
Thr Leu Pro Thr Pro Arg
          305          310

```

<210> 45

<211> 1305

<212> DNA

<213> *Cenarchaeum symbiosum*

<220>

<221> CDS

<222> (1)...(1305)

<400> 45

```

gtg gat ctg gaa cgc gag tac agg gca aag acc ggc ggc tcg gcc cgg
Met Asp Leu Glu Arg Glu Tyr Arg Ala Lys Thr Gly Gly Ser Ala Arg

```

48

1	5	10	15	
atc ttt gcc agg tcg aaa aag tac cac gtc ggc ggg gtc agc cac aac				96
Ile Phe Ala Arg Ser Lys Lys Tyr His Val Gly Gly Val Ser His Asn				
20	25	30		
ata agg ttc tac gag ccg tat ccg ttt gtg aca agg tcc gcg agc ggc				144
Ile Arg Phe Tyr Glu Pro Tyr Pro Phe Val Thr Arg Ser Ala Ser Gly				
35	40	45		
aag cac ctc gtc gac gtg gac ggg aac aag tat gta gac tac tgg atg				192
Lys His Leu Val Asp Val Asp Gly Asn Lys Tyr Val Asp Tyr Trp Met				
50	55	60		
ggg cac tgg agc ctg ata ctg ggg cac gcg ccg gcg cca gtc agg tcg				240
Gly His Trp Ser Leu Ile Leu Gly His Ala Pro Ala Pro Val Arg Ser				
65	70	75	80	
gca gta gag ggg cag ctt cgc cgc ggc tgg atc cac ggg acc gtc aac				288
Ala Val Glu Gly Gln Leu Arg Arg Gly Trp Ile His Gly Thr Val Asn				
85	90	95		
gag cag acg atg aat ctc tcg gag ata ata cgc ggc gcg gta agc gtg				336
Glu Gln Thr Met Asn Leu Ser Glu Ile Ile Arg Gly Ala Val Ser Val				
100	105	110		
gca gaa aag aca agg tac gtc acg tcg ggg acg gag gcc gtc atg tat				384
Ala Glu Lys Thr Arg Tyr Val Thr Ser Gly Thr Glu Ala Val Met Tyr				
115	120	125		
gcg gca agg ctg gcg cgc gcg cat acg ggc aga aaa ata ata gca aag				432
Ala Ala Arg Leu Ala Arg Ala His Thr Gly Arg Lys Ile Ile Ala Lys				
130	135	140		
gcg gac ggc ggc tgg cac ggg tac gcg tcg ggg ctg ctc aag tcg gtc				480
Ala Asp Gly Gly Trp His Gly Tyr Ala Ser Gly Leu Leu Lys Ser Val				
145	150	155	160	
aac tgg ccg tat gat gtg ccc gag agc ggg ggg ctc gtc gac gaa gag				528
Asn Trp Pro Tyr Asp Val Pro Glu Ser Gly Gly Leu Val Asp Glu Glu				
165	170	175		
cac tct ata tcc att ccg tac aac gat ctt gaa ggt tcc ctg gat gtt				576
His Ser Ile Ser Ile Pro Tyr Asn Asp Leu Glu Gly Ser Leu Asp Val				
180	185	190		
ctt ggg cgc gca ggc gac gac ttg gca tgc gtg ata atc gag ccg ctg				624
Leu Gly Arg Ala Gly Asp Asp Leu Ala Cys Val Ile Ile Glu Pro Leu				
195	200	205		
ctg ggc ggc ggc ggc tgc ata ccg gcg gat gag gac tat ctg cgc ggc				672
Leu Gly Gly Gly Gly Cys Ile Pro Ala Asp Glu Asp Tyr Leu Arg Gly				
210	215	220		
ata cag gag ttt gtg cat tca agg ggc gcg ctg ctt gtc ctc gac gag				720
Ile Gln Glu Phe Val His Ser Arg Gly Ala Leu Leu Val Leu Asp Glu				
225	230	235	240	

- 98 -

ata gtg aca ggg ttc cgg ttt agg ttt ggc tgc gcg tat gct gca gca Ile Val Thr Gly Phe Arg Phe Arg Phe Gly Cys Ala Tyr Ala Ala Ala 245 250 255	768
ggg ctg gac ccc gat ata gtg gcg ctc ggc aag ata gtc ggg ggc gga Gly Leu Asp Pro Asp Ile Val Ala Leu Gly Lys Ile Val Gly Gly Gly 260 265 270	816
ttc ccc ata ggg gtg ata tgc ggc aag gac gag gtg atg gaa atc tcc Phe Pro Ile Gly Val Ile Cys Gly Lys Asp Glu Val Met Glu Ile Ser 275 280 285	864
aac act ata tcg cat gca aag tcc gac agg gcg tac atc ggc ggc ggc Asn Thr Ile Ser His Ala Lys Ser Asp Arg Ala Tyr Ile Gly Gly Gly 290 295 300	912
aca ttc tct gca aac ccc gcc acg atg aca gcg ggc gcg gca gcg ctc Thr Phe Ser Ala Asn Pro Ala Thr Met Thr Ala Gly Ala Ala Ala Leu 305 310 315 320	960
ggg gag ctc aaa aag aga aag ggc aca ata tac ccg agg ata aac tcc Gly Glu Leu Lys Lys Arg Lys Gly Thr Ile Tyr Pro Arg Ile Asn Ser 325 330 335	1008
atg ggg gac gac gca agg gac aag ctc tca aag ata ttt ggg aac agg Met Gly Asp Asp Ala Arg Asp Lys Leu Ser Lys Ile Phe Gly Asn Arg 340 345 350	1056
gta tcc gtg acc gga agg ggc tcg ctg ttc atg act cac ttt gtt caa Val Ser Val Thr Gly Arg Gly Ser Leu Phe Met Thr His Phe Val Gln 355 360 365	1104
gat ggc gcc ggc agg gtc tca aat gct gca gat gcg gca gcc tgc gat Asp Gly Ala Gly Arg Val Ser Asn Ala Ala Asp Ala Ala Ala Cys Asp 370 375 380	1152
gtt gag ctg ctg cac agg tac cac ctg gac atg atc acc cgg gac ggc Val Glu Leu Leu His Arg Tyr His Leu Asp Met Ile Thr Arg Asp Gly 385 390 395 400	1200
ata ttc ttt ctg ccg ggc aag ctg ggg gcc ata tcg gcg gcg cac tca Ile Phe Phe Leu Pro Gly Lys Leu Gly Ala Ile Ser Ala Ala His Ser 405 410 415	1248
aag gcc gac ctc aag acc atg tat tcc gca tca gag cgc ttt gca gaa Lys Ala Asp Leu Lys Thr Met Tyr Ser Ala Ser Glu Arg Phe Ala Glu 420 425 430	1296
ggc cta tga Gly Leu *	1305
<210> 46	
<211> 434	
<212> PRT	
<213> Cenarchaeum symbiosum	
<400> 46	
Met Asp Leu Glu Arg Glu Tyr Arg Ala Lys Thr Gly Gly Ser Ala Arg	

1	5	10	15
Ile Phe Ala Arg Ser Lys Lys Tyr His Val Gly Gly Val Ser His Asn			
20	25	30	
Ile Arg Phe Tyr Glu Pro Tyr Pro Phe Val Thr Arg Ser Ala Ser Gly			
35	40	45	
Lys His Leu Val Asp Val Asp Gly Asn Lys Tyr Val Asp Tyr Trp Met			
50	55	60	
Gly His Trp Ser Leu Ile Leu Gly His Ala Pro Ala Pro Val Arg Ser			
65	70	75	80
Ala Val Glu Gly Gln Leu Arg Arg Gly Trp Ile His Gly Thr Val Asn			
85	90	95	
Glu Gln Thr Met Asn Leu Ser Glu Ile Ile Arg Gly Ala Val Ser Val			
100	105	110	
Ala Glu Lys Thr Arg Tyr Val Thr Ser Gly Thr Glu Ala Val Met Tyr			
115	120	125	
Ala Ala Arg Leu Ala Arg Ala His Thr Gly Arg Lys Ile Ile Ala Lys			
130	135	140	
Ala Asp Gly Gly Trp His Gly Tyr Ala Ser Gly Leu Leu Lys Ser Val			
145	150	155	160
Asn Trp Pro Tyr Asp Val Pro Glu Ser Gly Gly Leu Val Asp Glu Glu			
165	170	175	
His Ser Ile Ser Ile Pro Tyr Asn Asp Leu Glu Gly Ser Leu Asp Val			
180	185	190	
Leu Gly Arg Ala Gly Asp Asp Leu Ala Cys Val Ile Ile Glu Pro Leu			
195	200	205	
Leu Gly Gly Gly Gly Cys Ile Pro Ala Asp Glu Asp Tyr Leu Arg Gly			
210	215	220	
Ile Gln Glu Phe Val His Ser Arg Gly Ala Leu Leu Val Leu Asp Glu			
225	230	235	240
Ile Val Thr Gly Phe Arg Phe Arg Phe Gly Cys Ala Tyr Ala Ala Ala			
245	250	255	
Gly Leu Asp Pro Asp Ile Val Ala Leu Gly Lys Ile Val Gly Gly Gly			
260	265	270	
Phe Pro Ile Gly Val Ile Cys Gly Lys Asp Glu Val Met Glu Ile Ser			
275	280	285	
Asn Thr Ile Ser His Ala Lys Ser Asp Arg Ala Tyr Ile Gly Gly Gly			
290	295	300	
Thr Phe Ser Ala Asn Pro Ala Thr Met Thr Ala Gly Ala Ala Ala Leu			
305	310	315	320
Gly Glu Leu Lys Lys Arg Lys Gly Thr Ile Tyr Pro Arg Ile Asn Ser			
325	330	335	
Met Gly Asp Asp Ala Arg Asp Lys Leu Ser Lys Ile Phe Gly Asn Arg			
340	345	350	
Val Ser Val Thr Gly Arg Gly Ser Leu Phe Met Thr His Phe Val Gln			
355	360	365	
Asp Gly Ala Gly Arg Val Ser Asn Ala Ala Asp Ala Ala Ala Cys Asp			
370	375	380	
Val Glu Leu Leu His Arg Tyr His Leu Asp Met Ile Thr Arg Asp Gly			
385	390	395	400
Ile Phe Phe Leu Pro Gly Lys Leu Gly Ala Ile Scr Ala Ala His Ser			
405	410	415	
Lys Ala Asp Leu Lys Thr Met Tyr Ser Ala Ser Glu Arg Phe Ala Glu			
420	425	430	
Gly Leu			

<210> 47

<211> 807

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1) ... (807)

<400> 47

atg ata ctc ttc ggc aag agc gac ccc gcc gag ctg gtg cgc cag gcg	48
Met Ile Leu Phe Gly Lys Ser Asp Pro Ala Glu Leu Val Arg Gln Ala	
1 5 10 15	
gac ctc ctg tgc agc aag aac cag ttc agg gcg gca ata ggc ctg tac	96
Asp Leu Leu Cys Ser Lys Asn Gln Phe Arg Ala Ala Ile Gly Leu Tyr	
20 25 30	
ggg aaa atc ctc aag gac gac ccg cag aac agg ggc gtc ctg cac aaa	144
Gly Lys Ile Leu Lys Asp Asp Pro Gln Asn Arg Gly Val Leu His Lys	
35 40 45	
aag ggg ctg gcc cag aac agg gca aaa aag tac tct gat gcg atc acg	192
Lys Gly Leu Ala Gln Asn Arg Ala Lys Lys Tyr Ser Asp Ala Ile Thr	
50 55 60	
tgc ttt gac cgg ctg ctc gag ctt gac aac aag gac gcg ccc gcg tac	240
Cys Phe Asp Arg Leu Leu Glu Leu Asp Asn Lys Asp Ala Pro Ala Tyr	
65 70 75 80	
aac aac aag gcc ata gcc cag gcc gag ctc gga gac acg gca tcc gcg	288
Asn Asn Lys Ala Ile Ala Gln Ala Glu Leu Gly Asp Thr Ala Ser Ala	
85 90 95	
ctg gaa aac tac ggc agg gcc atc gag gcc gac ccg cgg tac gcg ccg	336
Leu Glu Asn Tyr Gly Arg Ala Ile Glu Ala Asp Pro Arg Tyr Ala Pro	
100 105 110	
gcg cgc ttc aac agg gcc gtg ctg ctc gac agg ctg ggc gag cat gag	384
Ala Arg Phe Asn Arg Ala Val Leu Leu Asp Arg Leu Gly Glu His Glu	
115 120 125	
gag gcg ctg ccg gac ctc gac agg gca gcc gag ctg gac cga cgc aag	432
Glu Ala Leu Pro Asp Leu Asp Arg Ala Ala Glu Leu Asp Arg Arg Lys	
130 135 140	
ccg aac ccg agg ttc tac aag ggg ata gtg ctc ggc aag atg ggc agg	480
Pro Asn Pro Arg Phe Tyr Lys Gly Ile Val Leu Gly Lys Met Gly Arg	
145 150 155 160	
cac gaa gag gcg ctg gcc tgc ttc aag ggc gtg tgc aag agg cat ccc	528
His Glu Glu Ala Leu Ala Cys Phe Lys Gly Val Cys Lys Arg His Pro	
165 170 175	
ggc cac gcc gac tca cag ttc cac gtg ggg ata gag ctt acc gag ctt	576
Gly His Ala Asp Ser Gln Phe His Val Gly Ile Glu Leu Thr Glu Leu	
180 185 190	
ggc agg cac gcc gag gcc ctc ggg gag ctt gca tca ctg ccc gcg gag	624
Gly Arg His Ala Glu Ala Leu Gly Glu Leu Ala Ser Leu Pro Ala Glu	
195 200 205	

cac cgc gag aac gcc aat gta ttg tat gcc agg gcg cgc agc ctc tcg 672
 His Arg Glu Asn Ala Asn Val Leu Tyr Ala Arg Ala Arg Ser Leu Ser
 210 215 220

ggc ctt ggc agg gag gac gaa tcc ata gcg cac ctg caa aag gcg gcc 720
 Gly Leu Gly Arg Glu Asp Glu Ser Ile Ala His Leu Gln Lys Ala Ala
 225 230 235 240

aaa aaa gat tcc aag acg ata aaa aag tgg gcc cgc gca gaa aag gcc 768
 Lys Lys Asp Ser Lys Thr Ile Lys Lys Trp Ala Arg Ala Glu Lys Ala
 245 250 255

ttt gac gga ata cgg gac gat ccc ggt tca aaa aga tag 807
 Phe Asp Gly Ile Arg Asp Asp Pro Gly Ser Lys Arg *
 260 265

<210> 48

<211> 268

<212> PRT

<213> Cenarchaeum symbiosum

<400> 48

Met Ile Leu Phe Gly Lys Ser Asp Pro Ala Glu Leu Val Arg Gln Ala
 1 5 10 15
 Asp Leu Leu Cys Ser Lys Asn Gln Phe Arg Ala Ala Ile Gly Leu Tyr
 20 25 30
 Gly Lys Ile Leu Lys Asp Asp Pro Gln Asn Arg Gly Val Leu His Lys
 35 40 45
 Lys Gly Leu Ala Gln Asn Arg Ala Lys Lys Tyr Ser Asp Ala Ile Thr
 50 55 60
 Cys Phe Asp Arg Leu Leu Glu Leu Asp Asn Lys Asp Ala Pro Ala Tyr
 65 70 75 80
 Asn Asn Lys Ala Ile Ala Gln Ala Glu Leu Gly Asp Thr Ala Ser Ala
 85 90 95
 Leu Glu Asn Tyr Gly Arg Ala Ile Glu Ala Asp Pro Arg Tyr Ala Pro
 100 105 110
 Ala Arg Phe Asn Arg Ala Val Leu Leu Asp Arg Leu Gly Glu His Glu
 115 120 125
 Glu Ala Leu Pro Asp Leu Asp Arg Ala Ala Glu Leu Asp Arg Arg Lys
 130 135 140
 Pro Asn Pro Arg Phe Tyr Lys Gly Ile Val Leu Gly Lys Met Gly Arg
 145 150 155 160
 His Glu Glu Ala Leu Ala Cys Phe Lys Gly Val Cys Lys Arg His Pro
 165 170 175
 Gly His Ala Asp Ser Gln Phe His Val Gly Ile Glu Leu Thr Glu Leu
 180 185 190
 Gly Arg His Ala Glu Ala Leu Gly Glu Leu Ala Ser Leu Pro Ala Glu
 195 200 205
 His Arg Glu Asn Ala Asn Val Leu Tyr Ala Arg Ala Arg Ser Leu Ser
 210 215 220
 Gly Leu Gly Arg Glu Asp Glu Ser Ile Ala His Leu Gln Lys Ala Ala
 225 230 235 240
 Lys Lys Asp Ser Lys Thr Ile Lys Lys Trp Ala Arg Ala Glu Lys Ala
 245 250 255
 Phe Asp Gly Ile Arg Asp Asp Pro Gly Ser Lys Arg
 260 265

<210> 49
 <211> 708
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1) ... (708)

<400> 49
 gtg cgg cag ggg atg act gga aag acc agg acg gcg gtc ctg cgg aac 48
 Met Arg Gln Gly Met Thr Gly Lys Thr Arg Thr Ala Val Leu Arg Asn
 1 5 10 15
 gcc atg act gag gag tcg gct cgg gcc atg ata gag gca aag aag acg 96
 Ala Met Thr Glu Glu Ser Ala Arg Ala Met Ile Glu Ala Lys Lys Thr
 20 25 30
 ggt gcc ttt agg gcc ctt atg agg gcc ccg cgg aaa gaa gac gtc cat 144
 Gly Ala Phe Arg Ala Leu Met Arg Ala Pro Arg Lys Glu Asp Val His
 35 40 45
 gtg cat tct gta aag ctg gtc cac gag gcg ctg atc cgg gtc tcc gcc 192
 Val His Ser Val Lys Leu Val His Glu Ala Leu Ile Arg Val Ser Ala
 50 55 60
 agg tac tct gcg gat ttt ttc aga aag gcg gtt cac ccg atc aag gtg 240
 Arg Tyr Ser Ala Asp Phe Phe Arg Lys Ala Val His Pro Ile Lys Val
 65 70 75 80
 gac cag aac gtg atc gag gtg gtg cta ggc gac ggc gtc ttt ccc ata 288
 Asp Gln Asn Val Ile Glu Val Val Leu Gly Asp Gly Val Phe Pro Ile
 85 90 95
 agg tcc aag tcg cgc ata cac aag acg ctc tcg gca ggg ctc ggc aag 336
 Arg Ser Lys Ser Arg Ile His Lys Thr Leu Ser Ala Gly Leu Gly Lys
 100 105 110
 aac agg gtc gac ctc gag cta gaa gag cat gtc ttt gcg gaa tca gaa 384
 Asn Arg Val Asp Leu Glu Leu Glu Glu His Val Phe Ala Glu Ser Glu
 115 120 125
 ggg atg atg tgc ctt gac cgg cac ggc ggc gag acg gac ttt ccc tac 432
 Gly Met Met Cys Leu Asp Arg His Gly Gly Glu Thr Asp Phe Pro Tyr
 130 135 140
 aag acg ggg ccc ggc gcg gtg gag ccg tac ccg cgg agg ata ctc gat 480
 Lys Thr Gly Pro Gly Ala Val Glu Pro Tyr Pro Arg Arg Ile Leu Asp
 145 150 155 160
 gcg tca gag aat gtg cgg agc ccc gag gtg gag aca gaa gag gcg ctc 528
 Ala Ser Glu Asn Val Arg Ser Pro Glu Val Glu Thr Glu Glu Ala Leu
 165 170 175
 tca aaa cta aaa gag aag ctg cgc ggg ccc ccg cct gac ggc atg cgc 576
 Ser Lys Leu Lys Glu Lys Leu Arg Gly Pro Pro Pro Asp Gly Met Arg
 180 185 190

gac ctg cgg gag gag ttt gcc gca aag gcg gtg gag gtg gtc tat gta 624
 Asp Leu Arg Glu Glu Phe Ala Ala Lys Ala Val Glu Val Val Tyr Val
 195 200 205

cca gtc tat gaa tcg cga ctt gtg ggg ccc aaa aaa aag gtc cgc atg 672
 Pro Val Tyr Glu Ser Arg Leu Val Gly Pro Lys Lys Lys Val Arg Met
 210 215 220

atg cgg att gac gcg gca aga aaa aag atc ctc tag 708
 Met Arg Ile Asp Ala Ala Arg Lys Lys Ile Leu *
 225 230 235

<210> 50
 <211> 235
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 50
 Met Arg Gln Gly Met Thr Gly Lys Thr Arg Thr Ala Val Leu Arg Asn
 1 5 10 15
 Ala Met Thr Glu Glu Ser Ala Arg Ala Met Ile Glu Ala Lys Lys Thr
 20 25 30
 Gly Ala Phe Arg Ala Leu Met Arg Ala Pro Arg Lys Glu Asp Val His
 35 40 45
 Val His Ser Val Lys Leu Val His Glu Ala Leu Ile Arg Val Ser Ala
 50 55 60
 Arg Tyr Ser Ala Asp Phe Phe Arg Lys Ala Val His Pro Ile Lys Val
 65 70 75 80
 Asp Gln Asn Val Ile Glu Val Val Leu Gly Asp Gly Val Phe Pro Ile
 85 90 95
 Arg Ser Lys Ser Arg Ile His Lys Thr Leu Ser Ala Gly Leu Gly Lys
 100 105 110
 Asn Arg Val Asp Leu Glu Leu Glu Glu His Val Phe Ala Glu Ser Glu
 115 120 125
 Gly Met Met Cys Leu Asp Arg His Gly Gly Glu Thr Asp Phe Pro Tyr
 130 135 140
 Lys Thr Gly Pro Gly Ala Val Glu Pro Tyr Pro Arg Arg Ile Leu Asp
 145 150 155 160
 Ala Ser Glu Asn Val Arg Ser Pro Glu Val Glu Thr Glu Glu Ala Leu
 165 170 175
 Ser Lys Leu Lys Glu Lys Leu Arg Gly Pro Pro Pro Asp Gly Met Arg
 180 185 190
 Asp Leu Arg Glu Glu Phe Ala Ala Lys Ala Val Glu Val Val Tyr Val
 195 200 205
 Pro Val Tyr Glu Ser Arg Leu Val Gly Pro Lys Lys Lys Val Arg Met
 210 215 220
 Met Arg Ile Asp Ala Ala Arg Lys Lys Ile Leu
 225 230 235

<210> 51
 <211> 378
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)... (378)

<400> 51
 atg agg tcg gag ggc agg ccc gga tac atc gaa aag ttc cta aag agg 48
 Met Arg Ser Glu Gly Arg Pro Gly Tyr Ile Glu Lys Phe Leu Lys Arg
 1 5 10 15
 gcg gac aag gcg ata gac aat gca gtc gag cag ggc gtc aag agg gca 96
 Ala Asp Lys Ala Ile Asp Asn Ala Val Glu Gln Gly Val Lys Arg Ala
 20 25 30
 gac gag ata cta gat gac gca gtc gag ctc ggc aag atc acc gtg ggc 144
 Asp Glu Ile Leu Asp Asp Ala Val Glu Leu Gly Lys Ile Thr Val Gly
 35 40 45
 gag gcg caa aaa aga agc gat gtg ctg ctc aag cag gcc gag cgg gag 192
 Glu Ala Gln Lys Arg Ser Asp Val Leu Leu Lys Gln Ala Glu Arg Glu
 50 55 60
 agc aag cgg ctc aag tca agg ggc gcc aaa aag ctc gaa aag ggc ata 240
 Ser Lys Arg Leu Lys Ser Arg Gly Ala Lys Lys Leu Glu Lys Gly Ile
 65 70 75 80
 ggg gcg gca aaa aag atg gca gcc ggc aag ggc gac gcg cta gag acc 288
 Gly Ala Ala Lys Lys Met Ala Ala Gly Lys Gly Asp Ala Leu Glu Thr
 85 90 95
 ctg gca aag ctc ggc gag ctg aga aag gcg ggg atc ata acg gag aag 336
 Leu Ala Lys Leu Gly Glu Leu Arg Lys Ala Gly Ile Ile Thr Glu Lys
 100 105 110
 gag ttt cgc gcc aag aaa aag aag ctt ctc gcg gag atc tga 378
 Glu Phe Arg Ala Lys Lys Lys Lys Leu Leu Ala Glu Ile *
 115 120 125

<210> 52
 <211> 125
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 52
 Met Arg Ser Glu Gly Arg Pro Gly Tyr Ile Glu Lys Phe Leu Lys Arg
 1 5 10 15
 Ala Asp Lys Ala Ile Asp Asn Ala Val Glu Gln Gly Val Lys Arg Ala
 20 25 30
 Asp Glu Ile Leu Asp Asp Ala Val Glu Leu Gly Lys Ile Thr Val Gly
 35 40 45
 Glu Ala Gln Lys Arg Ser Asp Val Leu Leu Lys Gln Ala Glu Arg Glu
 50 55 60
 Ser Lys Arg Leu Lys Ser Arg Gly Ala Lys Lys Leu Glu Lys Gly Ile
 65 70 75 80
 Gly Ala Ala Lys Lys Met Ala Ala Gly Lys Gly Asp Ala Leu Glu Thr
 85 90 95
 Leu Ala Lys Leu Gly Glu Leu Arg Lys Ala Gly Ile Ile Thr Glu Lys
 100 105 110
 Glu Phe Arg Ala Lys Lys Lys Lys Leu Leu Ala Glu Ile
 115 120 125

<210> 53
 <211> 606

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(606)

<400> 53

atg tcc aag acg gag gcc tcc ccg ggg gga tat gcc tgc acg cca tac	48
Met Ser Lys Thr Glu Ala Ser Pro Gly Gly Tyr Ala Cys Thr Pro Tyr	
1 5 10 15	
acg cac gac cat gcc tcg ata gag ctc aag gag gaa tgg tcc tcg tcg	96
Thr His Asp His Ala Ser Ile Glu Leu Lys Glu Glu Trp Ser Ser Ser	
20 25 30	
agg aac gta ggc gag atg tac ttt gtg acc gcc act ttc tcg tcc aaa	144
Arg Asn Val Gly Glu Met Tyr Phe Val Thr Ala Thr Phe Ser Ser Lys	
35 40 45	
agc aag ccg tac ttt gag cag cag gcc agc cac tac ctg ctg gca agg	192
Ser Lys Pro Tyr Phe Glu Gln Gln Ala Ser His Tyr Leu Leu Ala Arg	
50 55 60	
ttc aaa aac ggc ccc aaa atg ata aag gcg gtg gag ggc cgc ggg ggc	240
Phe Lys Asn Gly Pro Lys Met Ile Lys Ala Val Glu Gly Arg Gly Gly	
65 70 75 80	
ggc cct tcc tat tta ttc agc atg gac gag gag ata ttc gaa agg gaa	288
Gly Pro Ser Tyr Leu Phe Ser Met Asp Glu Glu Ile Phe Glu Arg Glu	
85 90 95	
tcc ccc ggg atg agc tat gta tcc atg tac tat ctg gaa tac gga gat	336
Ser Pro Gly Met Ser Tyr Val Ser Met Tyr Tyr Leu Glu Tyr Gly Asp	
100 105 110	
tcc gag gag gac ata cgc gag gtg gcg tcg gta gtg gca aga aag gag	384
Ser Glu Glu Asp Ile Arg Glu Val Ala Ser Val Val Ala Arg Lys Glu	
115 120 125	
aag ata ggc agg gcg gga ata ggg cgc atg gat gta tgc tcg agg att	432
Lys Ile Gly Arg Ala Gly Ile Gly Arg Met Asp Val Cys Ser Arg Ile	
130 135 140	
ccg cca aag ttt gcc ttc ccg tac agc ggg aac att gtg gtg ctc gag	480
Pro Pro Lys Phe Ala Phe Pro Tyr Ser Gly Asn Ile Val Val Leu Glu	
145 150 155 160	
gta tcc agc gaa aag agc cac cag agc gtc aac aag tac tgc gaa aag	528
Val Ser Ser Glu Lys Ser His Gln Ser Val Asn Lys Tyr Cys Glu Lys	
165 170 175	
act aga agg gaa gtg atc cgc aag ggg ata acg atg acc aac ctt gta	576
Thr Arg Arg Glu Val Ile Arg Lys Gly Ile Thr Met Thr Asn Leu Val	
180 185 190	
agc ctg tcg ata ctg gag agg ctc aaa taa	606
Ser Leu Ser Ile Leu Glu Arg Leu Lys *	

195

200

<210> 54
 <211> 201
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 54

Met	Ser	Lys	Thr	Glu	Ala	Ser	Pro	Gly	Gly	Tyr	Ala	Cys	Thr	Pro	Tyr
1				5				10						15	
Thr	His	Asp	His	Ala	Ser	Ile	Glu	Leu	Lys	Glu	Glu	Trp	Ser	Ser	Ser
			20				25						30		
Arg	Asn	Val	Gly	Glu	Met	Tyr	Phe	Val	Thr	Ala	Thr	Phe	Ser	Ser	Lys
			35				40					45			
Ser	Lys	Pro	Tyr	Phe	Glu	Gln	Gln	Ala	Ser	His	Tyr	Leu	Leu	Ala	Arg
			50			55					60				
Phe	Lys	Asn	Gly	Pro	Lys	Met	Ile	Lys	Ala	Val	Glu	Gly	Arg	Gly	Gly
65					70				75					80	
Gly	Pro	Ser	Tyr	Leu	Phe	Ser	Met	Asp	Glu	Glu	Ile	Phe	Glu	Arg	Glu
				85					90					95	
Ser	Pro	Gly	Met	Ser	Tyr	Val	Ser	Met	Tyr	Tyr	Leu	Glu	Tyr	Gly	Asp
			100					105						110	
Ser	Glu	Glu	Asp	Ile	Arg	Glu	Val	Ala	Ser	Val	Val	Ala	Arg	Lys	Glu
			115				120						125		
Lys	Ile	Gly	Arg	Ala	Gly	Ile	Gly	Arg	Met	Asp	Val	Cys	Ser	Arg	Ile
			130				135					140			
Pro	Pro	Lys	Phe	Ala	Phe	Pro	Tyr	Ser	Gly	Asn	Ile	Val	Val	Leu	Glu
145					150					155					160
Val	Ser	Ser	Glu	Lys	Ser	His	Gln	Ser	Val	Asn	Lys	Tyr	Cys	Glu	Lys
				165					170					175	
Thr	Arg	Arg	Glu	Val	Ile	Arg	Lys	Gly	Ile	Thr	Met	Thr	Asn	Leu	Val
			180					185					190		
Ser	Leu	Ser	Ile	Leu	Glu	Arg	Leu	Lys							
			195				200								

<210> 55
 <211> 822
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(822)

<400> 55

ttg	aaa	agt	acg	ttg	gtt	cgg	cgc	tac	aag	ccc	aag	ata	aag	cag	acc	48
Met	Lys	Ser	Thr	Leu	Val	Arg	Arg	Tyr	Lys	Pro	Lys	Ile	Lys	Gln	Thr	
1				5				10						15		
ctc	cgc	gag	gtg	ccc	ctc	aaa	aat	gtg	cat	gtg	tgg	aag	gag	gcg	cag	96
Leu	Arg	Glu	Val	Pro	Leu	Lys	Asn	Val	His	Val	Trp	Lys	Glu	Ala	Gln	
			20					25					30			
gca	agg	agg	ctg	gac	agg	tcc	cgg	gtg	cgg	gat	atc	gca	aag	tcg	atc	144
Ala	Arg	Arg	Leu	Asp	Arg	Ser	Arg	Val	Arg	Asp	Ile	Ala	Lys	Ser	Ile	
			35				40					45				
aga	tca	gag	ggg	ctg	cag	aac	ccg	ccc	gtc	ata	cag	agg	ggc	ggc	agg	192

<210> 56
 <211> 273
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 56
 Met Lys Ser Thr Leu Val Arg Arg Tyr Lys Pro Lys Ile Lys Gln Thr
 1 5 10 15
 Leu Arg Glu Val Pro Leu Lys Asn Val His Val Trp Lys Glu Ala Gln
 20 25 30
 Ala Arg Arg Leu Asp Arg Ser Arg Val Arg Asp Ile Ala Lys Ser Ile
 35 40 45
 Arg Ser Glu Gly Leu Gln Asn Pro Pro Val Ile Gln Arg Gly Gly Arg
 50 55 60
 Gly Leu Tyr Leu Leu Ile Ser Gly His His Arg Leu Ala Ala Leu Lys
 65 70 75 80
 Tyr Leu Gly Ala Lys Lys Ser Lys Phe Leu Val Ile Thr Lys Asp Thr
 85 90 95
 Glu Tyr Gly Leu Asp Asp Ala Lys Ala Ala Ser Val Val Glu Asn Leu
 100 105 110
 His Arg Leu Gln Met Ser Pro Arg Glu Leu Ala Asp Ala Cys Lys Phe
 115 120 125
 Leu Ala Glu Gln Thr Thr Lys Ser Glu Ala Ala Lys Lys Leu Gly Met
 130 135 140
 Ser Met Pro Thr Phe Lys Lys Tyr His Gly Phe Ala Gly Val Pro Asp
 145 150 155 160
 Lys Ile Lys Ala Met Val Pro Gly Thr Ile Ser Arg Asp Glu Ala Thr
 165 170 175
 Arg Leu Tyr Gln Ala Val Pro Thr Ile Ser Gln Ala Leu Lys Val Val
 180 185 190
 Ser Lys Ile Ala Lys Leu Asp Arg Pro Ser Arg Arg Ile Tyr Leu Arg
 195 200 205
 Leu Leu Ala Gln Ser Pro Arg Ser Gly His Lys Ile Ile Leu Lys Arg
 210 215 220
 Met Arg Lys Val Gly Ile Lys Lys Lys Ile Pro Ile Glu Leu Gly Lys
 225 230 235 240
 Asn Gly Ala Arg Lys Leu Ser Arg Leu Ala Glu Arg Glu Gly Thr Asp
 245 250 255
 Glu Thr Arg Leu Ala Asn Arg Ile Val Arg Glu Tyr Leu Arg Lys Arg
 260 265 270
 Arg

<210> 57
 <211> 669
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)... (669)

<400> 57
 gtg gcg cga tcg ccc gtg ctg ata ata aac tgc aaa aac tac aag gag 48
 Met Ala Arg Ser Pro Val Leu Ile Ile Asn Cys Lys Asn Tyr Lys Glu
 1 5 10 15
 gcg gcc ggc ggc aga att gac agc cta gcg gcg gca gcc gcc ggg gcg 96
 Ala Ala Gly Gly Arg Ile Asp Ser Leu Ala Ala Ala Ala Ala Gly Ala

20	25	30	
gcc gca aaa tac ggc gtc agg ata gct ctt gcc ccg ccg cag cac ctg Ala Ala Lys Tyr Gly Val Arg Ile Ala Leu Ala Pro Pro Gln His Leu 35 40 45			144
ctg ggc gca gta aag ggg gaa gat ctt aca gtt ctg gcg cag cat ata Leu Gly Ala Val Lys Gly Glu Asp Leu Thr Val Leu Ala Gln His Ile 50 55 60			192
gac gac aag ggg gtt gga agc acc aca gga tat gtc gtg ccg gag ctg Asp Asp Lys Gly Val Gly Ser Thr Thr Gly Tyr Val Val Pro Glu Leu 65 70 75 80			240
ctg gga gaa tcc ggc gtc tct ggc gcg ctc atc aac cac agc gag cac Leu Gly Glu Ser Gly Val Ser Gly Ala Leu Ile Asn His Ser Glu His 85 90 95			288
cgc gta tca gct gac cag gtg gca agc ctt gtg ccc agg ctc agg ggt Arg Val Ser Ala Asp Gln Val Ala Ser Leu Val Pro Arg Leu Arg Gly 100 105 110			336
ctg gat atg atc tcc gtg gtc tgt gta aag gat tcc gcc gag gcg gca Leu Asp Met Ile Ser Val Val Cys Val Lys Asp Ser Ala Glu Ala Ala 115 120 125			384
aat ctc tcc cgg cac cgg ccc gac tac ata gct atc gag cct ccc gag Asn Leu Ser Arg His Arg Pro Asp Tyr Ile Ala Ile Glu Pro Pro Glu 130 135 140			432
ctg ata ggc tcg ggc agg tcc gtc tca tcg gag agg ccc gag ctg ata Leu Ile Gly Ser Gly Arg Ser Val Ser Ser Glu Arg Pro Glu Leu Ile 145 150 155 160			480
ggg gag gca gca gag gcc atc agg ggg gcg gat gga aca aag ctg ctc Gly Glu Ala Ala Glu Ala Ile Arg Gly Ala Asp Gly Thr Lys Leu Leu 165 170 175			528
tgc ggg gcg ggc ata aca tca ggc gct gat gtg cgc aag gcc ctc gag Cys Gly Ala Gly Ile Thr Ser Gly Ala Asp Val Arg Lys Ala Leu Glu 180 185 190			576
ctc ggc tcc aag ggg atc ctc gtg gca agc ggg gtg gta aaa tca tca Leu Gly Ser Lys Gly Ile Leu Val Ala Ser Gly Val Val Lys Ser Ser 195 200 205			624
gac ccc gct gcg gcc ata gcc gag ctg gca cag gcc atg tcc tga Asp Pro Ala Ala Ala Ile Ala Glu Leu Ala Gln Ala Met Ser * 210 215 220			669
<210> 58			
<211> 222			
<212> PRT			
<213> Cenarchaeum symbiosum			
<400> 58			
Met Ala Arg Ser Pro Val Leu Ile Ile Asn Cys Lys Asn Tyr Lys Glu 1 5 10 15			

Ala Ala Gly Gly Arg Ile Asp Ser Leu Ala Ala Ala Ala Ala Gly Ala
 20 25 30
 Ala Ala Lys Tyr Gly Val Arg Ile Ala Leu Ala Pro Pro Gln His Leu
 35 40 45
 Leu Gly Ala Val Lys Gly Glu Asp Leu Thr Val Leu Ala Gln His Ile
 50 55 60
 Asp Asp Lys Gly Val Gly Ser Thr Thr Gly Tyr Val Val Pro Glu Leu
 65 70 75 80
 Leu Gly Glu Ser Gly Val Ser Gly Ala Leu Ile Asn His Ser Glu His
 85 90 95
 Arg Val Ser Ala Asp Gln Val Ala Ser Leu Val Pro Arg Leu Arg Gly
 100 105 110
 Leu Asp Met Ile Ser Val Val Cys Val Lys Asp Ser Ala Glu Ala Ala
 115 120 125
 Asn Leu Ser Arg His Arg Pro Asp Tyr Ile Ala Ile Glu Pro Pro Glu
 130 135 140
 Leu Ile Gly Ser Gly Arg Ser Val Ser Ser Glu Arg Pro Glu Leu Ile
 145 150 155 160
 Gly Glu Ala Ala Glu Ala Ile Arg Gly Ala Asp Gly Thr Lys Leu Leu
 165 170 175
 Cys Gly Ala Gly Ile Thr Ser Gly Ala Asp Val Arg Lys Ala Leu Glu
 180 185 190
 Leu Gly Ser Lys Gly Ile Leu Val Ala Ser Gly Val Val Lys Ser Ser
 195 200 205
 Asp Pro Ala Ala Ala Ile Ala Glu Leu Ala Gln Ala Met Ser
 210 215 220

<210> 59

<211> 549

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(548)

<400> 59

atg ctg gat ccc cgg acg cgg ccc cgg gtc gtc aat gtc gtc agc aca	48
Met Leu Asp Pro Arg Thr Arg Pro Arg Val Val Asn Val Val Ser Thr	
1 5 10 15	
tca gac ctt gta caa agg gtg agc gca aaa aag atg gcc gcc atg ccg	96
Ser Asp Leu Val Gln Arg Val Ser Ala Lys Lys Met Ala Ala Met Pro	
20 25 30	
tgc tgc atg tat gat gag gcc gta tac ggc ggc agg tgc ggc tac ata	144
Cys Cys Met Tyr Asp Glu Ala Val Tyr Gly Gly Arg Cys Gly Tyr Ile	
35 40 45	
aag acg ccc ggc atg cag ggg agg gtg act gta ttc att tct ggc aag	192
Lys Thr Pro Gly Met Gln Gly Arg Val Thr Val Phe Ile Ser Gly Lys	
50 55 60	
atg ata tcc gtc ggc gcc aga tcc gtg agg gcc tgc ttt ggg cag ctg	240
Met Ile Ser Val Gly Ala Arg Ser Val Arg Ala Ser Phe Gly Gln Leu	
65 70 75 80	
cac gag gcg cgg ctc cac ctg gtg cgc aac ggg gct gcc ggc gac tgc	288

[illegible]

<210> 61
 <211> 2538
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1) ... (2538)

<400> 61
 ctg act gca cag gat gaa gag att ccc ccg tca ctg ctt gta tct gca 48
 Met Thr Ala Gln Asp Glu Glu Ile Pro Pro Ser Leu Leu Val Ser Ala
 1 5 10 15
 acc tat gat ggc cag gca agg gcc gtg gtc ctc aag ttc tac gag tcg 96
 Thr Tyr Asp Gly Gln Ala Arg Ala Val Val Leu Lys Phe Tyr Glu Ser
 20 25 30
 gaa tcg caa aag atc atc cac tgg acg gac aac acg ggg cac aag ccc 144
 Glu Ser Gln Lys Ile Ile His Trp Thr Asp Asn Thr Gly His Lys Pro
 35 40 45
 tac tgt tat acg agg ctg ccg ccc tcc gag ctc ggc ttt ctt ggg ggc 192
 Tyr Cys Tyr Thr Arg Leu Pro Pro Ser Glu Leu Gly Phe Leu Gly Gly
 50 55 60
 agg gag gac gtg ctc ggg ata gag cag gtc atg cgg cac gac ctg ata 240
 Arg Glu Asp Val Leu Gly Ile Glu Gln Val Met Arg His Asp Leu Ile
 65 70 75 80
 gcc gac aag gag gtg ccc gtc tcc aag ata acc gtc tct gat cct ctt 288
 Ala Asp Lys Glu Val Pro Val Ser Lys Ile Thr Val Ser Asp Pro Leu
 85 90 95
 gcg ata ggc ggg acc cac tcg gag aag agc atc aga aac gtg ata gac 336
 Ala Ile Gly Gly Thr His Ser Glu Lys Ser Ile Arg Asn Val Ile Asp
 100 105 110
 acg tgg gaa tcc gac ata aag tat tac gag aac tat ctg tat gac gcg 384
 Thr Trp Glu Ser Asp Ile Lys Tyr Tyr Glu Asn Tyr Leu Tyr Asp Ala
 115 120 125
 ggc ctg gta gtg ggc agg tac tat tcg gta tca ggc ggg gag gtg att 432
 Gly Leu Val Val Gly Arg Tyr Tyr Ser Val Ser Gly Gly Glu Val Ile
 130 135 140
 ccg cat gac atg cca ata tcc gac gag gta aaa ctg gcc ctc aag agc 480
 Pro His Asp Met Pro Ile Ser Asp Glu Val Lys Leu Ala Leu Lys Ser
 145 150 155 160
 ctt ctc tgg gac aag ctc ata gac gag ggc atg gcc gac agg aaa gag 528
 Leu Leu Trp Asp Lys Leu Ile Asp Glu Gly Met Ala Asp Arg Lys Glu
 165 170 175
 ttc cgc gag ttc ata gcg ggg tgg gcg gac ctg ctc aac cag ccc ata 576
 Phe Arg Glu Phe Ile Ala Gly Trp Ala Asp Leu Leu Asn Gln Pro Ile
 180 185 190

ccc cgg ata agg cgc ctc agc ttt gac atc gag gtg gat tca gag gag Pro Arg Ile Arg Arg Leu Ser Phe Asp Ile Glu Val Asp Ser Glu Glu 195 200 205	624
ggc agg atc ccc gat gcc aag atc tcg gac agg agg gtc aca gca gtg Gly Arg Ile Pro Asp Ala Lys Ile Ser Asp Arg Arg Val Thr Ala Val 210 215 220	672
ggg ttt gcc gcc acc gac ggc ctc aga aag gtc ctt gtc ctg aag agc Gly Phe Ala Ala Thr Asp Gly Leu Arg Lys Val Leu Val Leu Lys Ser 225 230 235 240	720
ggc gcg gac gag ggc gca aac gat gtg acc ccc ggg gtc gag gtg gtg Gly Ala Asp Glu Gly Ala Asn Asp Val Thr Pro Gly Val Glu Val Val 245 250 255	768
ttc tac gac gag gac aag gag gcg gac atg atc cgc gac gcg cta gca Phe Tyr Asp Glu Asp Lys Glu Ala Asp Met Ile Arg Asp Ala Leu Ala 260 265 270	816
ata ata ggc tcg tac ccg ttt gtg ctt aca tac aac ggg gac gac ttt Ile Ile Gly Ser Tyr Pro Phe Val Leu Thr Tyr Asn Gly Asp Asp Phe 275 280 285	864
gac atg ccg tac atg tac aat cgg gcc cgg cgc ctc ggc gtg gcg gat Asp Met Pro Tyr Met Tyr Asn Arg Ala Arg Arg Leu Gly Val Ala Asp 290 295 300	912
tcc gac ata ccc ctg tac atg atg cgg gat tcg gcc acg ctc cgg cac Ser Asp Ile Pro Leu Tyr Met Met Arg Asp Ser Ala Thr Leu Arg His 305 310 315 320	960
ggc gtc cat ctg gac ctg tac agg acc ttc tcg aac agg tcg ttc cag Gly Val His Leu Asp Leu Tyr Arg Thr Phe Ser Asn Arg Ser Phe Gln 325 330 335	1008
ctg tat gca ttt gcg gca aag tat aca gat tac tcc ctg aac agc gtg Leu Tyr Ala Phe Ala Ala Lys Tyr Thr Asp Tyr Ser Leu Asn Ser Val 340 345 350	1056
tcc aag gcg atg ctc ggc gag ggc aag gtc gat tat ggc gtg tct ctc Ser Lys Ala Met Leu Gly Glu Gly Lys Val Asp Tyr Gly Val Ser Leu 355 360 365	1104
ggg gat ctc act cta tac cag act gca aac tat tgc tat cat gac gcg Gly Asp Leu Thr Leu Tyr Gln Thr Ala Asn Tyr Cys Tyr His Asp Ala 370 375 380	1152
cgc ctg acg ctg gag ctt agc acc ttt ggg aac gag ata ctg atg gac Arg Leu Thr Leu Glu Leu Ser Thr Phe Gly Asn Glu Ile Leu Met Asp 385 390 395 400	1200
ctc ctg gtg gtg acc agc agg att gcc cgg atg ccc atc gat gat atg Leu Leu Val Val Thr Ser Arg Ile Ala Arg Met Pro Ile Asp Asp Met 405 410 415	1248
tcc cgc atg ggc gtc tcg cag tgg ata agg agc ctg ctg tac tat gag Ser Arg Met Gly Val Ser Gln Trp Ile Arg Ser Leu Leu Tyr Tyr Glu	1296

420	425	430	
cac agg cag cgc aac gcg ctg ata ccc cgc agg gac gag ctg gaa aag His Arg Gln Arg Asn Ala Leu Ile Pro Arg Arg Asp Glu Leu Glu Lys 435 440 445			1344
agg tct caa cag gta agc aac gac gcc gta atc aag gac aaa aag ttc Arg Ser Gln Gln Val Ser Asn Asp Ala Val Ile Lys Asp Lys Lys Phe 450 455 460			1392
cgc ggt ggt ctc gta gtc gag cct gaa gag ggc ata cac ttt gat gtt Arg Gly Gly Leu Val Val Glu Pro Glu Glu Gly Ile His Phe Asp Val 465 470 475 480			1440
aca gtt atg gat ttt gca agc ctg tat cct agc ata ata aag gtg cga Thr Val Met Asp Phe Ala Ser Leu Tyr Pro Ser Ile Ile Lys Val Arg 485 490 495			1488
aac ctc tcg tac gag acc gtc agg tgc gtt cat ccc gaa tgc aga aag Asn Leu Ser Tyr Glu Thr Val Arg Cys Val His Pro Glu Cys Arg Lys 500 505 510			1536
aac acc atc ccc gat acc aac cac tgg gta tgc acg aaa aac aac ggg Asn Thr Ile Pro Asp Thr Asn His Trp Val Cys Thr Lys Asn Asn Gly 515 520 525			1584
ctt aca tcg atg ata ata gga tcg ctc cgc gac ctg cgc gtc aac tat Leu Thr Ser Met Ile Ile Gly Ser Leu Arg Asp Leu Arg Val Asn Tyr 530 535 540			1632
tac aag agc ctc tca aag agc cag tct ata acg gag gag cag cgg cag Tyr Lys Ser Leu Ser Lys Ser Gln Ser Ile Thr Glu Glu Gln Arg Gln 545 550 555 560			1680
cag tat act gtg atc agc cag gcc ctc aag gtg gtg cta aac gca agc Gln Tyr Thr Val Ile Ser Gln Ala Leu Lys Val Val Leu Asn Ala Ser 565 570 575			1728
tac ggg gtg atg ggc gcc gag ata ttc ccg ctg tac ttt ctg cct gcc Tyr Gly Val Met Gly Ala Glu Ile Phe Pro Leu Tyr Phe Leu Pro Ala 580 585 590			1776
gcc gag gcc acc acg gcg gtc ggg cgc tat atc atc atg cag acc ata Ala Glu Ala Thr Thr Ala Val Gly Arg Tyr Ile Ile Met Gln Thr Ile 595 600 605			1824
tcg cac tgc gag cag atg ggc gta aag gtg ctg tac ggg gac acc gat Ser His Cys Glu Gln Met Gly Val Lys Val Leu Tyr Gly Asp Thr Asp 610 615 620			1872
tcg ctg ttc ata aag aat cca gag gag cgg cag atc cat gat ata gtc Ser Leu Phe Ile Lys Asn Pro Glu Glu Arg Gln Ile His Asp Ile Val 625 630 635 640			1920
gag cac gcc aaa aag gag cac ggc gtc gag ctc gag gtg gac aaa gag Glu His Ala Lys Lys Glu His Gly Val Glu Leu Glu Val Asp Lys Glu 645 650 655			1968

-115-

tac agg tat gtc gtg cta tct aac agg aag aaa aac tat ttc ggg gtg Tyr Arg Tyr Val Val Leu Ser Asn Arg Lys Lys Asn Tyr Phe Gly Val 660 665 670	2016
aca aag tcc ggc aag gtc gac gtc aag ggc ctg acg ggg aaa aag tcg Thr Lys Ser Gly Lys Val Asp Val Lys Gly Leu Thr Gly Lys Lys Ser 675 680 685	2064
cac acg ccc ccg ttc ata aag gag ctg ttc tat tcg ctg ctc gac ata His Thr Pro Pro Phe Ile Lys Glu Leu Phe Tyr Ser Leu Leu Asp Ile 690 695 700	2112
ctg tcg gct gta cag acc gag gac gag ttt gaa tcg gca aag cta aag Leu Ser Ala Val Gln Thr Glu Asp Glu Phe Glu Ser Ala Lys Leu Lys 705 710 715 720	2160
atc tca aag gcc ata gcg gca tcc ggg aag agg ctg gag gag agg ggg Ile Ser Lys Ala Ile Ala Ala Ser Gly Lys Arg Leu Glu Glu Arg Gly 725 730 735	2208
gtc ccg ctg gcg gat ctg gcg ttc aat gtg atg ata agc aag gcg ccc Val Pro Leu Ala Asp Leu Ala Phe Asn Val Met Ile Ser Lys Ala Pro 740 745 750	2256
tct gaa tac gta aag acc gtc ccg cag cac ata cgg gcg gcc aga ctg Ser Glu Tyr Val Lys Thr Val Pro Gln His Ile Arg Ala Ala Arg Leu 755 760 765	2304
ctc gag aac gca agg gag gtc aaa aaa ggc gac ata ata tcg tac gta Leu Glu Asn Ala Arg Glu Val Lys Lys Gly Asp Ile Ile Ser Tyr Val 770 775 780	2352
aag gtg atg aac aag aca ggc gtc aag cct gtc gag atg gcc cag gca Lys Val Met Asn Lys Thr Gly Val Lys Pro Val Glu Met Ala Gln Ala 785 790 795 800	2400
gga gag gtg gac acg tca aag tat cta gag ttc atg gag tct act ctg Gly Glu Val Asp Thr Ser Lys Tyr Leu Glu Phe Met Glu Ser Thr Leu 805 810 815	2448
gac cag ctc acc tcg tcc atg ggc ctt gac ttt gac gag atg ctg ggc Asp Gln Leu Thr Ser Ser Met Gly Leu Asp Phe Asp Glu Met Leu Gly 820 825 830	2496
aag cca aag cag act gga atg gag cag ttc ttt ttc aaa tga Lys Pro Lys Gln Thr Gly Met Glu Gln Phe Phe Phe Lys * 835 840 845	2538

<210> 62

<211> 845

<212> PRT

<213> Cenarchaeum symbiosum

<400> 62

Met Thr Ala Gln Asp Glu Glu Ile Pro Pro Ser Leu Leu Val Ser Ala 1 5 10 15
Thr Tyr Asp Gly Gln Ala Arg Ala Val Val Leu Lys Phe Tyr Glu Ser 20 25 30

Glu Ser Gln Lys Ile Ile His Trp Thr Asp Asn Thr Gly His Lys Pro
 35 40 45
 Tyr Cys Tyr Thr Arg Leu Pro Ser Glu Leu Gly Phe Leu Gly Gly
 50 55 60
 Arg Glu Asp Val Leu Gly Ile Glu Gln Val Met Arg His Asp Leu Ile
 65 70 75 80
 Ala Asp Lys Glu Val Pro Val Ser Lys Ile Thr Val Ser Asp Pro Leu
 85 90 95
 Ala Ile Gly Gly Thr His Ser Glu Lys Ser Ile Arg Asn Val Ile Asp
 100 105 110
 Thr Trp Glu Ser Asp Ile Lys Tyr Tyr Glu Asn Tyr Leu Tyr Asp Ala
 115 120 125
 Gly Leu Val Val Gly Arg Tyr Tyr Ser Val Ser Gly Gly Glu Val Ile
 130 135 140
 Pro His Asp Met Pro Ile Ser Asp Glu Val Lys Leu Ala Leu Lys Ser
 145 150 155 160
 Leu Leu Trp Asp Lys Leu Ile Asp Glu Gly Met Ala Asp Arg Lys Glu
 165 170 175
 Phe Arg Glu Phe Ile Ala Gly Trp Ala Asp Leu Leu Asn Gln Pro Ile
 180 185 190
 Pro Arg Ile Arg Arg Leu Ser Phe Asp Ile Glu Val Asp Ser Glu Glu
 195 200 205
 Gly Arg Ile Pro Asp Ala Lys Ile Ser Asp Arg Arg Val Thr Ala Val
 210 215 220
 Gly Phe Ala Ala Thr Asp Gly Leu Arg Lys Val Leu Val Leu Lys Ser
 225 230 235 240
 Gly Ala Asp Glu Gly Ala Asn Asp Val Thr Pro Gly Val Glu Val Val
 245 250 255
 Phe Tyr Asp Glu Asp Lys Glu Ala Asp Met Ile Arg Asp Ala Leu Ala
 260 265 270
 Ile Ile Gly Ser Tyr Pro Phe Val Leu Thr Tyr Asn Gly Asp Asp Phe
 275 280 285
 Asp Met Pro Tyr Met Tyr Asn Arg Ala Arg Arg Leu Gly Val Ala Asp
 290 295 300
 Ser Asp Ile Pro Leu Tyr Met Met Arg Asp Ser Ala Thr Leu Arg His
 305 310 315 320
 Gly Val His Leu Asp Leu Tyr Arg Thr Phe Ser Asn Arg Ser Phe Gln
 325 330 335
 Leu Tyr Ala Phe Ala Ala Lys Tyr Thr Asp Tyr Ser Leu Asn Ser Val
 340 345 350
 Ser Lys Ala Met Leu Gly Glu Gly Lys Val Asp Tyr Gly Val Ser Leu
 355 360 365
 Gly Asp Leu Thr Leu Tyr Gln Thr Ala Asn Tyr Cys Tyr His Asp Ala
 370 375 380
 Arg Leu Thr Leu Glu Leu Ser Thr Phe Gly Asn Glu Ile Leu Met Asp
 385 390 395 400
 Leu Leu Val Val Thr Ser Arg Ile Ala Arg Met Pro Ile Asp Asp Met
 405 410 415
 Ser Arg Met Gly Val Ser Gln Trp Ile Arg Ser Leu Leu Tyr Tyr Glu
 420 425 430
 His Arg Gln Arg Asn Ala Leu Ile Pro Arg Arg Asp Glu Leu Glu Lys
 435 440 445
 Arg Ser Gln Gln Val Ser Asn Asp Ala Val Ile Lys Asp Lys Lys Phe
 450 455 460
 Arg Gly Gly Leu Val Val Glu Pro Glu Glu Gly Ile His Phe Asp Val
 465 470 475 480
 Thr Val Met Asp Phe Ala Ser Leu Tyr Pro Ser Ile Ile Lys Val Arg
 485 490 495

-117-

```

Asn Leu Ser Tyr Glu Thr Val Arg Cys Val His Pro Glu Cys Arg Lys
      500      505      510
Asn Thr Ile Pro Asp Thr Asn His Trp Val Cys Thr Lys Asn Asn Gly
      515      520      525
Leu Thr Ser Met Ile Ile Gly Ser Leu Arg Asp Leu Arg Val Asn Tyr
      530      535      540
Tyr Lys Ser Leu Ser Lys Ser Gln Ser Ile Thr Glu Glu Gln Arg Gln
      545      550      555      560
Gln Tyr Thr Val Ile Ser Gln Ala Leu Lys Val Val Leu Asn Ala Ser
      565      570      575
Tyr Gly Val Met Gly Ala Glu Ile Phe Pro Leu Tyr Phe Leu Pro Ala
      580      585      590
Ala Glu Ala Thr Thr Ala Val Gly Arg Tyr Ile Ile Met Gln Thr Ile
      595      600      605
Ser His Cys Glu Gln Met Gly Val Lys Val Leu Tyr Gly Asp Thr Asp
      610      615      620
Ser Leu Phe Ile Lys Asn Pro Glu Glu Arg Gln Ile His Asp Ile Val
      625      630      635      640
Glu His Ala Lys Lys Glu His Gly Val Glu Leu Glu Val Asp Lys Glu
      645      650      655
Tyr Arg Tyr Val Val Leu Ser Asn Arg Lys Lys Asn Tyr Phe Gly Val
      660      665      670
Thr Lys Ser Gly Lys Val Asp Val Lys Gly Leu Thr Gly Lys Lys Ser
      675      680      685
His Thr Pro Pro Phe Ile Lys Glu Leu Phe Tyr Ser Leu Leu Asp Ile
      690      695      700
Leu Ser Ala Val Gln Thr Glu Asp Glu Phe Glu Ser Ala Lys Leu Lys
      705      710      715      720
Ile Ser Lys Ala Ile Ala Ala Ser Gly Lys Arg Leu Glu Glu Arg Gly
      725      730      735
Val Pro Leu Ala Asp Leu Ala Phe Asn Val Met Ile Ser Lys Ala Pro
      740      745      750
Ser Glu Tyr Val Lys Thr Val Pro Gln His Ile Arg Ala Ala Arg Leu
      755      760      765
Leu Glu Asn Ala Arg Glu Val Lys Lys Gly Asp Ile Ile Ser Tyr Val
      770      775      780
Lys Val Met Asn Lys Thr Gly Val Lys Pro Val Glu Met Ala Gln Ala
      785      790      795      800
Gly Glu Val Asp Thr Ser Lys Tyr Leu Glu Phe Met Glu Ser Thr Leu
      805      810      815
Asp Gln Leu Thr Ser Ser Met Gly Leu Asp Phe Asp Glu Met Leu Gly
      820      825      830
Lys Pro Lys Gln Thr Gly Met Glu Gln Phe Phe Phe Lys
      835      840      845

```

<210> 63

<211> 642

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1) ... (642)

<400> 63

```

ttg ccc gtt atg tgt gcg gtc tcc acg cgc ggc cct gac gcg gcc tgt
Met Pro Val Met Cys Ala Val Ser Thr Arg Gly Pro Asp Ala Ala Cys
1           5           10           15

```

48

tgt ttt atg gtt tgc tac acc ggg gca tat acc ata ata tgc cgg gcg Cys Phe Met Val Ser Tyr Thr Gly Ala Tyr Thr Ile Ile Cys Arg Ala 20 25 30	96
gtg gca cca tgg ccg ttg agc ggt ttt gag cgc ccg tcc tgg gac gaa Val Ala Pro Trp Pro Leu Ser Gly Phe Glu Arg Pro Ser Trp Asp Glu 35 40 45	144
tat ttc atg ctg cag gcg gag ctg gca aag ctc cga tcc aac tgc atg Tyr Phe Met Leu Gln Ala Glu Leu Ala Lys Leu Arg Ser Asn Cys Met 50 55 60	192
gtc aga aag gtg ggg gcc gtc ata gtc agg gat cac agg cag ctg gcc Val Arg Lys Val Gly Ala Val Ile Val Arg Asp His Arg Gln Leu Ala 65 70 75 80	240
aca gga tac aac ggg acg ccc ccc ggc gta aag aac tgc ttc gag ggc Thr Gly Tyr Asn Gly Thr Pro Pro Gly Val Lys Asn Cys Phe Glu Gly 85 90 95	288
ggg tgc gaa agg tgc ata gag cgc atg gag ggc aag atc cgc tca ggc Gly Cys Glu Arg Cys Ile Glu Arg Met Glu Gly Lys Ile Arg Ser Gly 100 105 110	336
gag ggc ctg gac cgg tgc ctg tgc aac cat gca gag gcc aac gcg ata Glu Gly Leu Asp Arg Cys Leu Cys Asn His Ala Glu Ala Asn Ala Ile 115 120 125	384
atg cac tgt gcg ata ctg gga ata ggc gca ggg gga ggc aac gcc acc Met His Cys Ala Ile Leu Gly Ile Gly Ala Gly Gly Gly Asn Ala Thr 130 135 140	432
atg tat acg acg ttc tct ccg tgt tta gag tgc aca aag atg gcg gtg Met Tyr Thr Thr Phe Ser Pro Cys Leu Glu Cys Thr Lys Met Ala Val 145 150 155 160	480
acc ata gga atc agg cgg ttt gtc tgc ctg gat aca tat ccg gag aac Thr Ile Gly Ile Arg Arg Phe Val Cys Leu Asp Thr Tyr Pro Glu Asn 165 170 175	528
gcc tcc aag ctg gta aaa gat gca tgc gcc agc ata acc atg atg gac Ala Ser Lys Leu Val Lys Asp Ala Ser Ala Ser Ile Thr Met Met Asp 180 185 190	576
aag gag aag atc aca tac tgg gcg tca agg atg ccc ggg gga aca aag Lys Glu Lys Ile Thr Tyr Trp Ala Ser Arg Met Pro Gly Gly Thr Lys 195 200 205	624
gag gtg ccg gtg cgc tga Glu Val Pro Val Arg *	642
210	

<210> 64

<211> 213

<212> PRT

<213> Cenarchaeum symbiosum

<400> 64
 Met Pro Val Met Cys Ala Val Ser Thr Arg Gly Pro Asp Ala Ala Cys
 1 5 10 15
 Cys Phe Met Val Ser Tyr Thr Gly Ala Tyr Thr Ile Ile Cys Arg Ala
 20 25 30
 Val Ala Pro Trp Pro Leu Ser Gly Phe Glu Arg Pro Ser Trp Asp Glu
 35 40 45
 Tyr Phe Met Leu Gln Ala Glu Leu Ala Lys Leu Arg Ser Asn Cys Met
 50 55 60
 Val Arg Lys Val Gly Ala Val Ile Val Arg Asp His Arg Gln Leu Ala
 65 70 75 80
 Thr Gly Tyr Asn Gly Thr Pro Pro Gly Val Lys Asn Cys Phe Glu Gly
 85 90 95
 Gly Cys Glu Arg Cys Ile Glu Arg Met Glu Gly Lys Ile Arg Ser Gly
 100 105 110
 Glu Gly Leu Asp Arg Cys Leu Cys Asn His Ala Glu Ala Asn Ala Ile
 115 120 125
 Met His Cys Ala Ile Leu Gly Ile Gly Ala Gly Gly Gly Asn Ala Thr
 130 135 140
 Met Tyr Thr Thr Phe Ser Pro Cys Leu Glu Cys Thr Lys Met Ala Val
 145 150 155 160
 Thr Ile Gly Ile Arg Arg Phe Val Cys Leu Asp Thr Tyr Pro Glu Asn
 165 170 175
 Ala Ser Lys Leu Val Lys Asp Ala Ser Ala Ser Ile Thr Met Met Asp
 180 185 190
 Lys Glu Lys Ile Thr Tyr Trp Ala Ser Arg Met Pro Gly Gly Thr Lys
 195 200 205
 Glu Val Pro Val Arg
 210

<210> 65
 <211> 1512
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1)...(1512)

<400> 65
 gtg gag acc gca cac ata acg ggc aaa tac gta gag ccc ggc gcc gtc 48
 Met Glu Thr Ala His Ile Thr Gly Lys Tyr Val Glu Pro Gly Ala Val
 1 5 10 15
 gag agg cgc gac tac cag gtg ggc ctt gcc gag cag gcc ata cgg gaa 96
 Glu Arg Arg Asp Tyr Gln Val Gly Leu Ala Glu Gln Ala Ile Arg Glu
 20 25 30
 aac tgc ata gtg gtg ctg cct acc ggc ctc ggc aag acg gcc gtg gcc 144
 Asn Cys Ile Val Val Leu Pro Thr Gly Leu Gly Lys Thr Ala Val Ala
 35 40 45
 ctg cag gtg atc tcc cac tat ttg gac gaa ggc agg ggg gct ctc ttc 192
 Leu Gln Val Ile Ser His Tyr Leu Asp Glu Gly Arg Gly Ala Leu Phe
 50 55 60
 ctt gcg ccg aca agg gtg ctg gta aac cag cac cgc cag ttc ctg ggc 240
 Leu Ala Pro Thr Arg Val Leu Val Asn Gln His Arg Gln Phe Leu Gly

65	70	75	80	
agg gcc ctt acc ata tcc gat att acc ctg gtc aca ggc gag gac acc				288
Arg Ala Leu Thr Ile Ser Asp Ile Thr Leu Val Thr Gly Glu Asp Thr				
	85	90	95	
gtc ccg agg cgc aaa aaa gct tgg ggc ggc agc gtg atc tgc gcc acc				336
Val Pro Arg Arg Lys Lys Ala Trp Gly Gly Ser Val Ile Cys Ala Thr				
	100	105	110	
ccc gag ata aca aga aac gac ata gcg cgc gga atg gtc ccg ctc gaa				384
Pro Glu Ile Thr Arg Asn Asp Ile Ala Arg Gly Met Val Pro Leu Glu				
	115	120	125	
cag ttc ggc ctg gtt gtg ttc gac gag gcc cac agg gcg gtg ggc gac				432
Gln Phe Gly Leu Val Val Phe Asp Glu Ala His Arg Ala Val Gly Asp				
	130	135	140	
tat gcc tat tcc gca ata gcg cgt gca gtg ggg gag aac tct aga atg				480
Tyr Ala Tyr Ser Ala Ile Ala Arg Ala Val Gly Glu Asn Ser Arg Met				
	145	150	155	160
atc ggc atg act gcg acc ctt cca agc gag agg gag aaa gcc gac gag				528
Ile Gly Met Thr Ala Thr Leu Pro Ser Glu Arg Glu Lys Ala Asp Glu				
	165	170	175	
ata atg ggc act ctt ctc tca aag agc ata gca caa agg acc gaa gac				576
Ile Met Gly Thr Leu Leu Ser Lys Ser Ile Ala Gln Arg Thr Glu Asp				
	180	185	190	
gac ccg gat gta aag ccc tac gtg cag gag acc gaa act gaa tgg ata				624
Asp Pro Asp Val Lys Pro Tyr Val Gln Glu Thr Glu Thr Glu Trp Ile				
	195	200	205	
aag gtg gag ctg ccc ccg gag atg aag gag atc caa aag ctc ctg aag				672
Lys Val Glu Leu Pro Pro Glu Met Lys Glu Ile Gln Lys Leu Leu Lys				
	210	215	220	
atg gcc ctc gac gaa aga tat gcg gcc ctc aag agg tgc ggc tat gat				720
Met Ala Leu Asp Glu Arg Tyr Ala Ala Leu Lys Arg Cys Gly Tyr Asp				
	225	230	235	240
ctc ggc tgc aac agg tgc ctc tgc gct ctg ctc cgc ctt cgc atg gtc				768
Leu Gly Ser Asn Arg Ser Leu Ser Ala Leu Leu Arg Leu Arg Met Val				
	245	250	255	
gtt cta agc ggc aac agg cgg gcg gca aag cct ttg ttt act gcg ata				816
Val Leu Ser Gly Asn Arg Arg Ala Ala Lys Pro Leu Phe Thr Ala Ile				
	260	265	270	
cgc atc aca tac gcg ctc aac ata ttc gag gcc cac ggg gtc acg ccg				864
Arg Ile Thr Tyr Ala Leu Asn Ile Phe Glu Ala His Gly Val Thr Pro				
	275	280	285	
ttt cta aag ttc tgc gag agg acc gtc aag aaa aag ggc gcc ggt gtt				912
Phe Leu Lys Phe Cys Glu Arg Thr Val Lys Lys Lys Gly Ala Gly Val				
	290	295	300	

gca gag ctg ttc gag gag gac aga aac ttt aca ggg gcc atg gcg cgc 960
 Ala Glu Leu Phe Glu Glu Asp Arg Asn Phe Thr Gly Ala Met Ala Arg
 305 310 315 320

gca aag gcg gcg cag gca gcc ggc atg gag cat cca aag ata cca aag 1008
 Ala Lys Ala Ala Gln Ala Ala Gly Met Glu His Pro Lys Ile Pro Lys
 325 330 335

ttg gaa gag gct gtg cgc ggg gcc aaa ggg aag gcg ctg gtc ttt aca 1056
 Leu Glu Glu Ala Val Arg Gly Ala Lys Gly Lys Ala Leu Val Phe Thr
 340 345 350

agc tac agg gac tct gtc gat tta ata cac tca aag ctg cag gct gcc 1104
 Ser Tyr Arg Asp Ser Val Asp Leu Ile His Ser Lys Leu Gln Ala Ala
 355 360 365

ggg ata aac tcg ggg atc ctc ata gga aag gcg gga gaa aag ggc ctc 1152
 Gly Ile Asn Ser Gly Ile Leu Ile Gly Lys Ala Gly Glu Lys Gly Leu
 370 375 380

aag cag aaa aaa cag gta gag act gtc gcc aag ttc cgc gac ggg gga 1200
 Lys Gln Lys Lys Gln Val Glu Thr Val Ala Lys Phe Arg Asp Gly Gly
 385 390 395 400

tac gac gtg ctc gta tct aca aga gtg ggc gag gag ggc ctc gac ata 1248
 Tyr Asp Val Leu Val Ser Thr Arg Val Gly Glu Glu Gly Leu Asp Ile
 405 410 415

tcg gag gta aac ctt gtg gta ttc tat gac aat gtc cca agc tcg ata 1296
 Ser Glu Val Asn Leu Val Val Phe Tyr Asp Asn Val Pro Ser Ser Ile
 420 425 430

agg tat gtg cag aga agg ggc agg acc ggc agg aag gac gcg ggc aag 1344
 Arg Tyr Val Gln Arg Arg Gly Arg Thr Gly Arg Lys Asp Ala Gly Lys
 435 440 445

ctg gtg gta ctg atg gca aag ggg act ata gac gag gca tac tac tgg 1392
 Leu Val Val Leu Met Ala Lys Gly Thr Ile Asp Glu Ala Tyr Tyr Trp
 450 455 460

ata ggc cgg cgc aag att act gcc gcc agg ggc atg ggg gac agg atg 1440
 Ile Gly Arg Arg Lys Ile Thr Ala Ala Arg Gly Met Gly Asp Arg Met
 465 470 475 480

aac aag tcg ctt gca gcg ggg ggc cct gcg cca aag gca gcc cca aaa 1488
 Asn Lys Ser Leu Ala Ala Gly Gly Pro Ala Pro Lys Ala Ala Pro Lys
 485 490 495

aag ggg ctc gag ggc tat ttc tag 1512
 Lys Gly Leu Glu Gly Tyr Phe *
 500

<210> 66

<211> 503

<212> PRT

<213> Cenarchaeum symbiosum

<400> 66

Met Glu Thr Ala His Ile Thr Gly Lys Tyr Val Glu Pro Gly Ala Val
 1 5 10 15
 Glu Arg Arg Asp Tyr Gln Val Gly Leu Ala Glu Gln Ala Ile Arg Glu
 20 25 30
 Asn Cys Ile Val Val Leu Pro Thr Gly Leu Gly Lys Thr Ala Val Ala
 35 40 45
 Leu Gln Val Ile Ser His Tyr Leu Asp Glu Gly Arg Gly Ala Leu Phe
 50 55 60
 Leu Ala Pro Thr Arg Val Leu Val Asn Gln His Arg Gln Phe Leu Gly
 65 70 75 80
 Arg Ala Leu Thr Ile Ser Asp Ile Thr Leu Val Thr Gly Glu Asp Thr
 85 90 95
 Val Pro Arg Arg Lys Lys Ala Trp Gly Gly Ser Val Ile Cys Ala Thr
 100 105 110
 Pro Glu Ile Thr Arg Asn Asp Ile Ala Arg Gly Met Val Pro Leu Glu
 115 120 125
 Gln Phe Gly Leu Val Val Phe Asp Glu Ala His Arg Ala Val Gly Asp
 130 135 140
 Tyr Ala Tyr Ser Ala Ile Ala Arg Ala Val Gly Glu Asn Ser Arg Met
 145 150 155 160
 Ile Gly Met Thr Ala Thr Leu Pro Ser Glu Arg Glu Lys Ala Asp Glu
 165 170 175
 Ile Met Gly Thr Leu Leu Ser Lys Ser Ile Ala Gln Arg Thr Glu Asp
 180 185 190
 Asp Pro Asp Val Lys Pro Tyr Val Gln Glu Thr Glu Thr Glu Trp Ile
 195 200 205
 Lys Val Glu Leu Pro Pro Glu Met Lys Glu Ile Gln Lys Leu Leu Lys
 210 215 220
 Met Ala Leu Asp Glu Arg Tyr Ala Ala Leu Lys Arg Cys Gly Tyr Asp
 225 230 235 240
 Leu Gly Ser Asn Arg Ser Leu Ser Ala Leu Leu Arg Leu Arg Met Val
 245 250 255
 Val Leu Ser Gly Asn Arg Arg Ala Ala Lys Pro Leu Phe Thr Ala Ile
 260 265 270
 Arg Ile Thr Tyr Ala Leu Asn Ile Phe Glu Ala His Gly Val Thr Pro
 275 280 285
 Phe Leu Lys Phe Cys Glu Arg Thr Val Lys Lys Lys Gly Ala Gly Val
 290 295 300
 Ala Glu Leu Phe Glu Glu Asp Arg Asn Phe Thr Gly Ala Met Ala Arg
 305 310 315 320
 Ala Lys Ala Ala Gln Ala Ala Gly Met Glu His Pro Lys Ile Pro Lys
 325 330 335
 Leu Glu Glu Ala Val Arg Gly Ala Lys Gly Lys Ala Leu Val Phe Thr
 340 345 350
 Ser Tyr Arg Asp Ser Val Asp Leu Ile His Ser Lys Leu Gln Ala Ala
 355 360 365
 Gly Ile Asn Ser Gly Ile Leu Ile Gly Lys Ala Gly Glu Lys Gly Leu
 370 375 380
 Lys Gln Lys Lys Gln Val Glu Thr Val Ala Lys Phe Arg Asp Gly Gly
 385 390 395 400
 Tyr Asp Val Leu Val Ser Thr Arg Val Gly Glu Glu Gly Leu Asp Ile
 405 410 415
 Ser Glu Val Asn Leu Val Val Phe Tyr Asp Asn Val Pro Ser Ser Ile
 420 425 430
 Arg Tyr Val Gln Arg Arg Gly Arg Thr Gly Arg Lys Asp Ala Gly Lys
 435 440 445
 Leu Val Val Leu Met Ala Lys Gly Thr Ile Asp Glu Ala Tyr Tyr Trp
 450 455 460

Ile Gly Arg Arg Lys Ile Thr Ala Ala Arg Gly Met Gly Asp Arg Met
 465 470 475 480
 Asn Lys Ser Leu Ala Ala Gly Gly Pro Ala Pro Lys Ala Ala Pro Lys
 485 490 495
 Lys Gly Leu Glu Gly Tyr Phe
 500

<210> 67
 <211> 279
 <212> DNA
 <213> *Cenarchaeum symbiosum*

<220>
 <221> CDS
 <222> (1)...(279)

<400> 67
 atg gcg gac aag ata aag tgc tcg cac ata ctg gta aaa aag cag ggc 48
 Met Ala Asp Lys Ile Lys Cys Ser His Ile Leu Val Lys Lys Gln Gly
 1 5 10 15
 gag gcg ctc gca gtg caa gag cgc ctc aag gcg ggc gaa aag ttt gga 96
 Glu Ala Leu Ala Val Gln Glu Arg Leu Lys Ala Gly Glu Lys Phe Gly
 20 25 30
 aag ctg gca aag gag ctc tcg ata gac ggg ggc agc gca aag agg gac 144
 Lys Leu Ala Lys Glu Leu Ser Ile Asp Gly Gly Ser Ala Lys Arg Asp
 35 40 45
 ggc agc ttg ggc tac ttt ggc agg ggc aag atg gta aag ccg ttt gag 192
 Gly Ser Leu Gly Tyr Phe Gly Arg Gly Lys Met Val Lys Pro Phe Glu
 50 55 60
 gat gcc gcg ttc cgc ctg cag gta ggc gag gta tcc gag ccg gta aaa 240
 Asp Ala Ala Phe Arg Leu Gln Val Gly Glu Val Ser Glu Pro Val Lys
 65 70 75 80
 tcc gag ttt ggc tac cac gtg ata aag cgc ctg gga taa 279
 Ser Glu Phe Gly Tyr His Val Ile Lys Arg Leu Gly *
 85 90

<210> 68
 <211> 92
 <212> PRT
 <213> *Cenarchaeum symbiosum*

<400> 68
 Met Ala Asp Lys Ile Lys Cys Ser His Ile Leu Val Lys Lys Gln Gly
 1 5 10 15
 Glu Ala Leu Ala Val Gln Glu Arg Leu Lys Ala Gly Glu Lys Phe Gly
 20 25 30
 Lys Leu Ala Lys Glu Leu Ser Ile Asp Gly Gly Ser Ala Lys Arg Asp
 35 40 45
 Gly Ser Leu Gly Tyr Phe Gly Arg Gly Lys Met Val Lys Pro Phe Glu
 50 55 60
 Asp Ala Ala Phe Arg Leu Gln Val Gly Glu Val Ser Glu Pro Val Lys
 65 70 75 80

Ser Glu Phe Gly Tyr His Val Ile Lys Arg Leu Gly
85 90

<210> 69

<211> 402

<212> DNA

<213> *Cenarchaeum symbiosum*

<220>

<221> CDS

<222> (1)...(402)

<400> 69

atg tct ttg tat ttt acg ata aag acg gcc aac ctg gcc ctg ccc gac	48
Met Ser Leu Tyr Phe Thr Ile Lys Thr Ala Asn Leu Ala Leu Pro Asp	
1 5 10 15	
gtg gta aag agg tac aac cac gtc ctg gcg tgc aag agc gag gtg atg	96
Val Val Lys Arg Tyr Asn His Val Leu Ala Cys Lys Ser Glu Val Met	
20 25 30	
agg gcc gag aag cag atc cag gtg tcc atc tcg tcg tcg ggc ggt ctg	144
Arg Ala Glu Lys Gln Ile Gln Val Ser Ile Ser Ser Ser Gly Gly Leu	
35 40 45	
gac aag tac gcg gag ctc aag cag cag ttc aac tcg agg ata acc gag	192
Asp Lys Tyr Ala Glu Leu Lys Gln Gln Phe Asn Ser Arg Ile Thr Glu	
50 55 60	
ttc tac cgc tcg ata gag gag ctg gag aag acg ggc gtg gtg gtc aag	240
Phe Tyr Arg Ser Ile Glu Glu Leu Glu Lys Thr Gly Val Val Val Lys	
65 70 75 80	
agc ata gac gag ggg ctc ctg gac ttt ccc gca aag cgc ttt ggg gac	288
Ser Ile Asp Glu Gly Leu Leu Asp Phe Pro Ala Lys Arg Phe Gly Asp	
85 90 95	
gac atc tgg ctg tgc tgg aag gtg ggc gag cgc gag atc aag ttc tgg	336
Asp Ile Trp Leu Cys Trp Lys Val Gly Glu Arg Glu Ile Lys Phe Trp	
100 105 110	
cat gaa aag gac tcg ggg ttt gac gga aga aag ccc ata gag gta agt	384
His Glu Lys Asp Ser Gly Phe Asp Gly Arg Lys Pro Ile Glu Val Ser	
115 120 125	
gac gag tca cta gtg tag	402
Asp Glu Ser Leu Val *	
130	

<210> 70

<211> 133

<212> PRT

<213> *Cenarchaeum symbiosum*

<400> 70

Met Ser Leu Tyr Phe Thr Ile Lys Thr Ala Asn Leu Ala Leu Pro Asp
1 5 10 15

-125-

Val Val Lys Arg Tyr Asn His Val Leu Ala Cys Lys Ser Glu Val Met
 20 25 30
 Arg Ala Glu Lys Gln Ile Gln Val Ser Ile Ser Ser Ser Gly Gly Leu
 35 40 45
 Asp Lys Tyr Ala Glu Leu Lys Gln Gln Phe Asn Ser Arg Ile Thr Glu
 50 55 60
 Phe Tyr Arg Ser Ile Glu Glu Leu Glu Lys Thr Gly Val Val Val Lys
 65 70 75 80
 Ser Ile Asp Glu Gly Leu Leu Asp Phe Pro Ala Lys Arg Phe Gly Asp
 85 90 95
 Asp Ile Trp Leu Cys Trp Lys Val Gly Glu Arg Glu Ile Lys Phe Trp
 100 105 110
 His Glu Lys Asp Ser Gly Phe Asp Gly Arg Lys Pro Ile Glu Val Ser
 115 120 125
 Asp Glu Ser Leu Val
 130

<210> 71
 <211> 879
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)...(879)

<400> 71
 atg ctc tcc tcc tgg ctg cgc gta ata cgc gtc cgg ttc ctg ctc gcg 48
 Met Leu Ser Ser Trp Leu Arg Val Ile Arg Val Arg Phe Leu Leu Ala
 1 5 10 15
 tcg gtg ata gcc gta tca gcg ggc ctt gcc ctc tcc tgg tgg cac ggc 96
 Ser Val Ile Ala Val Ser Ala Gly Leu Ala Leu Ser Trp Trp His Gly
 20 25 30
 cac gga ata gac gcg ctc aca gcg gca ctc acc atg gcc gga gtg gcc 144
 His Gly Ile Asp Ala Leu Thr Ala Ala Leu Thr Met Ala Gly Val Ala
 35 40 45
 gct ctt cat gca agc gtg gac atg ctc aac gac tac tgg gac tac aag 192
 Ala Leu His Ala Ser Val Asp Met Leu Asn Asp Tyr Trp Asp Tyr Lys
 50 55 60
 cgc ggc ata gat acg aga acc aag agg acc ccg atg agc ggg ggg aca 240
 Arg Gly Ile Asp Thr Arg Thr Lys Arg Thr Pro Met Ser Gly Gly Thr
 65 70 75 80
 ggg gtg ctg cca gag ggc ctg ctg agc ccc cgc cag gtg tac cgc gcc 288
 Gly Val Leu Pro Glu Gly Leu Leu Ser Pro Arg Gln Val Tyr Arg Ala
 85 90 95
 ggc atc ata tca ctg gtg ctc ggg act gcc gcc ggc gca tac ttt gtg 336
 Gly Ile Ile Ser Leu Val Leu Gly Thr Ala Ala Gly Ala Tyr Phe Val
 100 105 110
 atc aca acg ggg ccc gtc ata gct gcg ata ctc ggc ttt gcg gtg gtc 384
 Ile Thr Thr Gly Pro Val Ile Ala Ala Ile Leu Gly Phe Ala Val Val
 115 120 125

tcg att tac ttt tac tcg aca agg att gtg gac tcg ggc ctc tcc gag 432
 Ser Ile Tyr Phe Tyr Ser Thr Arg Ile Val Asp Ser Gly Leu Ser Glu
 130 135 140

gtg ctc gtc ggg gtc aag ggg gcg atg atc gtc ctt ggc gcc tac tac 480
 Val Leu Val Gly Val Lys Gly Ala Met Ile Val Leu Gly Ala Tyr Tyr
 145 150 155 160

ata cag gcg ccc gag atc acg ccg gcc gcc ctc ctc gtc ggc gcg gca 528
 Ile Gln Ala Pro Glu Ile Thr Pro Ala Ala Leu Leu Val Gly Ala Ala
 165 170 175

gtg ggg gcg ctg tca tct gcg gtc ctc ttt gtg gcg tcg ttt ccg gac 576
 Val Gly Ala Leu Ser Ser Ala Val Leu Phe Val Ala Ser Phe Pro Asp
 180 185 190

cac gac gca gac aag gag cgc ggc aga aaa acg ctg gtg ata ata ctg 624
 His Asp Ala Asp Lys Glu Arg Gly Arg Lys Thr Leu Val Ile Ile Leu
 195 200 205

ggc aaa aag agg gcc tcg cgc ata ctc tgg gtc ttt cca gct gtg gcg 672
 Gly Lys Lys Arg Ala Ser Arg Ile Leu Trp Val Phe Pro Ala Val Ala
 210 215 220

tat tca tcc gtg ata gcg ggg gtg att atc cag gtg ctg cca gtg tac 720
 Tyr Ser Ser Val Ile Ala Gly Val Ile Ile Gln Val Leu Pro Val Tyr
 225 230 235 240

tcc ctc gcc atg ctg ctt gcc gcc ccc ctt gcg gca ata tcg gca agg 768
 Ser Leu Ala Met Leu Leu Ala Ala Pro Leu Ala Ala Ile Ser Ala Arg
 245 250 255

ggc ctt gcc aaa gag tat gac ggg gac agg atc ata cgg gtc atg cgc 816
 Gly Leu Ala Lys Glu Tyr Asp Gly Asp Arg Ile Ile Arg Val Met Arg
 260 265 270

ggc acg ctg cgg ttc agc agg act gca ggc gcg ctg ctg gtg ctg gga 864
 Gly Thr Leu Arg Phe Ser Arg Thr Ala Gly Ala Leu Leu Val Leu Gly
 275 280 285

ata ctg ctt ggt tga 879
 Ile Leu Leu Gly *
 290

<210> 72

<211> 292

<212> PRT

<213> Cenarchaeum symbiosum

<400> 72

Met Leu Ser Ser Trp Leu Arg Val Ile Arg Val Arg Phe Leu Leu Ala
 1 5 10 15
 Ser Val Ile Ala Val Ser Ala Gly Leu Ala Leu Ser Trp Trp His Gly
 20 25 30
 His Gly Ile Asp Ala Leu Thr Ala Ala Leu Thr Met Ala Gly Val Ala
 35 40 45

-127-

Ala Leu His Ala Ser Val Asp Met Leu Asn Asp Tyr Trp Asp Tyr Lys
 50 55 60
 Arg Gly Ile Asp Thr Arg Thr Lys Arg Thr Pro Met Ser Gly Gly Thr
 65 70 75 80
 Gly Val Leu Pro Glu Gly Leu Leu Ser Pro Arg Gln Val Tyr Arg Ala
 85 90 95
 Gly Ile Ile Ser Leu Val Leu Gly Thr Ala Ala Gly Ala Tyr Phe Val
 100 105 110
 Ile Thr Thr Gly Pro Val Ile Ala Ala Ile Leu Gly Phe Ala Val Val
 115 120 125
 Ser Ile Tyr Phe Tyr Ser Thr Arg Ile Val Asp Ser Gly Leu Ser Glu
 130 135 140
 Val Leu Val Gly Val Lys Gly Ala Met Ile Val Leu Gly Ala Tyr Tyr
 145 150 155 160
 Ile Gln Ala Pro Glu Ile Thr Pro Ala Ala Leu Leu Val Gly Ala Ala
 165 170 175
 Val Gly Ala Leu Ser Ser Ala Val Leu Phe Val Ala Ser Phe Pro Asp
 180 185 190
 His Asp Ala Asp Lys Glu Arg Gly Arg Lys Thr Leu Val Ile Ile Leu
 195 200 205
 Gly Lys Lys Arg Ala Ser Arg Ile Leu Trp Val Phe Pro Ala Val Ala
 210 215 220
 Tyr Ser Ser Val Ile Ala Gly Val Ile Ile Gln Val Leu Pro Val Tyr
 225 230 235 240
 Ser Leu Ala Met Leu Leu Ala Ala Pro Leu Ala Ala Ile Ser Ala Arg
 245 250 255
 Gly Leu Ala Lys Glu Tyr Asp Gly Asp Arg Ile Ile Arg Val Met Arg
 260 265 270
 Gly Thr Leu Arg Phe Ser Arg Thr Ala Gly Ala Leu Leu Val Leu Gly
 275 280 285
 Ile Leu Leu Gly
 290

<210> 73

<211> 1227

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)...(1227)

<400> 73

ttg agg ccc gcg gct gtg cct aca gca cgg gat att ggc gca gaa cgg 48
 Met Arg Pro Ala Ala Val Pro Thr Ala Arg Asp Ile Gly Ala Glu Arg
 1 5 10 15
 ggc aat ctc aca ctt tgt acc ctt cat aca cat aaa tcc cgc ttg gat 96
 Gly Asn Leu Thr Leu Cys Thr Leu His Thr His Lys Ser Arg Leu Asp
 20 25 30
 gtg cgg ctg cgc atg atc agc ggg cat gcc acg gcc gag ggt aca cag 144
 Val Arg Leu Arg Met Ile Ser Gly His Ala Thr Ala Glu Gly Thr Gln
 35 40 45
 agg ata gcc gag atg tcc ggc gca cac cat gac aac tac aag gtg gta 192
 Arg Ile Ala Glu Met Ser Gly Ala His His Asp Asn Tyr Lys Val Val
 50 55 60

gac ggg ctg cac ctc tcc aac gtg ggg atg ggc acc tac ctt ggc gac Asp Gly Leu His Leu Ser Asn Val Gly Met Gly Thr Tyr Leu Gly Asp 65 70 75 80	240
gcg gat gac gcc acc gac agg gcc gtc aca gac gcg gtc aag agg tca Ala Asp Asp Ala Thr Asp Arg Ala Val Thr Asp Ala Val Lys Arg Ser 85 90 95	288
atc aag tcg ggg ata aac gtc ata gat acc gcg ata aac tac cgc ctc Ile Lys Ser Gly Ile Asn Val Ile Asp Thr Ala Ile Asn Tyr Arg Leu 100 105 110	336
cag agg gcc gag cgt tcc gtg ggc agg gcc gtt aca gag ctc tca gag Gln Arg Ala Glu Arg Ser Val Gly Arg Ala Val Thr Glu Leu Ser Glu 115 120 125	384
gag ggg ctg gta tcc agg gac cag ata ttc ata tcc aca aag gcg gga Glu Gly Leu Val Ser Arg Asp Gln Ile Phe Ile Ser Thr Lys Ala Gly 130 135 140	432
tac gtg acc aac gat tca gag gtc tcc ctc gac ttt tgg gag tat gta Tyr Val Thr Asn Asp Ser Glu Val Ser Leu Asp Phe Trp Glu Tyr Val 145 150 155 160	480
aaa aag gaa tac gtc ggt ggc ggc gtc ata cag tcc ggg gac ata tcc Lys Lys Glu Tyr Val Gly Gly Gly Val Ile Gln Ser Gly Asp Ile Ser 165 170 175	528
tcg gga tac cac tgc atg aag ccc gcg tat cta gag gac cag cta aag Ser Gly Tyr His Cys Met Lys Pro Ala Tyr Leu Glu Asp Gln Leu Lys 180 185 190	576
aga agc ctt gca aac atg aac gtc gac tgc ata gat ctt gtc tac gtg Arg Ser Leu Ala Asn Met Asn Val Asp Cys Ile Asp Leu Val Tyr Val 195 200 205	624
cac aac ccg gtg gag ggg cag atc aag gac cgc ccc gtg ccg gag atc His Asn Pro Val Glu Gly Gln Ile Lys Asp Arg Pro Val Pro Glu Ile 210 215 220	672
ctc gag ggg ata ggc gag gcc ttt gcc atg tac gag aaa atg cgg gag Leu Glu Gly Ile Gly Glu Ala Phe Ala Met Tyr Glu Lys Met Arg Glu 225 230 235 240	720
gct ggc cgc ata agg tat tac ggg ctc gcc acg tgg gag tgc ttc cgg Ala Gly Arg Ile Arg Tyr Tyr Gly Leu Ala Thr Trp Glu Cys Phe Arg 245 250 255	768
gtc gca gag ggc gac ccg cag agc atg cag ctc gaa gca gtg gta aaa Val Ala Glu Gly Asp Pro Gln Ser Met Gln Leu Glu Ala Val Val Lys 260 265 270	816
aag gcc aag gat gcc ggc ggg gag aac cac ggc ttt agg ttc ata cag Lys Ala Lys Asp Ala Gly Gly Glu Asn His Gly Phe Arg Phe Ile Gln 275 280 285	864
ctg cca ttc aac cag tac ttt gac cag gcc tac atg gta aag aac cag	912

Leu Pro Phe Asn Gln Tyr Phe Asp Gln Ala Tyr Met Val Lys Asn Gln
 290 295 300
 ggg acg ggc ggc ggc aag tca tcc ata ctg gag gcg gca gcc gcg ctg 960
 Gly Thr Gly Gly Gly Lys Ser Ser Ile Leu Glu Ala Ala Ala Ala Leu
 305 310 315 320
 gac att ggc gtg ttc aca agc gtc ccg ttc atg cag ggc aag ctg ctc 1008
 Asp Ile Gly Val Phe Thr Ser Val Pro Phe Met Gln Gly Lys Leu Leu
 325 330 335
 gag cct ggc ctg ctg ccg gag ttt ggc ggg ctc tcg ccc gcc ctg cgg 1056
 Glu Pro Gly Leu Leu Pro Glu Phe Gly Gly Leu Ser Pro Ala Leu Arg
 340 345 350
 tcc ctg cag ttc atc agg tct aca ccg gga gtg ctt gcc ccc ctg ccg 1104
 Ser Leu Gln Phe Ile Arg Ser Thr Pro Gly Val Leu Ala Pro Leu Pro
 355 360 365
 ggg cac aag tcc agc ctg cat aca gac gag aac cta aag atc atg ggc 1152
 Gly His Lys Ser Ser Leu His Thr Asp Glu Asn Leu Lys Ile Met Gly
 370 375 380
 gtg ccc ccc att cct cct gac aag ttc ggg gag ctt gtg gcc agc ctt 1200
 Val Pro Pro Ile Pro Pro Asp Lys Phe Gly Glu Leu Val Ala Ser Leu
 385 390 395 400
 acc tca tgg tcg ccc ggc cag aaa tag 1227
 Thr Ser Trp Ser Pro Gly Gln Lys *
 405

<210> 74

<211> 408

<212> PRT

<213> Cenarchaeum symbiosum

<400> 74

Met Arg Pro Ala Ala Val Pro Thr Ala Arg Asp Ile Gly Ala Glu Arg
 1 5 10 15
 Gly Asn Leu Thr Leu Cys Thr Leu His Thr His Lys Ser Arg Leu Asp
 20 25 30
 Val Arg Leu Arg Met Ile Ser Gly His Ala Thr Ala Glu Gly Thr Gln
 35 40 45
 Arg Ile Ala Glu Met Ser Gly Ala His His Asp Asn Tyr Lys Val Val
 50 55 60
 Asp Gly Leu His Leu Ser Asn Val Gly Met Gly Thr Tyr Leu Gly Asp
 65 70 75 80
 Ala Asp Asp Ala Thr Asp Arg Ala Val Thr Asp Ala Val Lys Arg Ser
 85 90 95
 Ile Lys Ser Gly Ile Asn Val Ile Asp Thr Ala Ile Asn Tyr Arg Leu
 100 105 110
 Gln Arg Ala Glu Arg Ser Val Gly Arg Ala Val Thr Glu Leu Ser Glu
 115 120 125
 Glu Gly Leu Val Ser Arg Asp Gln Ile Phe Ile Ser Thr Lys Ala Gly
 130 135 140
 Tyr Val Thr Asn Asp Ser Glu Val Ser Leu Asp Phe Trp Glu Tyr Val
 145 150 155 160

Lys Lys Glu Tyr Val Gly Gly Gly Val Ile Gln Ser Gly Asp Ile Ser
 165 170 175
 Ser Gly Tyr His Cys Met Lys Pro Ala Tyr Leu Glu Asp Gln Leu Lys
 180 185 190
 Arg Ser Leu Ala Asn Met Asn Val Asp Cys Ile Asp Leu Val Tyr Val
 195 200 205
 His Asn Pro Val Glu Gly Gln Ile Lys Asp Arg Pro Val Pro Glu Ile
 210 215 220
 Leu Glu Gly Ile Gly Glu Ala Phe Ala Met Tyr Glu Lys Met Arg Glu
 225 230 235 240
 Ala Gly Arg Ile Arg Tyr Tyr Gly Leu Ala Thr Trp Glu Cys Phe Arg
 245 250 255
 Val Ala Glu Gly Asp Pro Gln Ser Met Gln Leu Glu Ala Val Val Lys
 260 265 270
 Lys Ala Lys Asp Ala Gly Gly Glu Asn His Gly Phe Arg Phe Ile Gln
 275 280 285
 Leu Pro Phe Asn Gln Tyr Phe Asp Gln Ala Tyr Met Val Lys Asn Gln
 290 295 300
 Gly Thr Gly Gly Gly Lys Ser Ser Ile Leu Glu Ala Ala Ala Ala Leu
 305 310 315 320
 Asp Ile Gly Val Phe Thr Ser Val Pro Phe Met Gln Gly Lys Leu Leu
 325 330 335
 Glu Pro Gly Leu Leu Pro Glu Phe Gly Gly Leu Ser Pro Ala Leu Arg
 340 345 350
 Ser Leu Gln Phe Ile Arg Ser Thr Pro Gly Val Leu Ala Pro Leu Pro
 355 360 365
 Gly His Lys Ser Ser Leu His Thr Asp Glu Asn Leu Lys Ile Met Gly
 370 375 380
 Val Pro Pro Ile Pro Pro Asp Lys Phe Gly Glu Leu Val Ala Ser Leu
 385 390 395 400
 Thr Ser Trp Ser Pro Gly Gln Lys
 405

<210> 75

<211> 1077

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1)... (1077)

<400> 75

atg aac aac cgg ttc cag gtt atc cgg ggg gat gcc cgg gcg gtg ctg 48
 Met Asn Asn Arg Phe Gln Val Ile Arg Gly Asp Ala Arg Ala Val Leu
 1 5 10 15
 ccc agg ctt gca aaa aag aat ggc gag cgc ggc agg tac agg ctg gcc 96
 Pro Arg Leu Ala Lys Lys Asn Gly Glu Arg Gly Arg Tyr Arg Leu Ala
 20 25 30
 gtc act tcc ccc ccg tat tac ggg cac aga aag tac ggg tcg gat ccc 144
 Val Thr Ser Pro Pro Tyr Tyr Gly His Arg Lys Tyr Gly Ser Asp Pro
 35 40 45
 tcc gag ctg ggc cag gag ggg acg cct gat gag ttc gtc gag gag ctg 192
 Ser Glu Leu Gly Gln Glu Gly Thr Pro Asp Glu Phe Val Glu Glu Leu
 50 55 60

gca ggg gtg ttc aag agc tgc atg gac ctg ctt acc gac gac ggc agc Ala Gly Val Phe Lys Ser Cys Met Asp Leu Leu Thr Asp Asp Gly Ser 65 70 75 80	240
ctc ttc ata gtg ata ggc gac acc cgg agg cgg cgc cgg aag ctg atg Leu Phe Ile Val Ile Gly Asp Thr Arg Arg Arg Arg Arg Lys Leu Met 85 90 95	288
gtc ccg cac cgg ctc gcg ctc aga ctt gta gac ctt ggg tac cac ttt Val Pro His Arg Leu Ala Leu Arg Leu Val Asp Leu Gly Tyr His Phe 100 105 110	336
caa gag gat ata gtc tgg tac aag aaa aac gcg cta tca cag agc tcg Gln Glu Asp Ile Val Trp Tyr Lys Lys Asn Ala Leu Ser Gln Ser Ser 115 120 125	384
aag cag aac ctt acg cag gcg tac gag ttt gtg ctg gtg cta tca aag Lys Gln Asn Leu Thr Gln Ala Tyr Glu Phe Val Leu Val Leu Ser Lys 130 135 140	432
tcg gaa tcc ccc gcc ttt gac ata gac ccg ata cgc gtc cag ggc aac Ser Glu Ser Pro Ala Phe Asp Ile Asp Pro Ile Arg Val Gln Gly Asn 145 150 155 160	480
gag gcc ctg agc ggg gtc aac agg aag ccg gag cgc gac cgg ctg cag Glu Ala Leu Ser Gly Val Asn Arg Lys Pro Glu Arg Asp Arg Leu Gln 165 170 175	528
ttc tcc ccc ggg agg agg gac cct gaa gcc ata ggg agg att gca gca Phe Ser Pro Gly Arg Arg Asp Pro Glu Ala Ile Gly Arg Ile Ala Ala 180 185 190	576
gtg ata cac ggc tcg tcc ccc gag acg ccg ttt gac gag ctg cca acc Val Ile His Gly Ser Ser Pro Glu Thr Pro Phe Asp Glu Leu Pro Thr 195 200 205	624
acc gag gag ata tcg cgg gcc cac ggg tat gac ccc gaa aag cac tgc Thr Glu Glu Ile Ser Arg Ala His Gly Tyr Asp Pro Glu Lys His Cys 210 215 220	672
ccg aca tgc tac cgc aag ttc aaa agg cat gcg acg cgc aag cgg ata Pro Thr Cys Tyr Arg Lys Phe Lys Arg His Ala Thr Arg Lys Arg Ile 225 230 235 240	720
ggg ggc cac gag cac tat ccg ata ttt gca gca tgc aac ccc cgg ggc Gly Gly His Glu His Tyr Pro Ile Phe Ala Ala Cys Asn Pro Arg Gly 245 250 255	768
aag aac cct ggg aac gtc tgg gag ata tcc aca aag gcg cac cac ggc Lys Asn Pro Gly Asn Val Trp Glu Ile Ser Thr Lys Ala His His Gly 260 265 270	816
aac gag cac ttt gcg gtg ttc cca gaa gac ctc gta tcc cgg ata gta Asn Glu His Phe Ala Val Phe Pro Glu Asp Leu Val Ser Arg Ile Val 275 280 285	864
aag ttt gcc aca aga gag ggc gac tat gtg ctg gat ccg ttt gcg gga	912

-132-

Lys Phe Ala Thr Arg Glu Gly Asp Tyr Val Leu Asp Pro Phe Ala Gly
 290 295 300

agg ggc aca acg ggg ata gtc tcg gcg tgc ctc aag agg ggc ttt acg 960
 Arg Gly Thr Thr Gly Ile Val Ser Ala Cys Leu Lys Arg Gly Phe Thr
 305 310 315 320

gga ata gac ctg tat cct gcc aac gtg gac agg acc cgg cgc aat gtg 1008
 Gly Ile Asp Leu Tyr Pro Ala Asn Val Asp Arg Thr Arg Arg Asn Val
 325 330 335

aaa gat tct gcg gac tcg aag ctg cca aaa aag gtg cta gac cag ata 1056
 Lys Asp Ser Ala Asp Ser Lys Leu Pro Lys Lys Val Leu Asp Gln Ile
 340 345 350

atg ccc gag gga aca cgc tga 1077
 Met Pro Glu Gly Thr Arg *
 355

<210> 76

<211> 358

<212> PRT

<213> Cenarchaeum symbiosum

<400> 76

Met Asn Asn Arg Phe Gln Val Ile Arg Gly Asp Ala Arg Ala Val Leu
 1 5 10 15
 Pro Arg Leu Ala Lys Lys Asn Gly Glu Arg Gly Arg Tyr Arg Leu Ala
 20 25 30
 Val Thr Ser Pro Pro Tyr Tyr Gly His Arg Lys Tyr Gly Ser Asp Pro
 35 40 45
 Ser Glu Leu Gly Gln Glu Gly Thr Pro Asp Glu Phe Val Glu Glu Leu
 50 55 60
 Ala Gly Val Phe Lys Ser Cys Met Asp Leu Leu Thr Asp Asp Gly Ser
 65 70 75 80
 Leu Phe Ile Val Ile Gly Asp Thr Arg Arg Arg Arg Lys Leu Met
 85 90 95
 Val Pro His Arg Leu Ala Leu Arg Leu Val Asp Leu Gly Tyr His Phe
 100 105 110
 Gln Glu Asp Ile Val Trp Tyr Lys Lys Asn Ala Leu Ser Gln Ser Ser
 115 120 125
 Lys Gln Asn Leu Thr Gln Ala Tyr Glu Phe Val Leu Val Leu Ser Lys
 130 135 140
 Ser Glu Ser Pro Ala Phe Asp Ile Asp Pro Ile Arg Val Gln Gly Asn
 145 150 155 160
 Glu Ala Leu Ser Gly Val Asn Arg Lys Pro Glu Arg Asp Arg Leu Gln
 165 170 175
 Phe Ser Pro Gly Arg Arg Asp Pro Glu Ala Ile Gly Arg Ile Ala Ala
 180 185 190
 Val Ile His Gly Ser Ser Pro Glu Thr Pro Phe Asp Glu Leu Pro Thr
 195 200 205
 Thr Glu Glu Ile Ser Arg Ala His Gly Tyr Asp Pro Glu Lys His Cys
 210 215 220
 Pro Thr Cys Tyr Arg Lys Phe Lys Arg His Ala Thr Arg Lys Arg Ile
 225 230 235 240
 Gly Gly His Glu His Tyr Pro Ile Phe Ala Ala Cys Asn Pro Arg Gly
 245 250 255

-133-

Lys Asn Pro Gly Asn Val Trp Glu Ile Ser Thr Lys Ala His His Gly
 260 265 270
 Asn Glu His Phe Ala Val Phe Pro Glu Asp Leu Val Ser Arg Ile Val
 275 280 285
 Lys Phe Ala Thr Arg Glu Gly Asp Tyr Val Leu Asp Pro Phe Ala Gly
 290 295 300
 Arg Gly Thr Thr Gly Ile Val Ser Ala Cys Leu Lys Arg Gly Phe Thr
 305 310 315 320
 Gly Ile Asp Leu Tyr Pro Ala Asn Val Asp Arg Thr Arg Arg Asn Val
 325 330 335
 Lys Asp Ser Ala Asp Ser Lys Leu Pro Lys Lys Val Leu Asp Gln Ile
 340 345 350
 Met Pro Glu Gly Thr Arg
 355

<210> 77

<211> 468

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> CDS

<222> (1) ... (468)

<400> 77

atg cgg ctg ccc cgg cgc cga ctt aaa atc gtt gta gga tgc ggc gcc	48
Met Arg Leu Pro Arg Arg Arg Leu Lys Ile Val Val Gly Cys Gly Ala	
1 5 10 15	
gca gat gca ttg ccc gcc tta tac acc gcc cgg gat cgg ccg cct tgc	96
Ala Asp Ala Leu Pro Ala Leu Tyr Thr Ala Arg Asp Arg Pro Pro Cys	
20 25 30	
agc aca cgc agt ata aac ggg ggc ccg ggc ggc gcg tat cac atg tgg	144
Ser Thr Arg Ser Ile Asn Gly Gly Pro Gly Gly Ala Tyr His Met Trp	
35 40 45	
ata aag gac gaa ttc ctc ggc ccg ggc aac aag atg agg ctg ctc tac	192
Ile Lys Asp Glu Phe Leu Gly Pro Gly Asn Lys Met Arg Leu Leu Tyr	
50 55 60	
ctg ata ctg ccc atc tat ggg tat atc ttt ctg gag tac tat ccg ttc	240
Leu Ile Leu Pro Ile Tyr Gly Tyr Ile Phe Leu Glu Tyr Tyr Pro Phe	
65 70 75 80	
ttt ccc tgg atg gcc acc tac tgg tgg tca gta gct ctc agc ccc ccg	288
Phe Pro Trp Met Ala Thr Tyr Trp Trp Ser Val Ala Leu Ser Pro Pro	
85 90 95	
ata gtg ccc acg cat tat gcc ggg gag gcc ctg ggg cgg ctg atc ggg	336
Ile Val Pro Thr His Tyr Ala Gly Glu Ala Leu Gly Arg Leu Ile Gly	
100 105 110	
gat cac gta ttg ttt ggc atc acc aca aag tac gtc tat gcg gca ata	384
Asp His Val Leu Phe Gly Ile Thr Thr Lys Tyr Val Tyr Ala Ala Ile	
115 120 125	
tgg ctc ggc atg gcc cat ggg ata atc ctg ctg gca ggg cgc ctc cgg	432

Trp Leu Gly Met Ala His Gly Ile Ile Leu Leu Ala Gly Arg Leu Arg
 130 135 140

gga cct agg cag gcg cca cgg acg ggc atc cca tag 468
 Gly Pro Arg Gln Ala Pro Arg Thr Gly Ile Pro *
 145 150 155

<210> 78
 <211> 155
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 78
 Met Arg Leu Pro Arg Arg Arg Leu Lys Ile Val Val Gly Cys Gly Ala
 1 5 10 15
 Ala Asp Ala Leu Pro Ala Leu Tyr Thr Ala Arg Asp Arg Pro Pro Cys
 20 25 30
 Ser Thr Arg Ser Ile Asn Gly Gly Pro Gly Gly Ala Tyr His Met Trp
 35 40 45
 Ile Lys Asp Glu Phe Leu Gly Pro Gly Asn Lys Met Arg Leu Leu Tyr
 50 55 60
 Leu Ile Leu Pro Ile Tyr Gly Tyr Ile Phe Leu Glu Tyr Tyr Pro Phe
 65 70 75 80
 Phe Pro Trp Met Ala Thr Tyr Trp Trp Ser Val Ala Leu Ser Pro Pro
 85 90 95
 Ile Val Pro Thr His Tyr Ala Gly Glu Ala Leu Gly Arg Leu Ile Gly
 100 105 110
 Asp His Val Leu Phe Gly Ile Thr Thr Lys Tyr Val Tyr Ala Ala Ile
 115 120 125
 Trp Leu Gly Met Ala His Gly Ile Ile Leu Leu Ala Gly Arg Leu Arg
 130 135 140
 Gly Pro Arg Gln Ala Pro Arg Thr Gly Ile Pro
 145 150 155

<210> 79
 <211> 1779
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> CDS
 <222> (1)... (1779)

<400> 79
 ttg aag ctg caa ggc aag act gcc gtg atc acc ggc agt ggt acc ggg 48
 Met Lys Leu Gln Gly Lys Thr Ala Val Ile Thr Gly Ser Gly Thr Gly
 1 5 10 15
 atc ggg ctg gcg gtg gca agg aaa ttt gcc gag aac ggg gcc agc gtg 96
 Ile Gly Leu Ala Val Ala Arg Lys Phe Ala Glu Asn Gly Ala Ser Val
 20 25 30
 gta ata ctc gga agg aga aag gag ccc ctc gat gag gca gca gca gag 144
 Val Ile Leu Gly Arg Arg Lys Glu Pro Leu Asp Glu Ala Ala Ala Glu
 35 40 45
 ctc aaa aag ata gcg gaa tct gca ggc tgc ggg gcc tcg atc agg ata 192

-135-

Leu	Lys	Lys	Ile	Ala	Glu	Ser	Ala	Gly	Cys	Gly	Ala	Ser	Ile	Arg	Ile		
50						55					60						
ttc	gcc	ggg	gtg	gac	gtg	gcc	gac	gaa	tcc	gcg	ata	acg	aaa	atg	ttc	240	
Phe	Ala	Gly	Val	Asp	Val	Ala	Asp	Glu	Ser	Ala	Ile	Thr	Lys	Met	Phe		
65					70				75						80		
gac	gag	ctg	tcc	agc	tca	ggg	gta	acc	gtg	gac	ata	ctg	gtg	aac	aat	288	
Asp	Glu	Leu	Ser	Ser	Ser	Gly	Val	Thr	Val	Asp	Ile	Leu	Val	Asn	Asn		
				85					90					95			
gcc	ggc	gtg	tcg	ggg	ccc	gtc	acg	tgc	ttt	gcc	aac	aat	gat	cta	gaa	336	
Ala	Gly	Val	Ser	Gly	Pro	Val	Thr	Cys	Phe	Ala	Asn	Asn	Asp	Leu	Glu		
			100					105					110				
gag	ttc	cgc	ggg	gca	gtc	gac	ata	cac	ctg	acc	ggc	tcc	ttc	tgg	aca	384	
Glu	Phe	Arg	Gly	Ala	Val	Asp	Ile	His	Leu	Thr	Gly	Ser	Phe	Trp	Thr		
		115					120					125					
tcg	agg	gag	gcc	ctc	aag	gtc	atg	aaa	aag	ggc	tcc	aag	att	gtc	acc	432	
Ser	Arg	Glu	Ala	Leu	Lys	Val	Met	Lys	Lys	Gly	Ser	Lys	Ile	Val	Thr		
		130				135					140						
atg	act	acg	ttt	ttt	gca	gaa	gag	agg	cca	ctc	gag	cag	agg	ccg	tac	480	
Met	Thr	Thr	Phe	Phe	Ala	Glu	Glu	Arg	Pro	Leu	Glu	Gln	Arg	Pro	Tyr		
145					150					155					160		
agg	ttc	cgc	gac	ccg	tat	aca	acc	gca	cag	ggc	gca	aag	aac	agg	ctc	528	
Arg	Phe	Arg	Asp	Pro	Tyr	Thr	Thr	Ala	Gln	Gly	Ala	Lys	Asn	Arg	Leu		
				165					170					175			
gcc	gag	gcg	atg	tcg	tgg	gat	ctt	tta	gac	cgc	ggg	ata	aca	tcg	ata	576	
Ala	Glu	Ala	Met	Ser	Trp	Asp	Leu	Leu	Asp	Arg	Gly	Ile	Thr	Ser	Ile		
			180					185					190				
gcg	acc	aac	ccc	ggc	ccc	gtc	cat	tct	gac	agg	ata	tac	aag	acg	gta	624	
Ala	Thr	Asn	Pro	Gly	Pro	Val	His	Ser	Asp	Arg	Ile	Tyr	Lys	Thr	Val		
		195					200					205					
tac	ccg	agg	gcg	gca	ctc	gag	ttt	gtc	agg	gtt	tca	ggg	ttt	gag	gac	672	
Tyr	Pro	Arg	Ala	Ala	Leu	Glu	Phe	Val	Arg	Val	Ser	Gly	Phe	Glu	Asp		
		210				215					220						
ctg	cag	cca	gaa	gaa	gtc	gag	gtg	gca	ggc	ggc	agg	cta	atc	cac	ctg	720	
Leu	Gln	Pro	Glu	Glu	Val	Glu	Val	Ala	Gly	Gly	Arg	Leu	Ile	His	Leu		
225					230					235					240		
ctc	ggc	gcg	gac	gac	gat	gca	aga	aaa	aaa	ggc	ata	gca	gag	gcc	gca	768	
Leu	Gly	Ala	Asp	Asp	Asp	Ala	Arg	Lys	Lys	Gly	Ile	Ala	Glu	Ala	Ala		
				245					250					255			
gag	cac	ttt	gcc	aag	cta	aag	ccc	gtg	gat	ccc	gca	aag	cta	gag	gcc	816	
Glu	His	Phe	Ala	Lys	Leu	Lys	Pro	Val	Asp	Pro	Ala	Lys	Leu	Glu	Ala		
			260					265						270			
acc	ctt	gat	gcc	ctg	ctc	gca	aag	atc	aag	ggg	ata	gcc	gaa	aag	ata	864	
Thr	Leu	Asp	Ala	Leu	Leu	Ala	Lys	Ile	Lys	Gly	Ile	Ala	Glu	Lys	Ile		
		275					280							285			

cag gcc aac act gca agg atg ata cca gac ggg gag ttt ctc tcc cag Gln Ala Asn Thr Ala Arg Met Ile Pro Asp Gly Glu Phe Leu Ser Gln 290 295 300	912
gac cag gtg gcc gag acg gta ctc gcc ctc tgc gat gac aag atg gcc Asp Gln Val Ala Glu Thr Val Leu Ala Leu Cys Asp Asp Lys Met Ala 305 310 315 320	960
aag acg gta aac ggc cgc gta atc ccc gcc gac agg gta ttc tac ccg Lys Thr Val Asn Gly Arg Val Ile Pro Ala Asp Arg Val Phe Tyr Pro 325 330 335	1008
gta agg gcg cat gtg gcc aat gcc gct ccg cgc gtg ccc ccg cac gac Val Arg Ala His Val Ala Asn Ala Ala Pro Arg Val Pro Pro His Asp 340 345 350	1056
tat tcc ggg gga tgc gtc cta ttc atg ata gat gca gca gac gac agg Tyr Ser Gly Gly Cys Val Leu Phe Met Ile Asp Ala Ala Asp Asp Arg 355 360 365	1104
gat gta gaa agg gcg acc gcc ctg gca tcc cat gtg gaa agc cac ggg Asp Val Glu Arg Ala Thr Ala Leu Ala Ser His Val Glu Ser His Gly 370 375 380	1152
ggc acg gca gtc tgc ata gtc tca gaa gac tcg ccc cgc gcg gca aag Gly Thr Ala Val Cys Ile Val Ser Glu Asp Ser Pro Arg Ala Ala Lys 385 390 395 400	1200
gag atg ata gcg tca aag ttc cac tcg cat gcg agc cac ata gac aag Glu Met Ile Ala Ser Lys Phe His Ser His Ala Ser His Ile Asp Lys 405 410 415	1248
gta gac gag ata aac agg tgg ctg agc gct gca tca aca aag ata ggc Val Asp Glu Ile Asn Arg Trp Leu Ser Ala Ala Ser Thr Lys Ile Gly 420 425 430	1296
ccc ata tct gca gtg gtc cac ctg tcc ggc agg atg cca aaa tcc ggc Pro Ile Ser Ala Val Val His Leu Ser Gly Arg Met Pro Lys Ser Gly 435 440 445	1344
agc cta atg gat ctc tcc aga aaa gaa tgg gac gcg ctg gtt gac agg Ser Leu Met Asp Leu Ser Arg Lys Glu Trp Asp Ala Leu Val Asp Arg 450 455 460	1392
ttc ata ggg acg ccg gct gcc gtc ctg cac agg tcg ctt gag cac ttt Phe Ile Gly Thr Pro Ala Ala Val Leu His Arg Ser Leu Glu His Phe 465 470 475 480	1440
gca ccc ggc ggg cgc aag gac ccc cgt ttg ttc aag ggc aag agc ggc Ala Pro Gly Gly Arg Lys Asp Pro Arg Leu Phe Lys Gly Lys Ser Gly 485 490 495	1488
gtc atc gtg ata ata ggc ccc gac ctg ccc gcg ggg aaa aag gcc tcc Val Ile Val Ile Ile Gly Pro Asp Leu Pro Ala Gly Lys Lys Ala Ser 500 505 510	1536
ggc gcc gag agg gca agg gcg gag atc ttc cgg ggt gcg ctc agg ccg	1584

Gly Ala Glu Arg Ala Arg Ala Glu Ile Phe Arg Gly Ala Leu Arg Pro
 515 520 525

ctg acg act aca gtc aac cag gag ctc agc gat gtg cta aag tca aac 1632
 Leu Thr Thr Thr Val Asn Gln Glu Leu Ser Asp Val Leu Lys Ser Asn
 530 535 540

gtg cgc ctg ttt acc atc ctt ccc ggc agg gcg gac ggg ggc gag acc 1680
 Val Arg Leu Phe Thr Ile Leu Pro Gly Arg Ala Asp Gly Gly Glu Thr
 545 550 555 560

gat gat tcc cgc ata tct gct gca atc gac tac ttt ctg acc ccc gag 1728
 Asp Asp Ser Arg Ile Ser Ala Ala Ile Asp Tyr Phe Leu Thr Pro Glu
 565 570 575

gct gtc tcg tcc ggc gag gtc ata ttc tgc gta gac gag aac agg ggc 1776
 Ala Val Ser Ser Gly Glu Val Ile Phe Cys Val Asp Glu Asn Arg Gly
 580 585 590

tag 1779
 *

<210> 80
 <211> 592
 <212> PRT
 <213> Cenarchaeum symbiosum

<400> 80

Met Lys Leu Gln Gly Lys Thr Ala Val Ile Thr Gly Ser Gly Thr Gly
 1 5 10 15
 Ile Gly Leu Ala Val Ala Arg Lys Phe Ala Glu Asn Gly Ala Ser Val
 20 25 30
 Val Ile Leu Gly Arg Arg Lys Glu Pro Leu Asp Glu Ala Ala Ala Glu
 35 40 45
 Leu Lys Lys Ile Ala Glu Ser Ala Gly Cys Gly Ala Ser Ile Arg Ile
 50 55 60
 Phe Ala Gly Val Asp Val Ala Asp Glu Ser Ala Ile Thr Lys Met Phe
 65 70 75 80
 Asp Glu Leu Ser Ser Ser Gly Val Thr Val Asp Ile Leu Val Asn Asn
 85 90 95
 Ala Gly Val Ser Gly Pro Val Thr Cys Phe Ala Asn Asn Asp Leu Glu
 100 105 110
 Glu Phe Arg Gly Ala Val Asp Ile His Leu Thr Gly Ser Phe Trp Thr
 115 120 125
 Ser Arg Glu Ala Leu Lys Val Met Lys Lys Gly Ser Lys Ile Val Thr
 130 135 140
 Met Thr Thr Phe Phe Ala Glu Glu Arg Pro Leu Glu Gln Arg Pro Tyr
 145 150 155 160
 Arg Phe Arg Asp Pro Tyr Thr Thr Ala Gln Gly Ala Lys Asn Arg Leu
 165 170 175
 Ala Glu Ala Met Ser Trp Asp Leu Leu Asp Arg Gly Ile Thr Ser Ile
 180 185 190
 Ala Thr Asn Pro Gly Pro Val His Ser Asp Arg Ile Tyr Lys Thr Val
 195 200 205
 Tyr Pro Arg Ala Ala Leu Glu Phe Val Arg Val Ser Gly Phe Glu Asp
 210 215 220
 Leu Gln Pro Glu Glu Val Glu Val Ala Gly Gly Arg Leu Ile His Leu
 225 230 235 240

-138-

Leu	Gly	Ala	Asp	Asp	Ala	Arg	Lys	Lys	Gly	Ile	Ala	Glu	Ala	Ala	
				245				250						255	
Glu	His	Phe	Ala	Lys	Leu	Lys	Pro	Val	Asp	Pro	Ala	Lys	Leu	Glu	Ala
			260					265						270	
Thr	Leu	Asp	Ala	Leu	Leu	Ala	Lys	Ile	Lys	Gly	Ile	Ala	Glu	Lys	Ile
			275					280						285	
Gln	Ala	Asn	Thr	Ala	Arg	Met	Ile	Pro	Asp	Gly	Glu	Phe	Leu	Ser	Gln
			290					295				300			
Asp	Gln	Val	Ala	Glu	Thr	Val	Leu	Ala	Leu	Cys	Asp	Asp	Lys	Met	Ala
305						310				315					320
Lys	Thr	Val	Asn	Gly	Arg	Val	Ile	Pro	Ala	Asp	Arg	Val	Phe	Tyr	Pro
			325						330					335	
Val	Arg	Ala	His	Val	Ala	Asn	Ala	Ala	Pro	Arg	Val	Pro	Pro	His	Asp
			340					345					350		
Tyr	Ser	Gly	Gly	Cys	Val	Leu	Phe	Met	Ile	Asp	Ala	Ala	Asp	Asp	Arg
		355					360					365			
Asp	Val	Glu	Arg	Ala	Thr	Ala	Leu	Ala	Ser	His	Val	Glu	Ser	His	Gly
		370				375						380			
Gly	Thr	Ala	Val	Cys	Ile	Val	Ser	Glu	Asp	Ser	Pro	Arg	Ala	Ala	Lys
385					390					395					400
Glu	Met	Ile	Ala	Ser	Lys	Phe	His	Ser	His	Ala	Ser	His	Ile	Asp	Lys
				405					410					415	
Val	Asp	Glu	Ile	Asn	Arg	Trp	Leu	Ser	Ala	Ala	Ser	Thr	Lys	Ile	Gly
			420					425					430		
Pro	Ile	Ser	Ala	Val	Val	His	Leu	Ser	Gly	Arg	Met	Pro	Lys	Ser	Gly
		435				440						445			
Ser	Leu	Met	Asp	Leu	Ser	Arg	Lys	Glu	Trp	Asp	Ala	Leu	Val	Asp	Arg
	450					455				460					
Phe	Ile	Gly	Thr	Pro	Ala	Ala	Val	Leu	His	Arg	Ser	Leu	Glu	His	Phe
465					470					475					480
Ala	Pro	Gly	Gly	Arg	Lys	Asp	Pro	Arg	Leu	Phe	Lys	Gly	Lys	Ser	Gly
				485					490					495	
Val	Ile	Val	Ile	Ile	Gly	Pro	Asp	Leu	Pro	Ala	Gly	Lys	Lys	Ala	Ser
			500					505					510		
Gly	Ala	Glu	Arg	Ala	Arg	Ala	Glu	Ile	Phe	Arg	Gly	Ala	Leu	Arg	Pro
		515				520						525			
Leu	Thr	Thr	Thr	Val	Asn	Gln	Glu	Leu	Ser	Asp	Val	Leu	Lys	Ser	Asn
	530					535					540				
Val	Arg	Leu	Phe	Thr	Ile	Leu	Pro	Gly	Arg	Ala	Asp	Gly	Gly	Glu	Thr
545					550					555					560
Asp	Asp	Ser	Arg	Ile	Ser	Ala	Ala	Ile	Asp	Tyr	Phe	Leu	Thr	Pro	Glu
				565					570					575	
Ala	Val	Ser	Ser	Gly	Glu	Val	Ile	Phe	Cys	Val	Asp	Glu	Asn	Arg	Gly</

```
<210> 81
<211> 40
<212> DNA
<213> Cenarchaeum symbiosum
```

```
<220>
<221> TATA_signal
<222> (11)...(16)
```

<400> 81
aagctagact tttaattgqq atccgqcgqq qcqgcgcata

<210> 82

<211> 40
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 82
aagctaaact ttttaattggg atccggcgag cgggcgcgtg 40

<210> 83
<211> 41
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 83
ggaaactttg attatacggg cgtgctgccc cggggccc at g 41

<210> 84
<211> 41
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 84
ggaaactttg attatacggg cgtacattcc cggggccc at g 41

<210> 85
<211> 42
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 85
aaggcaagg t aataatagcc tgccgtctgt aacggccgta tg 42

<210> 86
<211> 42
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 86
acggcaagg t aataatagcc tgccgtccgt acctgccgta tg 42

-140-

<210> 87
<211> 42
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 87
catggaacta gatattaacc ggttccgcgg atcccatgca tg 42

<210> 88
<211> 42
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 88
catggaacta gataataacc ggtcccgagg gtacaatgca tg 42

<210> 89
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 89
ataccgagaa gttatagcag ggtatggaat gtgcgcgcgc atg 43

<210> 90
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 90
agcacgacaa gttatagcag ggtacaaagg agcagcgcac atg 43

<210> 91
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

-141-

<400> 91
atccgccctg attaaattat ggggggagcg gcctgctgcc gtg 43

<210> 92
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 92
atccggcctc attaaattac ggggggtaca acctgctgcc gtg 43

<210> 93
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 93
ccttcataca cataaatccc gcttggatgt gcggctgcgc atg 43

<210> 94
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 94
acttcataca cataaatccc gcctgaacgg tcgtccgcgc atg 43

<210> 95
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal
<222> (10)...(15)

<400> 95
ggcatatacc ataatatgcc gggcgggtggc accatggccg ttg 43

<210> 96
<211> 43
<212> DNA
<213> *Cenarchaeum symbiosum*

<220>
<221> TATA_signal

<222> (11)...(16)

<400> 96
ccgcatatac cataatatgc cgggcggggg caggctgccc gtg 43

<210> 97
<211> 44
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 97
tgtacgaaac cataaaacaa caggccgcgt cagggccgcg cgtg 44

<210> 98
<211> 43
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 98
gggtagaaac cataaaacaa caggccgcgg cagggcgcg cgtg 43

<210> 99
<211> 42
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (9)...(14)

<400> 99
acacgcagta taaacggggg cccgggcggc gcgtatcaca tg 42

<210> 100
<211> 43
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 100
atacacgtgg tataaacaga ggccggacgg cgcggaccac atg 43

<210> 101
<211> 44
<212> DNA
<213> Cenarchaeum symbiosum

-143-

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 101
gcgatagtta tttaaaacta ggatgccgat cacggatcgt ccca 44

<210> 102
<211> 44
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 102
gcgatagtta tttaaaacta ggatgccggg caccgctcgt ccca 44

<210> 103
<211> 44
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 103
ccggggccccg gttaaaatag cgcacgggcg gatcctgacc aatg 44

<210> 104
<211> 45
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 104
ccggggccccg gttaaaatag agtgcggccg ggcaccggat caatg 45

<210> 105
<211> 51
<212> DNA
<213> Cenarchaeum symbiosum

<220>
<221> TATA_signal
<222> (11)...(16)

<400> 105
gcgtcgatag aataaatag cgcagggggc cccgtggcgc gatcgcccg g 51

<210> 106
<211> 47
<212> DNA

-144-

<213> Cenarchaeum symbiosum

<220>

<221> TATA_signal

<222> (11)...(16)

<400> 106

gcgtcgatag aataaatacg cgcggggccg cgggtcgatc gcccggtg

47

<210> 107

<211> 60

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> TATA_signal

<222> (11)...(16)

<400> 107

atttcaacta cataaatgcc tagttacgca gaaatagcaa acgacgtact tcgactaatg

60

<210> 108

<211> 60

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> TATA_signal

<222> (11)...(16)

<400> 108

acttcaacta cataaatgcc tagctacgca gaaatatcaa acaaagtact tcgactaatg

60

<210> 109

<211> 67

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> TATA_signal

<222> (11)...(16)

<400> 109

acggcaggct attattacct tgccttgcgt tgtatagtat gccttatgcg ggggtcggca
ggggatg

60

67

<210> 110

<211> 66

<212> DNA

<213> Cenarchaeum symbiosum

<220>

<221> TATA_signal

<222> (11)...(16)

<400> 110

acggcaggct attattacct tgccgtgtgt acagggcatg ccggatgagg gggcctgccg
ggagtg

60

66

<210> 111
 <211> 121
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> TATA_signal
 <222> (11)...(16)

<400> 111
 ctacaacgat ttttaagtcgg cgccgggggca gccgcataga atgtgtatga cccgtaggat 60
 cgcgcgggccc gcctgctgcg cagatctgtc cgtccagcct gatgtggggc aggcaacatg 120
 a 121

<210> 112
 <211> 98
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> TATA_signal
 <222> (11)...(16)

<400> 112
 ctacaaagat ttttaagacgg cgcggggtgcc gcggtacaag atgaatacga cttgtcggat 60
 cgcgcgagggg cagatggatg gcacggggggc ctatcttg 98

<210> 113
 <211> 236
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> TATA_signal
 <222> (11)...(16)

<400> 113
 tcggcgatgg tttatatgcc catggacggg ccgatccgat cgtacgtgac gcaagagcgg 60
 cgcttgcatg gaatgcatgg tattgtacca tattgtgatt cgtgggctc cagttacgca 120
 cacagaatga gggatgatc gaaggggtcat atctgagatg tgaagattat gtgcattctg 180
 ttcaattcca aaagtacaag cgtacttaac aaaaaaaaaa taatccaatt atgaat 236

<210> 114
 <211> 235
 <212> DNA
 <213> Cenarchaeum symbiosum

<220>
 <221> TATA_signal
 <222> (11)...(16)

<400> 114
 ccggcgatgg tttatatgcc catggacaag gcgatccgat cgtacgtgac gcaagagcgg 60
 cgcttgcatg gaagccatgg tattgtacca tttgtgatt cgcaggcctc cagttacgca 120
 cacagaatga ggatctgatc gaaggggtcat atctgagatg tgaagattat gtgcattccg 180
 ttcaattcca aaagtacagg cgtactttga aaaaaaaaaa aatccaaata agaat 235

<210> 115
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide

<400> 115
gtgctccccc gccaatcct 20

<210> 116
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide

<400> 116
ctttccctca cggta 15

<210> 117
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide

<400> 117
ctattgccgt ctttacacc 19

<210> 118
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide

<400> 118
gaatccgccc ccgactatct t 21

<210> 119
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide

<400> 119
catggcttag tatcaatc 18

<210> 120
<211> 23
<212> DNA

WO 00/18909

-147-

<213> Artificial Sequence

<220>

<223> Oligonucleotide

<221> modified_base

<222> (3)...(3)

<223> I

<221> modified_base

<222> (12)...(12)

<223> I

<400> 120

23

acntacaacg gngacgaytt tga

<210> 121

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide

<400> 121

21

caccccgaar tagttyt tyt t

<210> 122

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide

<400> 122

19

acacttcaac tatttcctg

<210> 123

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide

<400> 123

19

acactttgac tatttcgtg